

**GLO SKIN BEAUTY TINTED PRIMER SPF 30- glo skin beauty tinted primer spf 30 cream
Hayden Caleel LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DRUG FACTS

Active Ingredients

Titanium Dioxide 4.5%

Zinc Oxide 4%

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply generously 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Inactive ingredients

Isododecane, Cyclopentasiloxane, Cyclohexasiloxane, Polysilicone-11, Mica, Polymethylsilsesquioxane, Hexyl Laurate, Polyglyceryl-3 Diisostearate, PEG/PPG-20/15 Dimethicone, Triethoxycaprylylsilane, Dimethicone, Iron Oxides

Other Information

- protect the product in this container from excessive heat and direct sun

Principal Display Panel

TINTED PRIMER BOX- US BOX

- PMS 424 C
- PMS BLACK C
- DIELINE/INFO



Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 4.8% Zinc Oxide 4%	sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only
Do not use on damaged or broken skin
When using this product keep out of the eyes. Rinse with water to remove.
Stop use and ask a doctor if skin rash occurs.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months of age: Ask a doctor

Sun Protection Measures
Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 am - 2 pm
- wear long-sleeved shirts, pants, hats and sunglasses

Other information

- protect this product from excessive heat and direct sun

Drug Facts (continued)

Inactive ingredients
Isododecane, Cyclopentasiloxane, Cyclohexasiloxane, Polysilicone-11, Mica, Polymethylsilsesquioxane, Hexyl Laurate, Polyglyceryl-3 Diisostearate, PEG/PPG-20/15 Dimethicone, Triethoxy caprylyl silane, Dimethicone, Iron Oxides (CI 77491, CI 77492, CI 77499), Titanium Dioxide (CI 77891)

Questions or comments?
Call: 1.800.232.0398
M-F 9 am - 6 pm MST

DIRECTIONS
Prior to foundation, apply with clean fingertips or foundation brush to smooth and even the complexion. Can be worn alone for sheer radiance.



glo SKIN BEAUTY
Distributed by:
Glo Skin Beauty
Denver, CO 80216
MADE IN THE USA
Lancast 118 Plaza
1, Salford M50 3UB, UK

glo
SKIN BEAUTY

Tinted Primer
SPF 30
30 mL e 1 fl. oz.

20575

GLO SKIN BEAUTY TINTED PRIMER SPF 30

glo skin beauty tinted primer spf 30 cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:60541-1400
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	4.5 g in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	4 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
PEG/PPG-20/15 DIMETHICONE (UNII: 06R6X77P9C)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISODODECANE (UNII: A8289P68Y2)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60541-1400-3	1 in 1 CARTON	12/31/2017	
1		30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	12/31/2017	

Labeler - Hayden Caleel LLC (011367468)