

SEAVUE ANTI-CARIES GEL- sodium fluoride gel
Xiling (Zhenjiang) Medical Technology Co., Ltd.

Sodium Fluoride

Do not use in children under 6 years of age unless directed by a dentist or physician.

Do not use for deep cavities close to the pulp unless directed by a dentist.

Do not use if the safety seal is broken or missing.

Keep out of reach of children under 6 years of age.

Anticavity

Tray Method:

Rinse mouth and clean teeth before use.

Fill dental tray evenly with gel and place over dental arch.

Leave in place for 5 minutes.

Remove tray, spit out gel, and rinse mouth thoroughly.

Brush Method:

Apply a small amount of gel evenly to teeth using a toothbrush or cotton swab.

Leave on for 3-5 minutes.

Rinse mouth thoroughly.

Sodium fluoride 0.3% (w/w)

Aids in the prevention of dental cavities and helps strengthen tooth enamel.

For oral use only

Keep out of reach of children under 6 years of age.

Do not use in children under 6 years of age unless directed by a dentist or physician.

Avoid contact with eyes and skin. If contact occurs, rinse thoroughly with water.

Do not use for deep cavities close to the pulp unless directed by a dentist.

Do not use if the safety seal is broken or missing.

Carbomer, Glycerin, Potassium Nitrate, Triethanolamine, Purified Water

Directions

Tray Method:

Rinse mouth and clean teeth before use.

Fill dental tray evenly with gel and place over dental arch.


Leave in place for 5 minutes.

Remove tray, spit out gel, and rinse mouth thoroughly.

Brush Method:

Apply a small amount of gel evenly to teeth using a toothbrush or cotton swab.
Leave on for 3-5 minutes.
Rinse mouth thoroughly.

外盒 194.5×68×20mm



SEAVUE ANTI-CARIES GEL

sodium fluoride gel

| Product Information | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:87118-004 |
| Route of Administration | DENTAL | | |

| Active Ingredient/Active Moiety | | | | |
|---|--|---|----------------------|--------------------|
| Ingredient Name | | | Basis of Strength | Strength |
| SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O) | | | FLUORIDE ION | 1.36 mg in 1 g |
| | | | | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | Strength | |
| CARBOMER (UNII: 0A5MM307FC) | | | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | | |
| TRIETHANOLAMINE (UNII: 9O3K93S3TK) | | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| POTASSIUM NITRATE (UNII: RU45X2JN0Z) | | | | |
| | | | | |
| Product Characteristics | | | | |
| Color | | Score | | |
| Shape | FREEFORM | Size | | |
| Flavor | | Imprint Code | | |
| Contains | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:87118-004-01 | 1 g in 1 BOX; Type 0: Not a Combination Product | 10/10/2025 | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M022 | | 10/08/2025 | |

Labeler - Xiling (Zhenjiang) Medical Technology Co., Ltd. (707119039)