

**ESUNIX ORAL BACTERIOSTATIC GEL- cetylpyridinium chloride gel, dentifrice  
Xiling (Zhenjiang) Medical Technology Co., Ltd.**

-----  
Cetylpyridinium chloride 0.06% (w/w)

Oral antiseptic

Helps reduce bacteria in the mouth that may cause bad breath and oral irritation.

For oral use only. Do not swallow.

Do not use in children under 6 years of age unless directed by a dentist or physician.

Avoid contact with eyes. If contact occurs, rinse thoroughly with water.

Stop use and ask a doctor if irritation, swelling, or allergic reaction occurs.

Keep out of reach of children. If more than used for application is swallowed, get medical help or contact a Poison Control Center right away.

Single-use only.

Adults and children 6 years and older:

Apply a small amount of gel to the gums and teeth using a cotton swab or clean finger. Allow it to remain in place for at least 30 minutes before rinsing, eating, or drinking.

Children under 6 years: Use only under the supervision of a dentist or physician.

For post-procedure care (tooth extraction, implant), follow dentist's instructions.

Sorbitol, Purified water, Ectoin, Cellulose gum, Glycerin, PEG-40 hydrogenated castor oil, Sodium benzoate, Strontium chloride, Panax notoginseng extract, Lonicera japonica (honeysuckle) flower extract, Portulaca oleracea (purslane) extract, Scutellaria baicalensis extract.

Store at room temperature away from light and moisture.

Do not use if seal is broken.

Expiration date: See outer package.

keep out of reach of children

135mm



60mm

**Drug Facts**  
 Active ingredient (in each gram)  
 Cetylpyridinium chloride 0.06% (w/w) \_\_\_\_\_ Oral antiseptic

**Use**  
 Helps reduce bacteria in the mouth that may cause bad breath and oral irritation.

**Warnings**  
 - For oral use only. Do not swallow.  
 - Do not use in children under 6 years of age unless directed by a dentist or physician.  
 - Avoid contact with eyes. If contact occurs, rinse thoroughly with water.  
 - Stop use and ask a doctor if irritation, swelling or allergic reaction occurs.  
 - Keep out of reach of children. If more than used for application is swallowed, get

medical help or contact a Poison Control Center right away.  
 - Single-use only.

**Directions**  
 - Adults and children 6 years and older:  
 Apply a small amount of gel to the gums and teeth using a cotton swab or clean finger.  
 Allow it to remain in place for at least 30 minutes before rinsing, eating, or drinking.  
 - Children under 6 years: Use only under the supervision of a dentist or physician.  
 - For post-procedure care (tooth extraction, implant) follow dentist's instructions.

**Inactive ingredients**  
 Sorbitol, Purified water, Ectoin, Cellulose gum, Glycerin, PEG-40 hydrogenated castor

60mm

oil, Sodium benzoate, Strontium chloride, Panax notoginseng extract, Lonicera japonica (honeysuckle) flower extract, Portulaca oleracea (purslane) extract, Scutellaria baicalensis extract.

**Other information**  
 - Store at room temperature away from light and moisture.  
 - Do not use if seal is broken.  
 - Expiration date: see outer package.

**Manufactured by**  
 Xiling (Zhejiang) Medical Technology Co., Ltd.

Building 65, R&D Zone, University Science Park Center  
 No. 99 Chuqiao Road, Dingman, Zhenjiang New Area  
 Jiangsu Province, China  
 Distributed by:  
 Made in China

**ESUNIX ORAL BACTERIOSTATIC GEL**  
 cetylpyridinium chloride gel, dentifrice

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:87118-006 |
| <b>Route of Administration</b> | DENTAL         |                           |               |

## Active Ingredient/Active Moiety

| <b>Ingredient Name</b>   | <b>Basis of Strength</b> | <b>Strength</b> |
|--|--------------------------|-----------------|
| <b>CETYLPYRIDINIUM CHLORIDE</b> (UNII: D9OM4SK49P) (CETYLPYRIDINIUM - UNII:CUB7J10JV3) | CETYLPYRIDINIUM CHLORIDE | 0.06 g in 100 g |

## Inactive Ingredients

| <b>Ingredient Name</b>                                   | <b>Strength</b> |
|--|-----------------|
| <b>PANAX NOTOGINSENG WHOLE</b> (UNII: E7XOU43ESD)        |                 |
| <b>ECTOIN</b> (UNII: 7GXZ3858RY)                         |                 |
| <b>CELLULOSE GUM</b> (UNII: K679OBS311)                  |                 |
| <b>PORTULACA OLERACEA WHOLE</b> (UNII: D5J3623SV2)       |                 |
| <b>WATER</b> (UNII: 059QF0KO0R)                          |                 |
| <b>SCUTELLARIA BAICALENSIS WHOLE</b> (UNII: 6YF0M477I5)  |                 |
| <b>PEG-40 HYDROGENATED CASTOR OIL</b> (UNII: 7YC686GQ8F) |                 |
| <b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)                |                 |
| <b>SORBITOL</b> (UNII: 506T60A25R)                       |                 |
| <b>STRONTIUM CHLORIDE</b> (UNII: EKE8PS9J6Z)             |                 |
| <b>LONICERA JAPONICA FLOWER</b> (UNII: 4465L2WS4Y)       |                 |

## Packaging

| <b>#</b> | <b>Item Code</b> | <b>Package Description</b>                       | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|----------|------------------|--|-----------------------------|---------------------------|
| 1        | NDC:87118-006-02 | 10 in 1 BOX                                      | 09/21/2025                  |                           |
| 1        | NDC:87118-006-01 | 1 g in 1 TUBE; Type 0: Not a Combination Product |                             |                           |

## Marketing Information

| <b>Marketing Category</b> | <b>Application Number or Monograph Citation</b> | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
|---------------------------|---|-----------------------------|---------------------------|
| OTC Monograph Drug        | M022  | 09/21/2025                  |                           |

**Labeler** - Xiling (Zhenjiang) Medical Technology Co., Ltd. (707119039)

**Registrant** - Xiling (Zhenjiang) Medical Technology Co., Ltd. (707119039)

## Establishment

| <b>Name</b> | <b>Address</b> | <b>ID/FEI</b> | <b>Business Operations</b> |
|-------------|----------------|---------------|----------------------------|
|-------------|----------------|---------------|----------------------------|

Revised: 12/2025

Xiling (Zhenjiang) Medical Technology Co., Ltd.