

SENNA S- docusate sodium, sennosides tablet EQUALINE (SuperValu)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg

Sennosides 8.6 mg

Purpose

Stool softener

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

Warnings

Do not use

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- **each tablet contains:** calcium 30 mg
- **each tablet contains:** sodium 6 mg LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide

Questions or comments?

Call toll free **1-855-423-2630**

Principal Display Panel

compare to Senokot-S® active ingredients†

Dual Action

senna-s

laxative plus stool softener

docusate sodium 50 mg

and sennosides 8.6 mg

natural vegetable laxative ingredient

effective, comfortable, overnight relief, gentle, dependable

tablets

†This product is not manufactured or distributed by Avrio Health L.P., distributor of Senokot-S®.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT
INFORMATION.**

DISTRIBUTED BY UNFI

PROVIDENCE, RI 02908 USA

Product Labeling

Exp. Date:

Lot No.:

P.L.D.-A599A FCO07590

0 41163 47133 7



EQUALINE®

compare to Senokot-S® active ingredients! NDC 41163-883-30

dual action senna-s laxative plus stool softener

docusate sodium 50mg and sennosides 8.6mg

natural vegetable laxative ingredient effective, comfortable, overnight relief, gentle, dependable



actual size

30 tablets

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY UNFI
PROVIDENCE, RI 02908 USA

Product of India

Like it or let us make it right. That's our quality promise. 855-423-2630



*This product is not manufactured or distributed by Avrio Health L.P., distributor of Senokot-S®.

Questions or comments? Call toll free 1-855-423-2630	
Inactive ingredients FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide	
Other information	
<ul style="list-style-type: none"> ■ each tablet contains: calcium 30 mg ■ each tablet contains: sodium 5 mg LOW SODIUM ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F) 	
Drug Facts (continued)	

Drug Facts																
Active ingredients (in each tablet)	Docusate sodium 50 mg.....Stool softener Sennosides 8.6 mg.....Laxative															
Uses	■ relieves occasional constipation (irregularity) ■ generally produces bowel movement in 8-12 hours															
Warnings	<p>Do not use</p> <ul style="list-style-type: none"> ■ If you are now taking mineral oil, unless directed by a doctor ■ laxative products for longer than 1 week unless directed by a doctor <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that continues over a period of 2 weeks <p>Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>															
Directions	<p>■ take preferably at bedtime or as directed by a doctor</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>age</td> <td>starting dosage</td> <td>maximum dosage</td> </tr> <tr> <td>adults and children 12 years of age and over</td> <td>2 tablets once a day</td> <td>4 tablets twice a day</td> </tr> <tr> <td>children 6 to under 12 years</td> <td>1 tablet once a day</td> <td>2 tablets twice a day</td> </tr> <tr> <td>children 2 to under 6 years</td> <td>1/2 tablet once a day</td> <td>1 tablet twice a day</td> </tr> <tr> <td>children under 2 years</td> <td>ask a doctor</td> <td>ask a doctor</td> </tr> </table>	age	starting dosage	maximum dosage	adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day	children 6 to under 12 years	1 tablet once a day	2 tablets twice a day	children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day	children under 2 years	ask a doctor	ask a doctor
age	starting dosage	maximum dosage														
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day														
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day														
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day														
children under 2 years	ask a doctor	ask a doctor														

EQUALINE Laxative plus Stool Softener

SENNA S			
docusate sodium, sennosides tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41163-883
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
ALUMINUM OXIDE (UNII: LMI26O6933)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	PSD22
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-883-30	1 in 1 BOX	03/26/2021	
1		30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	03/26/2021	

Labeler - EQUALINE (SuperValu) (006961411)

