

ANTISEPTIC- benzethonium chloride solution
MPM Medical, LLC

MP00032 MPM Antiseptic Wound & Skin Cleanser 8 fl.oz

Active Ingredient

Benzethonium chloride 0.1%

Purpose

Antiseptic

Uses

- To clean superficial wounds
- For washing small superficial wounds
- Aids in removal of foreign material such as dirt and debris
- First-aid product

Warnings

For external use only. Keep out of reach of children.

This product is not for use on wild or domestic animal bites. If you have an animal bite, consult your physician immediately.

Do not use this product for more than 10 days. If condition worsens or persists, see your physician.

Do not bandage tightly.

If swallowed, get medical help or contact a Poison Control Center right away.

Keep out of reach of children

Directions

Apply to affected area.

Adults and children 2 years of age or older: Spray on the affected area up to 3 times per day.

May be covered with a sterile bandage, if bandaged let dry first.

Children under 2 years: Consult a physician prior to use.

Other information

Store at room temperature

Inactive ingredients

Deionized water, disodium EDTA, glycerin, methylparaben, polyethylene-polypropylene glycol, sodium hydroxide

Package Label



Drug Facts

Active Ingredient	Purpose
Benzethonium chloride 0.1%	Antiseptic

NDC 66977-032-08

Antiseptic Wound & Skin Cleanser

Cleanse and Remove Slough Without Irritating the Wound

- Nonirritating
- Does not delay wound healing
- Contains antimicrobial ingredient

MANUFACTURED FOR:
 MPM Medical | Mesquite, TX 75149
 1-800-232-5512 | mpimed.com
 R1024 | REORDER NO. MP00032

First Aid Antiseptic Wound Cleanser Uses:

- Cleanse and wash superficial wounds
- Removes dirt and debris

Warnings:

- For external use only.
- Keep out of reach of children.
- This product is not for use on wild or domestic animal bites. If you have an animal bite, consult your physician immediately.
- Do not use this product for more than 10 days. If condition worsens or persists, see your physician.
- Do not bandage tightly.
- If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

Adults and children 2 years of age or older: Spray on the affected area up to 3 times per day. No rinse required. If covering with a sterile bandage, let dry before applying the dressing. Children under 2 years: Consult a physician prior to use.

Other Information: Store at room temperature.

Inactive Ingredients: Deionized water, disodium EDTA, glycerin, methylparaben, polyethylene-polypropylene glycol, sodium hydroxide

ANTISEPTIC

benzethonium chloride solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66977-032
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZ ETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	1 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLOXAMER 188 (UNII: LQA7B6G8JG)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66977-032-08	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/01/1997	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	06/01/1997	

Labeler - MPM Medical, LLC (081241522)

Revised: 12/2025

MPM Medical, LLC