

GILTUSS EX EXPECTORANT- guaifenesin solution
Dextrum Laboratories Inc.

Giltuss EX Expectorant

Active Ingredients

Active Ingredients

Guaifenesin, 400 mg

Drug Facts

Active ingredient (in each 10 mL)	Purpose
Guaifenesin, 400 mg	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Ask a doctor before use if you have • cough that occurs with too much phlegm (mucus) • persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts for more than 1 week, tends to recur or is accompanied by fever, rash or persistent headache. A persistent cough may be a sign of a serious condition

CAUTION.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Uses

Purpose

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageway of bothersome mucus and make coughs more productive

Drug Facts

Active ingredient (in each 10 mL)	Purpose
Guaifenesin, 400 mg	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Ask a doctor before use if you have • cough that occurs with too much phlegm (mucus) • persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts for more than 1 week, tends to recur or is accompanied by fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.



Warnings

Warnings

- **Ask a doctor before use if you have , cough that occurs with too much phlegm (mucus) , persistent or chronic cough such occurs with smoking, asthma, or chronic bronchitis or emphysema**

Drug Facts

Active ingredient (in each 10 mL)	Purpose
Guaifenesin, 400 mg	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Ask a doctor before use if you have • cough that occurs with too much phlegm (mucus) • persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts for more than 1 week, tends to recur or is accompanied by fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Stop Use

Stop use and ask a doctor if cough lasts for more than 1 week, tends to recur or is accompanied by fever, rash or persistent headache. A persistent cough may be a sign of a serious condition

Drug Facts

Active ingredient (in each 10 mL)	Purpose
Guaifenesin, 400 mg	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Ask a doctor before use if you have • cough that occurs with too much phlegm (mucus) • persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts for more than 1 week, tends to recur or is accompanied by fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

If pregnant or breast -feeding

If pregnant or breast- feeding, ask a health professional before use. Keep out of reach of children. In case of accidental overdose, get medical or professional help or contact a Poisson Control center immediately

Drug Facts

Active ingredient (in each 10 mL)	Purpose
Guaifenesin, 400 mg	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Ask a doctor before use if you have • cough that occurs with too much phlegm (mucus) • persistent or chronic cough

such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts for more than 1 week, tends to recur or is accompanied by fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Directions

Do not take more than 6 doses in any 24 hours period

Use enclosed dosing cup

Drug Facts (continued).

Directions

- do not take more than 6 doses in any 24-hour period
- use enclosed dosing cup
- **keep dosage cup for use with this product**
- mL=milliliters

adults and children 12 years and over	10 mL every 4 hours
children 6 to under 12 years of age	5 mL every 4 hours
children 4 to under 6 years of age	2.5 mL every 4 hours
children under 4 years of age	Consult a doctor

Other information

- store at room temperature, 15°-30°C (59°- 86°F)
- close cap tightly
- **SAVE CARTON FOR COMPLETE DRUG FACTS**

Inactive ingredients

citric acid, glycerin, methylparaben, natural and artificial flavor, polyethylene glycol, propylparaben, purified water, sodium citrate, sucralose.

Questions or comments?

Call 1-787-848-9114, Monday-Friday 9AM-5PM EST.

Call your doctor for medical advice in the event of side effects.



MANUFACTURED FOR
GIL PHARMACEUTICAL CORP.
PONCE, PUERTO RICO 00717-1565

giltuss.com

Keep dosing cup for use this product

ml= milliliters

Adults and children 12 years & over 10 ml every 4 hours

children 6 to under 12 years of age 5 ml every 4 hours

children 4 to under 6 years of age 2.5 ml every 4 hours

children under 4 years of age Consult a doctor

Other information

Other information

Store at room temperature 15-30 °C (59° -86 ° F)

Close cap tightly

SAVE CARTON FOR COMPLETE DRUG FACTS

Drug Facts (continued).

Directions

- do not take more than 6 doses in any 24-hour period
- use enclosed dosing cup
- **keep dosage cup for use with this product**
- mL=milliliters

adults and children 12 years and over	10 mL every 4 hours
children 6 to under 12 years of age	5 mL every 4 hours
children 4 to under 6 years of age	2.5 mL every 4 hours
children under 4 years of age	Consult a doctor

Other information

- store at room temperature, 15°-30°C (59°- 86°F)
- close cap tightly
- **SAVE CARTON FOR COMPLETE DRUG FACTS**

Inactive ingredients

citric acid, glycerin, methylparaben, natural and artificial flavor, polyethylene glycol, propylparaben, purified water, sodium citrate, sucralose.

Questions or comments?

Call 1-787-848-9114, Monday-Friday 9AM-5PM EST.

Call your doctor for medical advice in the event of side effects.



MANUFACTURED FOR
GIL PHARMACEUTICAL CORP.
PONCE, PUERTO RICO 00717-1565

giltuss.com

Inactive Ingredients

Inactive Ingredients

Citric acid, glycerin, methylparaben, natural and artificial flavor, polyethylene glycol, propylparaben, purified water, sodium citrate,

Drug Facts (continued).

Directions

- do not take more than 6 doses in any 24-hour period
- use enclosed dosing cup
- **keep dosage cup for use with this product**
- mL=milliliters

adults and children 12 years and over	10 mL every 4 hours
children 6 to under 12 years of age	5 mL every 4 hours
children 4 to under 6 years of age	2.5 mL every 4 hours
children under 4 years of age	Consult a doctor

Other information

- store at room temperature, 15°-30°C (59°- 86°F)
- close cap tightly
- **SAVE CARTON FOR COMPLETE DRUG FACTS**

Inactive ingredients

citric acid, glycerin, methylparaben, natural and artificial flavor, polyethylene glycol, propylparaben, purified water, sodium citrate, sucralose.

Questions or comments?

Call 1-787-848-9114, Monday-Friday 9AM-5PM EST.

Call your doctor for medical advice in the event of side effects.



MANUFACTURED FOR
GIL PHARMACEUTICAL CORP.
PONCE, PUERTO RICO 00717-1565

giltuss.com

sucralose

Questions and comments

Questions and comments?

Call 1-787-848-9114, Monday-Friday 9AM-5PM EST

call your doctor for medical advice in the event of side effects

Drug Facts (continued).

Directions

- do not take more than 6 doses in any 24-hour period
- use enclosed dosing cup
- **keep dosage cup for use with this product**
- mL=milliliters

adults and children 12 years and over	10 mL every 4 hours
children 6 to under 12 years of age	5 mL every 4 hours
children 4 to under 6 years of age	2.5 mL every 4 hours
children under 4 years of age	Consult a doctor

Other information

- store at room temperature, 15°-30°C (59°- 86°F)
- close cap tightly
- **SAVE CARTON FOR COMPLETE DRUG FACTS**

Inactive ingredients

citric acid, glycerin, methylparaben, natural and artificial flavor, polyethylene glycol, propylparaben, purified water, sodium citrate, sucralose.

Questions or comments?

Call 1-787-848-9114, Monday-Friday 9AM-5PM EST.

Call your doctor for medical advice in the event of side effects.



MANUFACTURED FOR
GIL PHARMACEUTICAL CORP.
PONCE, PUERTO RICO 00717-1565

giltuss.com

Indication and user section

Indication and usage

Do not take more than 6 doses in any 24- hours period.

Keep dosage cup for use with this product

Adults and children 12 years and over 10 ml every 4 hours

Children 6 to under 12 years of age 5ml every 4 hours

Children 4 to under 6 years of age 2.5ml every 4 hours

Children under 4 years of age Consult a doctor

Drug Facts

Active ingredient (in each 10 mL) Guaifenesin, 400 mg **Purpose** Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Ask a doctor before use if you have • cough that occurs with too much phlegm (mucus) • persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts for more than 1 week, tends to recur or is accompanied by fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

MAXIMUM STRENGTH. MÁXIMA CONCENTRACIÓN.

G

Giltuss EX

EXPECTORANT

EXPECTORANTE

Guaifenesin, 400 mg

ALCOHOL FREE. SUGAR FREE. DYE FREE. NON-DROWSY.
SIN ALCOHOL. SIN AZÚCAR. SIN COLORANTES. NO CAUSA SUEÑO.

CHEST CONGESTION, PHLEGM & MUCUS
CONGESTIÓN DE PECHO, FLEMA & MOCO

THIRSTY FRUIT FLAVORED.
SABOR A FRUTAS TRISTES.

4 FL OZ
(118 mL)

Drug Facts (continued).

Directions

- do not take more than 6 doses in any 24-hour period
- use enclosed dosing cup
- **keep dosage cup for use with this product**
- mL=milliliters

adults and children 12 years and over	10 mL every 4 hours
children 6 to under 12 years of age	5 mL every 4 hours
children 4 to under 6 years of age	2.5 mL every 4 hours
children under 4 years of age	Consult a doctor

Other information

- store at room temperature, 15°-30°C (59°- 86°F)
- close cap tightly
- **SAVE CARTON FOR COMPLETE DRUG FACTS**

Inactive ingredients
citric acid, glycerin, methylparaben, natural and artificial flavor, polyethylene glycol, propylparaben, purified water, sodium citrate, sucralose.

Questions or comments?
Call 1-787-848-9114, Monday-Friday 9AM-5PM EST.
Call your doctor for medical advice in the event of side effects.

MANUFACTURED FOR
GIL PHARMACEUTICAL CORP.
PONCE, PUERTO RICO 00717-1565

giltuss.com

Keep out of reach of children

Keep out of reach of children.

In case of accidental overdose, get medical or professional help or contact a Poison Control center immediately

Drug Facts

Active ingredient (in each 10 mL)	Purpose
Guaifenesin, 400 mg	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Ask a doctor before use if you have • cough that occurs with too much phlegm (mucus) • persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema.

Stop use and ask a doctor if cough lasts for more than 1 week, tends to recur or is accompanied by fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

MAXIMUM STRENGTH. MÁXIMA CONCENTRACIÓN.

Giltuss EX EXPECTORANT EXPECTORANTE

Guaifenesin, 400 mg

ALCOHOL FREE. SUGAR FREE. DYE FREE. NON-DROWSY.
SIN ALCOHOL. SIN AZÚCAR. SIN COLORANTES. NO CAUSA SUEÑO.

CHEST CONGESTION, PHLEGM & MUCUS
CONGESTION DE PECHO, FLEMA & MOCO

PEACH FLAVOR.
SABOR A PÉDRAZAS.

4 FL OZ
(118 mL)

Drug Facts (continued).

Directions

- do not take more than 6 doses in any 24-hour period
- use enclosed dosing cup
- keep dosage cup for use with this product
- mL=milliliters

adults and children 12 years and over	10 mL every 4 hours
children 6 to under 12 years of age	5 mL every 4 hours
children 4 to under 6 years of age	2.5 mL every 4 hours
children under 4 years of age	Consult a doctor

Other information

- store at room temperature, 15°-30°C (59°-86°F)
- close cap tightly
- SAVE CARTON FOR COMPLETE DRUG FACTS

Inactive ingredients

citric acid, glycerin, methylparaben, natural and artificial flavor, polyethylene glycol, propylparaben, purified water, sodium citrate, sucralose.

Questions or comments?

Call 1-787-848-9114, Monday-Friday 9AM-5PM EST.
Call your doctor for medical advice in the event of side effects.



MANUFACTURED FOR
GIL PHARMACEUTICAL CORP.
PONCE, PUERTO RICO 00717-1585

giltuss.com

MAXIMUM STRENGTH. MÁXIMA CONCENTRACIÓN.



Giltuss EX

EXPECTORANT

EXPECTORANTE

Guaifenesin, 400 mg

ALCOHOL FREE. SUGAR FREE. DYE FREE. NON-DROWSY.
SIN ALCOHOL. SIN AZÚCAR. SIN COLORANTES. NO CAUSA SUEÑO.

CHEST CONGESTION, PHLEGM & MUCUS
CONGESTIÓN DE PECHO, FLEMA & MOCO



TUTTI FRUTTI FLAVOR.
SABOR A TUTTI FRUTTI.

4FL OZ
(118 mL)

Maximun strength Giltuss EX Expectorant
Guafenesin 400 mg
Alcohol free, sugar free, Dye free, Non-Drowsy
Chest congestion, Phlegm & Mucus
Tutti Frutti Flavor
4 floz 118 ml

GILTUSS EX EXPECTORANT

guaifenesin solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65852-008
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
SUCRALOSE (UNII: 96K6UQ3ZD4)	
WATER (UNII: 059QF0KO0R)	
CITRIC ACID (UNII: 2968PHW8QP)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	TUTTI FRUTTI	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65852-008-04	1 in 1 CARTON	06/22/2020	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a		

1	Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/22/2020	

Labeler - Dextrum Laboratories Inc. (007392322)

Revised: 9/2025

Dextrum Laboratories Inc.