

NON-TINTED REPLENISHING DAILY PROTECTION- zinc oxide cream
MADRE TIERRA, INC.

Active Ingredients:

Zinc Oxide 16%

Purpose:

Sunscreen

Uses:

Helps Prevent Sunburn. If used as directed with other sun protection measures (see "Directions"), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only. Do not use on broken or damaged skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. Keep out of reach of children. If swallowed, get medical help or contact a poison control center right away.

Warnings:

Keep out of reach of children

Directions:

Apply liberally 15 minutes before sun exposure. Use a water-resistant product if swimming or sweating. Reapply at least every 2 hours. Children under 6 months: Ask a doctor. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats and sunglasses.

Inactive Ingredients:

Capric/Caprylic Triglyceride, Ceramide 3, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Hydrogen Dimethicone, PEG-10 Dimethicone, Polyhydroxystearic Acid, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer

Other Information:

- Protect this product from excessive heat and direct sun

DRUG FACTS

ACTIVE INGREDIENT:	PURPOSE:
Zinc Oxide 16%	Sunscreen

USES:
Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early aging caused by the sun.

WARNINGS:
For external use only. Do not use on damaged or broken skin. Stop use and ask a doctor if rash occurs. When using this product, keep out of eyes. Rinse with water to remove. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

DIRECTIONS:
• Apply liberally 15 minutes before sun exposure
• Use a water resistant product if swimming or sweating.
• Reapply at least every 2 hours
• Children under 6 months: Ask a doctor
• **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
• Limit time in the sun, especially from 10 am– 2 pm
• Wear long-sleeved shirts, pants, hats, and sunglasses

INACTIVE INGREDIENTS:
Capric/Caprylic Triglyceride, Ceramide 3, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone Crosspolymer, Dimethicone/Vinyl Dimethicone Crosspolymer, Dimethiconol, Hydrogen Dimethicone, PEG-10 Dimethicone, Polyhydroxystearic Acid, Tetrahexyldecyl Ascorbate, Tocopheryl Acetate, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer

OTHER INFORMATION:
• Protect this product from excessive heat and direct sun

MANUFACTURED FOR:
Mother Earth / Madre Tierra
Ventura, CA 93003



NON-TINTED REPLENISHING
DAILY PROTECTION

Broad Spectrum SPF 40

Reef Friendly • Cruelty-Free • Vegan
Paraben Free • Non Toxic chemicals
No sythetic fragrance • Hypoallergenic
No GMO • Non-comedogenic • No dyes

Net Wt. 1.75 oz / 50 g

NON-TINTED REPLENISHING DAILY PROTECTION

zinc oxide cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87122-226(NDC:58892-226)
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE	160 mg in 1 g
Inactive Ingredients			
Ingredient Name			Strength
DIMETHICONE (UNII: 92RU3N3Y1O)			

CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONOL (2000 CST) (UNII: T74O12AN6Y)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
CYCLOHEXASILOXANE (UNII: XHK3U310BA)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
CERAMIDE 3 (UNII: 4370DF050B)	
DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87122-226-50	50 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	12/09/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/09/2022	

Labeler - MADRE TIERRA, INC. (941549946)

Establishment

Name	Address	ID/FEI	Business Operations
Custom Analytics LLC		144949372	analysis(87122-226)

Establishment

Name	Address	ID/FEI	Business Operations
Fragrance Manufacturing Inc.		793406000	manufacture(87122-226)

Establishment

Name	Address	ID/FEI	Business Operations
Fallien Cosmeceuticals Ltd.		958388357	relabel(87122-226)