

MILK OF MAGNESIA- magnesium hydroxide suspension
Kesin Pharma Corporation

Milk of Magnesia

Drug Facts

Active ingredient (in each 5 mL)

Magnesium hydroxide 400 mg

Purpose

Saline laxative

Uses

As an Antacid:

- heartburn
- upset/sour stomach
- acid indigestion

As a Laxative (usually within ½ to 6 hours):

- occasional constipation (irregularity)

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

As an Antacid:

- do not exceed the maximum recommended daily dose in a 24 hour period
- shake well before use
- can be taken with water
- mL = milliliter

Age	Dose
adults and children 12 years of age and over	5 mL to 15 mL (1 to 3 teaspoonfuls)
children under 12 years of age	ask a doctor

As a Laxative

- do not exceed the maximum recommended daily dose of 60 mL in a 24 hour period
- shake well before use
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor. Drink a full glass (8 oz.) of liquid with each dose.
- mL = milliliter; TBSP = Tablespoon

Age	Dose
adults and children 12 years and older	30 mL (2 TBSP) to 60 mL (4 TBSP)
children 6 to 11 years of age	15 mL (1 TBSP) to 30 mL (2 TBSP)
children under 6 years	ask a doctor

Other information

- **each teaspoonful (5 mL) contains:** magnesium 400 mg
- store at 20°C to 25°C (68°F to 77°F).
- Avoid freezing
- Protect from light
- Milk of Magnesia, USP is a milky-white cherry flavored suspension supplied in the following oral dosage forms:

NDC 81033-014-30: 30 mL unit-dose cup

NDC 81033-014-52: Case containing 100 unit-dose cups of 30 mL each.

Inactive ingredients

cherry flavor, fumed silica, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sorbitol solution, sucralose, xanthan gum

Questions or comments?

Call 1-833-537-4679

Distributed by:

Kesin Pharma

Oldsmar, FL 34677

PIS-014-V01

Rev. 09/2025



PRINCIPAL DISPLAY PANEL - 30 mL Cup Tray Label

NDC 81033-014-52

Milk of Magnesia, USP 2400 mg per 30 mL

Delivers 30 mL

Case = 100 UD Cups

NDC: 81033-014-52

Product Name: **Milk of Magnesia, USP 2400 mg per 30 mL**

Delivers: 30 mL Case = 100 UD Cups (Do Not Break Case)

Storage: 68°F to 77°F (20°C to 25°C)

EXP: 00-SEP-0000 LOT: K0000000 QTY: 1



(17) 000900 (10) K0000000 (30) 1



(01) 00381033014524



Packaged by and Distributed by:
Kesin Pharma Corporation - Oldsmar, FL

Internal Use Only R.01



K00000000

MILK OF MAGNESIA

magnesium hydroxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81033-014
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	400 mg in 5 mL

Inactive Ingredients	
Ingredient Name	Strength
SILICA (UNII: ETJ7Z6XBU4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SORBITOL (UNII: 506T60A25R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics			
Color	white (Milky-White)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81033-014-52	100 in 1 CASE	09/23/2025	
1	NDC:81033-014-30	30 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	09/04/1979	

Labeler -
Kesin Pharma Corporation (117447816)

Establishment			
Name	Address	ID/FEI	Business Operations
Kesin Pharma Corporation		117447816	label(81033-014) , pack(81033-014)

