

**ESOKALLI TESTOSTERONE BOOSTER ORAL DISSOLVING FILM- esokalli
testosterone booster oral dissolving film film, soluble
Guangzhou Yixin Cross-border E-commerce Co., Ltd.**

Active ingredients (in each film)

Tadalafil 30 mg – Erectile dysfunction treatment
Vardenafil 10 mg – Erectile dysfunction treatment

Purpose

Phosphodiesterase type 5 (PDE5) inhibitors

Uses

For the treatment of erectile dysfunction (ED)

Warnings

For adult men only.

Do not use if you:

take nitrate medicines (such as nitroglycerin)
have severe heart disease or very low blood pressure
are allergic to tadalafil, vardenafil, or any ingredient in this product
have galactose intolerance, total lactase deficiency, or glucose-galactose malabsorption

Dosage and administration

- Take 1 oral film as a single dose.
- Administer orally by placing on the tongue until dissolved.
- Administer approximately 0.5 to 4 hours prior to anticipated sexual activity.
- Do not exceed 1 dose in 24 hours.

When using this product you may experience:

headache, flushing, indigestion, nasal congestion, dizziness, muscle pain, back pain, nausea, rash, or visual disturbances

Stop use and ask a doctor if:

you experience chest pain, fainting, sudden vision or hearing loss
an erection lasts longer than 4 hours (priapism). This is a medical emergency.

Contraindications

Not for use in pregnant or breastfeeding women
Not for use in children under 18 years

Inactive ingredients

Film-forming polymers, stabilizers, sweeteners, flavoring agents.

PRINCIPAL DISPLAY PANEL

Esokalli™ OTC USA

**TESTOSTERONE BOOSTER
ORAL DISSOLVING FILM**

30-minute quick release
Powerful Formula Works Quickly
make men tough enough

B

🕒 Lasts for 36 hours

1film Tadalafil 30mg + Vardenafil 10mg

As thin as butterfly feathers, melts in the mouth.

Drug Facts	
Active ingredients (in each film) <ul style="list-style-type: none">Tadalafil 30 mg - Erectile dysfunction treatmentVardenafil 10 mg - Erectile dysfunction treatment	When using this product you may experience: <ul style="list-style-type: none">Headache, flushing, indigestion, nasal congestion, dizziness, muscle pain, back pain, nausea, rash, or visual disturbances
Purpose Phosphodiesterase type 5 (PDE5) inhibitor	Stop use and ask a doctor if: <ul style="list-style-type: none">You experience chest pain, fainting, sudden vision or hearing lossAn erection lasts longer than 4 hours (priapism). This is a medical emergency.
Uses <ul style="list-style-type: none">For the treatment of erectile dysfunction (ED)	Contraindications <ul style="list-style-type: none">Not for use in pregnant or breastfeeding womenNot for use in children under 18 years
Warnings For adult men only.	Directions <ul style="list-style-type: none">Take one film by mouth, placed on the tongue to dissolve.Use 0.5 to 4 hours before sexual activity.Do not take more than once per day.
Do not use if you: <ul style="list-style-type: none">Take nitrate medicines (such as nitroglycerin)Have severe heart disease or very low blood pressureAre allergic to tadalafil, vardenafil, or any ingredient in this productHave galactose intolerance, total lactase deficiency, or glucose-galactose malabsorption	Other information <ul style="list-style-type: none">Store at 20° to 25° (68° to 77°).Protect from moisture and light.
Do not drink alcohol when using this product. Alcohol may increase the risk of low blood pressure, dizziness, or fainting.	Inactive ingredients Film-forming polymers, stabilizers, sweeteners, flavoring agents. OTC - USA
Ask a doctor before use if you have: <ul style="list-style-type: none">Heart conditions, history of heart attack, irregular heartbeat, or chest painHigh or low blood pressureLow or kidney diseaseHead or hearing problemsHistory of priapism (painful or prolonged erection lasting 4+ hours)Are over 65 years of age (higher risk of side effects, medical supervision advised)	Distributed by: HE XINSHA TRADE CO., LIMITED Raffles City, 210, 212, Ho King Commercial Centre, 2516 Hoi Yuen Street, Mong Kok, Kowloon, Hong Kong
	Shelf Life: 3 years

Esokalli™ OTC USA

TESTOSTERONE BOOSTER ORAL DISSOLVING FILM

30-minute quick release
Powerful Formula Works Quickly
make men tough enough

🔄 Lasts for 36 hours

2film Tadalafil 30mg + Vardenafil 10mg

🦋 As thin as butterfly feathers, melts in the mouth.



Drug Facts

Active ingredients (in each film)

- Tadalafil 30 mg - Erectile dysfunction treatment
- Vardenafil 10 mg - Erectile dysfunction treatment

Purpose

Phosphodiesterase type 5 (PDE5) inhibitor

Uses

- For the treatment of erectile dysfunction (ED)

Warnings

For adult men only.

Do not use if you:

- take nitrate medicines (such as nitroglycerin)
- have severe heart disease or very low blood pressure
- are allergic to tadalafil, vardenafil, or any ingredient in this product
- have gallstone intolerance, total lactase deficiency, or glucose-galactose malabsorption

Do not drink alcohol when using this product.

Alcohol may increase the risk of low blood pressure, dizziness, or fainting.

Ask a doctor before use if you have:

- heart conditions, history of heart attack, irregular heartbeat, or chest pain
- high or low blood pressure
- liver or kidney disease
- vision or hearing problems
- history of priapism (prolonged or prolonged erection lasting 24 hours)
- are over 65 years of age (higher risk of side effects, medical supervision advised)

When using this product you may experience:

- headache, flushing, indigestion, nasal congestion, dizziness, muscle pain, back pain, nausea, rash, or visual disturbances

Stop use and ask a doctor if:

- you experience chest pain, fainting, sudden vision or hearing loss
- an erection lasts longer than 4 hours (priapism). This is a medical emergency.

Contraindications

- Not for use in pregnant or breastfeeding women
- Not for use in children under 18 years

Directions

- Take one film by mouth, placed on the tongue to dissolve.
- Use 0.5 to 4 hours before sexual activity.
- Do not take more than once per day.

Other information

- Store at 20° to 25°C (68° to 77°F).
- Protect from moisture and light.

Inactive ingredients

Film-forming polymers, stabilizers, sweeteners, flavoring agents, OTC USA

Distributed by:

15 WINGSHA TISSUE CO., LIMITED
Flat/Rm 2105, 21/F, Ho King
Commercial Centre,
216 Fa Yuen Street, Mong Kok,
Kowloon, Hong Kong

Shelf Life: 5 years



Esokali™ OTC USA

TESTOSTERONE BOOSTER ORAL DISSOLVING FILM

30-minute quick release
Powerful Formula Works Quickly
make men tough enough

🔄 Lasts for 36 hours

4film Tadalafil 30mg + Vardenafil 10mg

🦋 As thin as butterfly feathers, melts in the mouth.



Drug Facts

Active ingredients (in each film)

- Tadalafil 30 mg – Erectile dysfunction treatment
- Vardenafil 10 mg – Erectile dysfunction treatment

Purpose

Phosphodiesterase type 5 (PDE5) inhibitor

Uses

- For the treatment of erectile dysfunction (ED)

Warnings

For adult men only.

Do not use if you:

- take nitrate medicines (such as nitroglycerin)
- have severe heart disease or very low blood pressure
- are allergic to tadalafil, vardenafil, or any ingredient in this product
- have galactose intolerance, total lactase deficiency, or glucose-galactose maldigestion

Do not drink alcohol when using this product.

Alcohol may increase the risk of low blood pressure, dizziness, or fainting.

Ask a doctor before use if you have:

- heart conditions, history of heart attack, irregular heartbeat, or chest pain
- high or low blood pressure
- liver or kidney disease
- vision or hearing problems
- history of priapism (painful or prolonged erection lasting 4 hours)
- are over 65 years of age (higher risk of side effects, medical supervision advised)

When using this product you may experience:

headache, flushing, indigestion, nasal congestion, dizziness, muscle pain, back pain, nausea, rash, or visual disturbances

Stop use and ask a doctor if:

- you experience chest pain, fainting, sudden vision or hearing loss or an erection lasts longer than 4 hours (priapism). This is a medical emergency.

Contraindications

- Not for use in pregnant or breastfeeding women
- Not for use in children under 18 years

Directions

- Take one film by mouth, placed on the tongue to dissolve.
- Use 0.5 to 4 hours before sexual activity.
- Do not take more than once per day.

Other information

- Store at 20° to 25°C (68° to 77°F).
- Protect from moisture and light.

Inactive ingredients

Flavoring, polymers, stabilizers, sweeteners, flavoring agents.

OTC USA

Distributed by:
HK KINSHA TRADE CO., LIMITED
Rm 2005, 21/F., 160 King
Commercial Centre,
2-16 Fa Yuen Street, Mong Kok,
Kowloon, Hong Kong

🗑️ ♻️ 🚰
Shelf Life: 3 years



ESOKALLI TESTOSTERONE BOOSTER ORAL DISSOLVING FILM

esokalli testosterone booster oral dissolving film film, soluble

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84778-092
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
VARDENAFIL (UNII: UCE6F4125H) (VARDENAFIL - UNII:UCE6F4125H)	VARDENAFIL	10 mg in 100 mg
TADALAFIL (UNII: 742SXX0ICT) (TADALAFIL - UNII:742SXX0ICT)	TADALAFIL	30 mg in 100 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSES (UNII: 3NXW29V3WO)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84778-092-01	1 in 1 BOX	08/24/2025	
1		40 mg in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:84778-092-02	2 in 1 BOX	08/24/2025	
2		40 mg in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:84778-092-03	4 in 1 BOX	08/24/2025	
3		40 mg in 1 PATCH; Type 0: Not a Combination Product		
4	NDC:84778-092-04	8 in 1 BOX	08/24/2025	
4		40 mg in 1 PATCH; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)		08/24/2025	

Labeler - Guangzhou Yixin Cross-border E-commerce Co., Ltd. (455800881)

Establishment			
Name	Address	ID/FEI	Business Operations
Guangzhou Yixin Cross-border E-commerce Co., Ltd.		455800881	manufacture(84778-092) , label(84778-092)

Revised: 12/2025

Guangzhou Yixin Cross-border E-commerce Co., Ltd.