

CARIONE RG TONER- salicylic acid liquid
Cell Activation Research Institute Co., Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Sailcylic Acid

Phellinus linteus grown on germinated brown rice (PBR), Sophora Angustifolia Root Extract, Swertia Japonica Extract, Bambusa Vulgaris Extract, Ficus Carica (Fig) Fruit Extract, Menthol, Panthenol, etc.

For hair and scalp care

keep out or reach of the children

Spray onto the scalp directly and then massage gently until completely absorbed, after using shampoo.

Recommend to use it once or twice a day.

Do not use a hair dryer after spraying.

It is okay to use a hair dryer before spraying.

1. Discontinue use and consult a doctor in case of allergic reaction.
2. Do not use this product if you have an allergic disease.
3. In case of getting it into eyes, washing it immediately.
4. Keep out of the reach of infants or children.
5. Keep lids on products when not in use and use the product within the recommended time.

Storage: Store in a cool, dry place, away from direct sunlight and with the lids firmly close.

For external use only

CARIONE RG
Hair enhancing system

Shampoo

Hair enhancing system
CARIONE RG
Shampoo

I Product name : CARIONE RG Shampoo

I Direction for use : Apply a quarter-sized amount of shampoo to the wet hair and gently massage your scalp using your finger tip.

I Ingredients : Water, Sodium Laureth Sulfate, Sodium Lauryl Sulfate, Cocamidopropyl Betaine, Zinc Pyrithione, Lauramide DEA, Butylene Glycol, Fragrance, Panthenol, Cetyl Alcohol, Sodium Citrate, Niacinamide, Guar Hydroxypropyltrimonium Chloride, Phenoxyethanol, Menthol, Carbomer, Chlorphenesin, Dipotassium Glycyrrhizate, Sophora Angustifolia Root Extract, Swertia Japonica Extract, Biotin, Citric Acid

CARIONE RG Shampoo can help revive healthy and shiny hair. Also, it removes dirt and residue from the hair and scalp.

I Caution : 1. Discontinue use and consult a doctor in case of allergic reaction. 2. Do not use this product if you have an allergic disease. 3. In case of getting it into eyes, washing it immediately. 4. Keep out of the reach of infants or children. 5. Keep lids on products when not in use and use the product within the recommended time

I Storage : Store in a cool, dry place, away from direct sunlight and with the lids firmly closed.

I Capacity : 300ml

I Customer service : Contact your local distributor.

I Storage instruction : Keep it in the room temperature at 1 to 30 degrees Celsius.

I Manufacturer : HP&C Ltd. [22, Osongsaengmyeong 6-ro, Osong-eup, Heungdeok-gu, Cheongju-si, Chungcheongbuk-do, Korea]

I Distributor : Cell Activation Research Institute[CARI™] co., Ltd. [Unit 1006, 24, Dunchon-daero 388beon-gil, Jung-won-gu, Seongnam-si, Gyeonggi-do, Korea]

※The manufacture's serial number and Expiry date : Separately marked.

CARIONE RG Hair enhancing system


Shampoo

CARIONE RG
Hair enhancing system

Shampoo

CARIONE RG Hair enhancing system

Shampoo



300 ml



Made in Korea



CARIONE RG TONER

salicylic acid liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:71039-0002 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|------------------|
| MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) | MENTHOL | 0.3 g in 100 mL |
| SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ) | SALICYLIC ACID | 0.25 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|------------------------------|----------|
| WATER (UNII: 059QF0KO0R) | |
| PANTHENOL (UNII: WV9CM0O67Z) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:71039-0002-1 | 100 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product | 08/01/2016 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part358H | 07/31/2016 | |

Labeler - Cell Activation Research Institute Co., Ltd (688258649)

Registrant - Cell Activation Research Institute Co., Ltd (688258649)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---|---------|-----------|---------------------|
| Cell Activation Research Institute Co., Ltd | | 688258649 | label(71039-0002) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-----------|---------|-----------|-------------------------|
| HP&C,Ltd. | | 689847430 | manufacture(71039-0002) |