

ONESSIP ACETAMINOPHEN- acetaminophen suspension
MEDWISE LIFESCIENCES INC.

Active ingredient (in each 5 mL)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

- Temporarily reduces fever
- Temporarily relieves minor aches and pains due to:
 - the common cold
 - flu
 - headache
 - sore throat
 - toothache

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if your child has liver disease

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

When using this product do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- **this product does not contain directions or complete warnings for adult use.**
- do not give more than directed (see [overdose warning](#))
- Follow the instruction given on this carton for your easy use.

Age (Years)	Dose (mL)*
under 2 years	ask a doctor
2 to under 6	1 Sachet (5 mL)
6 to 11 years	2 Sachet (10 mL)

*dose may be repeated every 4 hours while symptoms persist, upto five times a day or as directed by a doctor.

mL = milliliter

Other information

- store between 20-25°C (68-77°F)
- **do not use if carton or sachet is torn, broken or punctured.**

Inactive ingredients

anhydrous citric acid, FD&C Red No. 40, FD&C Blue 1, flavors, glycerin, purified water, sodium benzoate, sorbitol solution, sucralose, sucrose, xanthan gum

Questions or comments?

call **1-516-675-8915**

OneSsip Acetaminophen 160 mg per 5 mL Cherry Flavor Oral Suspension

Free of:

- Dyes
- Alcohol
- Ibuprofen
- Aspirin
- Parabens
- High Fructose Corn Syrup



Size : (L)95 x (W)30 x (H)116mm



ONESSIP ACETAMINOPHEN

acetaminophen suspension

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:87078-131

Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	160 mg in 5 mL	
Inactive Ingredients				
Ingredient Name		Strength		
GLYCERIN (UNII: PDC6A3C0OX)				
WATER (UNII: 059QF0KO0R)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
SUCROSE (UNII: C151H8M554)				
XANTHAN GUM (UNII: TTV12P4NEE)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SORBITOL SOLUTION 70% (UNII: 8KW3E207O2)				
Product Characteristics				
Color	purple	Score		
Shape		Size		
Flavor	GRAPE	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87078-131-52	12 in 1 CARTON	09/22/2025	
1		5 mL in 1 POUCH; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013		09/22/2025	

Labeler -
MEDWISE LIFESCIENCES INC. (140161518)