

**AVOBENZONE, HOMOSALATE, OCTISALATE- avobenzone, homosalate, octisalate lotion**  
**Meijer, Inc.**

-----  
**Meijer D54.000/D54AA**  
**Moisturizing Sunscreen Lotion SPF 50**

**Active Ingredients**

Avobenzone 3%

Homosalate 12%

Octisalate 5%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protections measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure

- apply to all skin exposed to the sun
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.–2 p.m.
  - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

### **Other information**

- protect the product from excessive heat and direct sun

### **Inactive ingredients**

water, diethylhexyl 2,6-naphthalate, butyloctyl salicylate, styrene/acrylates copolymer, aluminum starch octenylsuccinate, neopentyl glycol diheptanoate, glyceryl stearate, silica, polyester-7, beeswax, acrylates/C10-30 alkyl acrylate crosspolymer, glycerin, potassium hydroxide, chlorphenesin, tocopherol, benzyl alcohol, arachidyl alcohol, fragrance, PEG-100 stearate, behenyl alcohol, arachidyl glucoside, disodium EDTA, amyl cinnamal, sodium ascorbyl phosphate

### **Disclaimers**

May stain or damage some fabrics or surfaces

\*This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone<sup>®</sup> Complete Sunscreen Lotion SPF 50.

### **Adverse Reaction**

Our Quality Guraranteed

The Meijer Family

[WWW.MEIJER.COM/SATISFACTION](http://WWW.MEIJER.COM/SATISFACTION)

Questions 1-888-593-0593

DISTRIBUTED BY

MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

[www.meijer.com](http://www.meijer.com)

### **Principal Panel Display**

meijer®

moisturizing sunscreen lotion

BROAD SPECTRUM SPF 50

UVA/UVB SUNSCREEN

SPF 50

WATER RESISTANT (80 MINUTES)

DERMATOLOGIST TESTED

OXYBENZONE, OCTINOXATE AND OCTOCRYLENE FREE

COMPARE TO COPPERTONE® COMPLETE SUNSCREEN LOTION SPF 50\*

3 FL OZ (89 mL)

This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone® Complete Sunscreen Lotion SPF 50.

Drug Facts	
<b>Active Ingredients</b>	<b>Purpose</b>
Avobenzone 3%	Sunscreen
Homosalate 12%	Sunscreen
Octisalate 5%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use ■ on damaged or broken skin

When using this product ■ keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if ■ rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- apply to all skin exposed to the sun
- reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ children under 6 months of age: Ask a doctor

**Other information**

- protect the product from excessive heat and direct sun

**Inactive ingredients** water, diethylene glycol, 2,6-naphthoquinone, butylacetyl salicylate, styrene/acrylates copolymer, aluminum starch octenylsuccinate, neopentyl glycol diheptanoate, glyceryl stearate, silica, polyester-7, beeswax, acrylates/C10-30 alkyl acrylate crosspolymer, glycerin, potassium hydroxide, chlorophenesin, tocopherol, benzyl alcohol, arachidyl alcohol, fragrance, PEG-100 stearate, behenyl alcohol, arachidyl glucoside, disodium EDTA, amyl cinnamal, sodium ascorbyl phosphate

May stain or damage some fabrics or surfaces

Questions 1-888-593-0593  
DISTRIBUTED BY  
MEIJER DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49644  
www.meijer.com

**OUR QUALITY GUARANTEE**  
The Meijer Standard  
www.meijer.com  
1-888-593-0593

08820136833

L0021218TA Pat. Pend. PID 4805155 0

meijer.  
moisturizing  
sunscreen  
lotion

BROAD SPECTRUM SPF 50  
UVA/UVB SUNSCREEN

SPF 50

WATER RESISTANT (80 MINUTES)

DERMATOLOGIST TESTED

OXYBENZONE, OCTINOXATE  
AND OCTOCRYLENE FREE

COMPARE TO COPPERTONE® COMPLETE  
SUNSCREEN LOTION SPF 50\*

3 FL OZ (89 mL)

## AVOBENZONE, HOMOSALATE, OCTISALATE

avobenzone, homosalate, octisalate lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79481-0954
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	120 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIETHYLHEXYL 2,6-NAPHTHALATE</b> (UNII: I0DQJ7YGXM)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>STYRENE</b> (UNII: 44LJ2U959V)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED)</b> (UNII: 809Y72KV36)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVV35J00J)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>.ALPHA.-AMYL CINNAMALDEHYDE</b> (UNII: WC51CA3418)	
<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836S5JG51DR)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0954-1	89 mL in 1 TUBE; Type 0: Not a Combination Product	08/28/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/28/2023	

**Labeler** - Meijer, Inc. (006959555)

**Registrant** - Nice-Pak Products, LLC (119091520)

**Establishment**

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(79481-0954)

Revised: 2/2026

Meijer, Inc.