

**COVERGIRL CLEAN FRESH BLURRING SKINTINT SPF 30 MINERAL SUNSCREEN
LIQUID FOUNDATION- ALL SHADES- zinc oxide emulsion
Noxell**

Active ingredient

Zinc oxide 7.35%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally and evenly 15 minutes before sun exposure
- **Sun Protection Measures** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including • Limit time in the sun, especially from 10 a.m.-2 p.m. • Wear long-sleeved

shirts, pants, hats, and sunglasses.

- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating

Other information

protect the product in this container from excessive heat and direct sun


Inactive ingredients

Dimethicone, Isododecane, Corn Starch Modified, Aqua/Water/Eau, Butylene Glycol, Glycerin, Silica, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, Niacinamide, Stearalkonium Bentonite, Dimethicone Crosspolymer, Dimethicone/PEG-10/15 Crosspolymer, Sodium Chloride, Triethyl Citrate, Bambusa Arundinacea Stem Powder, Triethoxycaprylylsilane, 1,2-Hexanediol, Caprylyl Glycol, Chlorphenesin, Dipropylene Glycol, Sodium Citrate, Tocopherol, Glycyrrhiza Glabra (Licorice) Root Extract, [May Contain/Peut Contenir/+/-: Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, CI 77492, CI 77499)]

Questions or comments?

Call 1-800-426-8374

image



COVERGIRL CLEAN FRESH BLURRING SKINTINT SPF 30 MINERAL SUNSCREEN LIQUID FOUNDATION- ALL SHADES

zinc oxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:22700-701
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	73.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
BAMBUSA ARUNDINACEA STEM (UNII: NRA4497HC5)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
MODIFIED CORN STARCH (1-OCTENYL SUCCINIC ANHYDRIDE) (UNII: 461P5CJN6T)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
WATER (UNII: 059QF0KO0R)	
CI 77491 (UNII: 1K09F3G675)	
CI 77499 (UNII: XM0M87F357)	
ISODODECANE (UNII: A8289P68Y2)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
GLYCYRRHIZA GLABRA (LICORICE) ROOT (UNII: 2788Z9758H)	
NIACINAMIDE (UNII: 25X51I8RD4)	
DIMETHICONE CROSSPOLYMER (UNII: UF7620L1W6)	
STEARALKONIUM BENTONITE (UNII: AH5EVE6GTY)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CI 77891 (UNII: 15FIX9V2JP)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CI 77492 (UNII: EX438O2MRT)	
GLYCERIN (UNII: PDC6A3C0OX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:22700-701-01	30 mL in 1 TUBE; Type 0: Not a Combination Product	07/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/01/2025	

Labeler - Noxell (003082997)

Establishment

Name	Address	ID/FEI	Business Operations
Noxell		003082997	manufacture(22700-701)

Revised: 12/2025

Noxell