CLOVEDEN SENSITIVE CARE TOOTH- sodium fluoride paste, dentifrice DONG IL PHARMS CO.,LTD

Active ingredient(s)

Sodium Fluoride 0.221%

Purpose

Anti-cavity

Use(s)

- Protection of sensitive teeth
- Removal of plaque (anti-prag)
- Prevention of Tooth decay by Fluoride
- Keep your teeth white and strong
- Keep your mouth clean
- Refresh the inside of the mouth
- Removes bad breath
- Increases aesthetic effect

Warnings

- Do not do the following while using this products Do not use it except for brushing teeth.
- Other precautions to be taken when using non-medical products
- 1) The fluoride content of this toothpaste is 1,000 ppm (the total content must be 1,000 ppm or less).
- 2) If used by children under the age of six, use a small amount of toothpaste about the size of peas per use, and have it used under the guidance of a guardian to prevent washing or swallowing.
- 3) If a child under the age of 6 swallows a large amount, consult a doctor or dentist immediately.
- Storage precautions
- 1) Store out of reach of children under the age of six.
- 2) Remove the non-drug from the original container and store it in another container, which can cause accidents or poor product quality due to misuse, so put it in the original container and keep it closed tightly.

If a child under the age of 6 swallows a large amount, consult a doctor or dentist immediately.

Directions

■ Apply an appropriate amount to a toothbrush twice a day (morning and evening) and brush your teeth by brushing.

Other Information

 \blacksquare Airtight container, Store in room temperature (1~30°C)

Inactive ingredients

Sorbitol, Hydrated Silica, Water, Hydroxyapatite, Potassium Nitrate, Glycerin, Cellulose Gum, Sodium Cocoyl Glutamate, Sodium Methyl Cocoyl Taurate, Xylitol, Menthol, Stevioside, Mentha Pulegium Oil, Mentha Piperita Oil, Cooling Flavor, Mint Flavor, Sodium Chloride, Clove Mint Flaovr, Tocopheryl Acetate, Eugenia Caryophyllus (Clove) Flower Oil, Salvia Officinalis Leaf Extract, Aloe Barbadensis Leaf Extract, Rosmarinus Officinalis Leaf Extract, Calendula Officinalis Flower Extract



acuse acuse acuse acuse 계면활성제 함유 제품명 클로브덴시린이케어치약 의약외품 중량 100g 제조원 배동일제약(충북 음성군 병통면 리노산단길26 판매원 배약어새플래닛/경기도 용인시 기흥구 동백중앙로191,8중 브이용36호(중동, 빠티프라자) 제조번호 및 사용기한 단상자 하단표기 Drug Facts 자연유래 Active ingredient(s) Sodium Fluoride 0.221% 의약외품 클로브덴 비건 치약 센서티브 100gㅣ민감성 시린이케어 ection of sensitive teeth Removal of plaque (anti-prag) Prevention of Tooth decay by Fluoride 전성분 유효성분(질산감료(연합타입실리키)플루오르화나트룹() 기타청가제(농급리세원) 가스비뚤어 카르텍시에[실물 로오스나트룹토코베롱아시테이트,하이드목시아마타이트, 자일리통,효소처리스테비아,영화나트룹,세이지역스, 얼로에에스(0(로즈미리어스카센듀라엑스) 전통,클로브 오일박하유,제미만브오잉,항로,코코잉글루타민산나트룹, 코코잉메롱타우란산나트룹,정제수) Keep your teeth white and strong Keep your mouth clean Herlosh the inside of the mouth Hernoves bed breath Increases assthetic effect NATURAL Warnings • Do not do the following while using this products Do not use it except for brushing *Do not do the following while using this products Do not use it except for brushing feeth. *Other precautions to be taken when using non-medical products 1). The fluoride content of his toolhpeste is 1,000 ppm (the total content must be 1,000 ppm or lead). 2) if used by children under the age of six, use a small amount of tootherste age of six, use a small amount of tootherste at such under the age of six uses a small amount of the products to prevent washing or availboving. §) if a child under the age of is availows a large amount, consult a doctor or dentist immediately. *Storage procautions 1). Store out of meach of children under the age of six. 2). Reserves the non-drug from the original container and store it in another container, which can cause accolating or poor product quality due to missue, so put if in the original container and store it in another container. ' Natural Ingredients/ No Sodium Lauryl Sulfate Testing, Cruelty-Free/ Modified Aluminium tuba 구취·치태 프라그 제거 호등·호과 ① 시즌이 여성 및 연화 ② 차려에게인티프라그) ③ 볼수이 의한 중치여행 ③ 이ଞ 회계 유지하고 튼튼하게한다. ⑤ 구강 내를 청결히 한다. ⑥ 구강 내를 상쾌하게 한다. ⑦ 구취를 제거한다. ⑧ 상미효과를 높인다. 3.52oz 10 용법 · 용량 1일 2회(마침, 저녁) 적당량을 짓을에 묻혀 칫솔질에 의해 차이를 닦는다. ŧ Net 사용상의 주의사함 1)이 의약의품을 사용하는 동안다음의 행위를 하지 말것 양치용도이외에는 사용하고 마십시오. 것그 박씨에 의약의 분의 사용시주의할 사항 **EDIENTS** 당시용도 아타에는 사용에 아타이고 있는 가고밖에이 의약되품의 사용시주의할 사항 ① 이 차약의 불소설취정당 1,000pm(일) 다 16 합유량은 1,000ppm 이하여야 합니다나 ② 6세 이하의 어린이가 사용할 경우, 1회담 완두용크기정도의 소명의 차약을 사용하고 합니다나 ③ 6세 이하의 어린이가 많은 양을 삼켰을 경우즉시의 사도는 치과의사의 상의해주십시오.(의 사원을 하게하십시오.(의 6세 이하의 어린이가 많은 양을 삼켰을 경우즉시의 사도는 치과의사의 상의해주십시오.(의 사원을 하면 시오.(의 사원을 하면 시오.(의 사원으로 안해자 그를 느꼈을 경우 사용을 중치하십시오.(의 의 사원으로 안해자 그를 느꼈을 경우 사용을 중치하십시오.() 의약의 품의 사항 ① 6세 이하의 이로 이상 이상 등에 가는 경우 전 1 시오.() 시간 이 의 기정상의 주의 사항 ① 6세 이하의 이로 이일 이용 기업을 가게 보면하는 것은 오용에 따른 사고방생이 나에 품의 품질 저하의 왕인이 될수 있으므로 한테의 용기에 넣고 의 당이 보면하십시오. 이다음과 같은 경우 이 의약의 품의 사용을 즉각 중지하고 의사, 지리의사, 역사와 상의할 것, 상당시 가능한 제품 정보를 소지할 것, 생당시가 등한 제품 정보를 소지할 것. 생당시가 등한 제품 정보를 소지할 것. 상당시가 등한 제품 정보를 소지할 것. 상당시가 있는 이 나일 교이 부은 경우 때우 드문 알려지 반응의 중상일 수 있습니다. 재정방법 가일용기, 실온(1~30°C)보관 Apply an appropriate amount to a toothbrush twice a day (marning and evening) and brush your teeth by brushing. n Clove Oil/ No Animal 700 X Other Information Airtight container, Store in room temperature (1~30°C) Guestians Customer center: +82-70-8065-7737 Email: cloveden.global@gmail.com GR *Email: covident/gloralizorn fraether ingrediente Sorbiol, Hydrodel Silou, Weiter, Hydroopensilo, Potassum Nitratie, Glycein, Cellulose Gum, Sodium Coccyl Glutamate, Sodium Methyl, Coccyl Taussie, Xylital, Merithel, Steviceide, Merithe Puligium OU, Morthe Piperita Cil, Cooling Raser, Mint Raver, Sodium Chloside, Coce Mint Placer, Trocopheryl Acetano, Eugenia Caryophyllus (Clove) Power OL, Salvio Officinals Leoff Extract, Alos Bartendensia Leaf Extract, Rosmarius Officinals Flower Extract Calendula Officinals Flower Extract 용하기 효음·효과 O Ē ш 醞 ē Made by Distributor: Acuseplanet Inc. #1603, 10 Seongsull-ro, Seongdong-gu, Seoul, 04780, S. Korea Manufacturer: DONG IL PHARMS CO.,LTD. 26 Pinosandan-gil, Maangdong-Myeon, Eurreeong-gun, Chungcheongbuik-do 27731, S. Korea. 재장방법 기일용기,실온(1-30°C)보관 소비자상당실번호 070-8065-7737 acnae acnae acnae acnae acnze

CLOVEDEN SENSITIVE CARE TOOTH

sodium fluoride paste, dentifrice

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73242-1113
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SODIUM FLUORIDE (UNII: 8ZYO1474W7) (FLUORIDE ION - UNII:080VPU4080)	FLUORIDE ION	0.22 a in 100 a	

Inactive Ingredients		
Ingredient Name	Strength	
TRIBASIC CALCIUM PHOSPHATE (UNII: 91D9GV0Z28)		
WATER (UNII: 059QF0KO0R)		
SORBITOL (UNII: 506T60A25R)		

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73242- 1113-2	1 in 1 CARTON	07/01/2024	
1	NDC:73242- 1113-1	100 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	07/01/2024	

Labeler - DONG IL PHARMS CO.,LTD (557810721)

Establishment				
Name	Address	ID/FEI	Business Operations	
DONG IL PHARMS CO., LTD.		557810721	manufacture(73242-1113)	

Revised: 9/2025 DONG IL PHARMS CO.,LTD