

**STOOL SOFTENER PLUS STIMULANT LAXATIVE- docusate sodium 50 mg and sennosides 8.6 mg tablet, film coated  
CARDINAL HEALTH, 110 DBA LEADER**

-----  
**Drug Facts**

**Active Ingredients (in each tablet)**

Docusate Sodium 50 mg

Sennosides 8.6 mg

**Purpose**

Stool softener

Stimulant laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 6 to 12 hours

**Warnings**

**Do not use**

- laxative products for longer than 1 week unless told to do so by a doctor
- if you are presently taking mineral oil, unless told to do so by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

**Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after the use of a laxative.

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses

adults and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take upto 1 tablet daily
children under 2	ask a doctor

**Other information**

- each tablet contains: **calcium 10 mg, sodium 5 mg, Very Low Sodium**
- store at 20-25°C (68-77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients**

croscarmellose sodium, dicalcium phosphate, FD&C Red #40, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, sodium benzoate, talc, titanium dioxide

**Questions?**

(866) 562-2756 (Mon-Fri 8 AM to 4 PM EST)

**LEADER™**

**NDC 70000-0526-1**

**Stool Softener +**

**Stimulant Laxative**

**Docusate Sodium, 50 mg**

**Sennosides, 8.6 mg**

**COMPARE TO**

**COLACE® 2-IN-1**

**active ingredients\***

**100% Money**

**Back Guarantee**

**100 TABLETS**

**LEADER<sup>2</sup>**

NDC 70000-0526-1

## Stool Softener + Stimulant Laxative

Docusate Sodium, 50 mg  
Sennosides, 8.6 mg



Actual Size  
**100 TABLETS**

**COMPARE TO COLACE<sup>®</sup> 2-IN-1**  
active ingredients\*

**100% Money Back Guarantee**

**TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

Drug Facts	Purpose
<p><b>Active ingredients (in each tablet)</b> Docusate Sodium 50 mg.....Stool softener Sennosides 8.6 mg.....Stimulant laxative</p> <p><b>Uses</b> ■ relieves occasional constipation (irregularity) ■ generally produces a bowel movement in 6 to 12 hours</p> <p><b>Warnings</b> Do not use ■ laxative products for longer than 1 week unless told to do so by a doctor ■ If you are presently taking mineral oil, unless told to do so by a doctor <b>Ask a doctor before use if you have</b> ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that lasts over 2 weeks</p> <p><b>Stop use and ask a doctor if you have</b> rectal bleeding or fail to have a bowel movement after the use of a laxative. These could be signs of a serious condition. <b>If pregnant or breast-feeding, ask a</b></p>	

**Peel here for more drug facts**  
CIN 5566153 REV. 07/25



0 96295 13881 8  
Dist. by CAH, Dublin, OH 43017 © 2025 Cardinal Health  
**100% Money Back Guarantee**  
Return to place of purchase if not satisfied.

<p><b>Drug Facts (continued)</b> health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p>	<p><b>Directions</b> ■ take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">adults and children 12 years and over</td> <td style="width: 25%;">take 2-4 tablets daily</td> </tr> <tr> <td>children 6 to under 12 years of age</td> <td>take 1-2 tablets daily</td> </tr> <tr> <td>children 2 to under 6 years of age</td> <td>take up to 1 tablet daily</td> </tr> <tr> <td>children under 2</td> <td>ask a doctor</td> </tr> </table>	adults and children 12 years and over	take 2-4 tablets daily	children 6 to under 12 years of age	take 1-2 tablets daily	children 2 to under 6 years of age	take up to 1 tablet daily	children under 2	ask a doctor	<p><b>Other information</b> ■ each tablet contains: calcium 10 mg, sodium 5 mg, Very Low Sodium ■ store at 20-25°C (68-77°F); excursions permitted between 15-30°C (59-86°F)</p> <p><b>Inactive ingredients</b> croscarmellose sodium, dicalcium phosphate, FD&amp;C Red #40, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, sodium benzoate, talc, titanium dioxide</p> <p><b>Questions?</b> (866) 562-2756 (Mon-Fri 8 AM to 4 PM EST)</p> <p><small>*This product is not manufactured or distributed by Allant's Consumer Healthcare Inc., owner of the registered trademark Colace<sup>®</sup> 2-IN-1.</small></p>	<p><b>STOP PEELING</b></p>
adults and children 12 years and over	take 2-4 tablets daily										
children 6 to under 12 years of age	take 1-2 tablets daily										
children 2 to under 6 years of age	take up to 1 tablet daily										
children under 2	ask a doctor										

STOOL SOFTENER PLUS STIMULANT LAXATIVE			
docusate sodium 50 mg and sennosides 8.6 mg tablet, film coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0526
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg	
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg	
Inactive Ingredients			
Ingredient Name	Strength		
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)			
<b>CALCIUM PHOSPHATE, DIBASIC, DIHYDRATE</b> (UNII: O7TSZ97GEP)			
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)			
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)			
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)			
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)			
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)			

**SODIUM BENZOATE** (UNII: OJ245FE5EU)

**TALC** (UNII: 7SEV7J4R1U)

**TITANIUM DIOXIDE** (UNII: 15FIX9V2JP)

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND (ROUND TABLET)	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	PH32
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0526-1	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/23/2019	
2	NDC:70000-0526-2	200 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/23/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	10/23/2019	

**Labeler** - CARDINAL HEALTH, 110 DBA LEADER (063997360)

**Registrant** - Pharbest Pharmaceuticals, Inc. (557054835)

### Establishment

Name	Address	ID/FEI	Business Operations
Pharbest Pharmaceuticals, Inc.		557054835	manufacture(70000-0526) , analysis(70000-0526) , pack(70000-0526) , label(70000-0526)

Revised: 12/2025

CARDINAL HEALTH, 110 DBA LEADER