

**LANCOME PARIS TEINT IDOLE ULTRA WEAR CARE AND GLOW SKINCARE
FOUNDATION BROAD SPECTRUM SPF 27 SUNSCREEN- ensulizole liquid
SICOS ET CIE**

Drug Facts

Purpose

Sunscreen

Active ingredient

Ensulizole 3.6%

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable until dry.

Do not use near fire, flames, or heat.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well
- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

dimethicone, water, isododecane, alcohol denat., trimethylsiloxysilicate, propylene glycol, glycerin, PEG/PPG-18/18 dimethicone, silica, synthetic fluorophlogopite, polysilicone-11, moringa oleifera seed extract, polymnia sonchifolia root juice, sorbitol, mandelic acid, PEG-10 dimethicone, alpha-glucan oligosaccharide, sodium chloride, sodium hyaluronate, sodium hydroxide, silica silylate, cellulose acetate butyrate, aluminum hydroxide, ammonium polyacryloyldimethyl taurate, disodium phosphate, disodium stearyl glutamate, hydroxyethylpiperazine ethane sulfonic acid, caprylyl glycol, citric acid, lactobacillus, maltodextrin, polyphosphorylcholine glycol acrylate, polyvinyl alcohol, butylene glycol, tocopherol, phenoxyethanol, fragrance, pelargonium graveolens flower oil, linalool, geraniol, pinene, rose flower oil/extract, trimethylcyclopentenyl methylisopentenol, limonene, citral, tetramethyl acetyloctahydronaphthalenes, citronellol, citrus aurantium bergamia peel oil, citrus aurantium peel oil, carvone, benzyl alcohol; may contain: titanium dioxide, iron oxides

Questions or comments?

1-800-LANCOME

(1-800-526-2663)

Monday - Friday

(9 a.m. - 5 p.m. EST)

LANCÔME


TEINT
IDOLE
ULTRA
WEAR

CARE & GLOW

ENSULIZOLE SUNSCREEN
BROAD SPECTRUM SPF 27

4,8

Drug Facts: Active ingredient:
Ensulizole 3.6% **Purpose:**
Sunscreen **Use:** Helps prevent
sunburn. **Warnings: For**
external use only. Flammable
until dry. Do not use near fire,

flame or heat. **Do not use** on
damaged or broken skin. **When**
using this product keep out of
eyes. Rinse with water to
remove. **Stop use and ask a**
doctor if rash occurs. Keep
out of reach of children. If
swallowed, get medical help
or contact a Poison Control
Center right away. **Directions:**
For sunscreen use: Shake
well. Apply liberally 15
minutes before sun exposure.
Reapply at least every 2
hours. Use a water resistant
sunscreen if swimming or
sweating. **Sun Protection**
Measures. Spending time in
the sun increases your risk
of skin cancer and early skin
aging. To decrease this risk,
regularly use a sunscreen
with a Broad Spectrum SPF
value of 15 or 

Drug Facts (continued)

Inactive ingredients
dimethicone, water, isododecane, alcohol denat., trimethylsiloxysilicate, propylene glycol, glycerin, PEG/PPG-18/18 dimethicone, silica, synthetic fluorophlogopite, polysilicone-11, moringa oleifera seed extract, polyminia sonchitola root juice, sorbitol, mandelic acid, PEG-10 dimethicone, alpha-glucan oligosaccharide, sodium chloride, sodium hyaluronate, sodium hydroxide, silica silylate, cellulose acetate butyrate, aluminum hydroxide, ammonium polyacryloyldimethyl taurate, disodium phosphate, disodium stearyl glutamate, hydroxyethylpiperazine ethane sulfonic acid, caprylyl glycol, citric acid, lactobacillus, maltodextrin, polyphosphorylcholine glycol acrylate, polyvinyl alcohol, butylene glycol, tocopherol, phenoxyethanol, fragrance, pelargonium graveolens flower oil, inanol, geraniol, pinene, rose flower oil extract, trimethylcyclopentanyl methylisopentanol, limonene, citral, tetramethyl acetyloctahydronaphthalenes, citronello, citrus aurantium bergamia peel oil, citrus aurantium peel oil, carvone, benzyl alcohol; may contain: titanium dioxide, iron oxides

Questions or comments?
1-800-LANCÔME (1-800-526-2663)
Monday - Friday (9 a.m. - 5 p.m. EST)

G2099032 V70097225/1



SCAN HERE FOR OUR BEST MAKEUP TIPS.



CAUTION: FLAMMABLE UNTIL DRY. KEEP AWAY FROM FLAMES AND HEAT.

RECYCLABLE GLASS BOTTLE MADE WITH 25% RECYCLED MATERIAL.



MIXTE Emballage FSC® C004631

THIS PRODUCT CAN BE SOLD ONLY BY APPROVED DISTRIBUTORS
LANCÔME PARIS TSA 75000 93584 ST. OZEN CEDEX FR
14 RUE ROYALE 75008 PARIS - LONDON, W12 7SA - L'ORÉAL USA
S/D, INC., DIST., 10 HUDSON YARDS, NEW YORK, NY 10001 - IMP.
BY LANCÔME CANADA, MONTRÉAL, H4T 1K5



MADE IN FRANCE
LANCÔME.COM

LANCÔME




**TEINT IDOLE
ULTRA WEAR**

CARE & GLOW

**ENSULIZOLE SUNSCREEN
BROAD SPECTRUM SPF 27***

UP TO 24H HEALTHY GLOW
SKINCARE FOUNDATION

*REAPPLY AT LEAST EVERY 2 HOURS

COVERAGE
● ● ● ○
445N

30 ml - 1.0 FL. OZ.

Drug Facts

Active ingredient Purpose
Ensulizole 3.6%.....Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable until dry. Do not use near fire, flames or heat.

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well
- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun



3 614273 726207

LANCÔME PARIS TEINT IDOLE ULTRA WEAR CARE AND GLOW SKINCARE FOUNDATION BROAD SPECTRUM SPF 27 SUNSCREEN

ensulizole liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:51150-207
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	36 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
ISODODECANE (UNII: A8289P68Y2)	
ALCOHOL (UNII: 3K9958V90M)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
MORINGA OLEIFERA SEED (UNII: TIX5482832)	
POLYMNIA SONCHIFOLIA ROOT JUICE (UNII: M9S7HX36CT)	
SORBITOL (UNII: 506T60A25R)	
MANDELIC ACID (UNII: NH496X0UJX)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALPHA-GLUCAN OLIGOSACCHARIDE (UNII: S95658MI3W)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
AMMONIUM POLYACRYLOYLDIMETHYL TAURATE (UNII: F01RIY4371)	
DISODIUM PHOSPHATE (UNII: 22ADO53M6F)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
HYDROXYETHYLPIPERAZINE ETHANE SULFONIC ACID (UNII: RWW266YE9I)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CITRIC ACID (UNII: 2968PHW8QP)	
LACTOBACILLUS (UNII: 5307V7XW8I)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PELARGONIUM GRAVEOLENS FLOWER OIL (UNII: 3K0J1S7QGC)	
LINALOOL (UNII: D81QY6I88E)	
GERANIOL (UNII: L837108USY)	
PINENE (UNII: 996299PUKB)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
CITRAL (UNII: T7EU009VPP)	
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES (UNII: 2JU6ZH6GRE)	
CITRONELLOL (UNII: P01OUT964K)	
CITRUS AURANTIUM PEEL OIL (UNII: 9TLV70SV6I)	
CARVONE (UNII: 75GK9XIA8I)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51150-207-01	1 in 1 CARTON	05/27/2026	
1		30 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/27/2026	

Labeler - SICOS ET CIE (276993581)

Establishment

Name	Address	ID/FEI	Business Operations
SICOS ET CIE		276993581	manufacture(51150-207) , pack(51150-207)

Revised: 5/2026

SICOS ET CIE