#### HONEY LEMON COUGH DROPS- menthol lozenge Topco Associates

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### Menthol 7.5 mg

Active ingredient (in each drop)

Menthol 7.5 mg

Purpose

Cough suppressant / Oral anesthetic

Uses temporarily relieves:

cough as may occur with a cold

occasional minor irritation and sore throat

Warnings

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These symptoms may be serious.

Ask a doctor before use if you have:

persistent or chronic cough such as occurs with smoking, asthma, or emphysema

cough accompanied by excessive phlegm (mucus)

Stop use and ask doctor if

cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

sore throat is severe, or irritation, pain or redness lasts or worsens

sore mouth does not improve in 7 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

adults and children 5 years and over - dissolve 1 lozenge slowly in mouth. Repeat every 2 hours as needed or as directed by a doctor.

children under 5 years - ask a doctor

Other information

• 10 calories per drop

Inactive ingredients: Beta carotene, corn starch, corn syrup, eucalyptus oil, glycerin,

honey, medium chain triglycerides, natural and artificial flavors, soybean oil, sucrose and water.

Questions? Or to report an adverse event call 1-888-423-0139.



ties sidden is iso

<ul> <li>Sore Monts des not implation, pain or tedheses lasts or worsens lasts to revortents a severe or cinitation, pain or tedheses lasts or worsens lasts or worsens last or worsens lasts or contrast lasts last last last last last last</li></ul>
Sore mouth does not improve in 7 days       MENTHOL COUCI         I sore mouth does not improve in 7 days       MENTHOL COUCI         Seeparat or breast-feeding, ask a health protessional before use,       MENTHOL COUCI         Seeparat or breast-feeding, ask a health protessional before use,       MENTHOL COUCI         Directions       dissolve 1 losenge slowly in mouth. Repeat every 2 hours       Soothes So         Sindiffen under 5 years       ask a doctor       ask a doctor         Other information = 10 calories per drop       ask a doctor       Throat Pair         Disclinen under 5 years       ask a doctor       ask a doctor         Disclinen under 5 years       ask a doctor       ask a doctor         Disclinen under 5 years       ask a doctor       ask a doctor         Disclinen under 5 years       ask a doctor       ask a doctor         Disclinen under 5 years       ask a doctor       ask a doctor         Disclinen under 5 years       ask a doctor       ask a doctor         Disclinen under 5 years       ask a doctor       ask a doctor         Disclinen under 5 years       ask a doctor       ask a doctor         Disclinen under 5 years       ask a doctor       ask a doctor         Disclinen under 5 years       ask a doctor       ask a doctor         Disclinent protector
<ul> <li>Jeroemouth does not improve in 7 days</li> <li>Jeroemouth does not improve in 7 days</li> <li>Jeroemouth of resch of children.</li> <li>Jeroemouth of resch of children.</li> <li>MENTHOL COUGI</li> <li>MENTHOL COUGI</li> <li>Stears and over</li> <li>dissolve 1 iozenge slowly in mouth. Repeat every 2 hours</li> <li>Stears and over</li> <li>dissolve 1 iozenge slowly in mouth. Repeat every 2 hours</li> <li>Stears and over</li> <li>dissolve 1 iozenge slowly in mouth. Repeat every 2 hours</li> <li>Stears and over</li> <li>dissolve 1 iozenge slowly in mouth. Repeat every 2 hours</li> <li>Stears and over</li> <li>dissolve 1 iozenge slowly in mouth. Repeat every 2 hours</li> <li>Stears and over</li> <li>ask a doctor</li> <li>Children under 5 years</li> <li>ask a doctor</li> <li>Conthes Set actoriene, com starch, com syntp, eucalyptus oil, glycerin, honey.</li> <li>Throat Pair</li> <li>Throat Pair</li> <li>The advise</li> </ul>
Joine mouth does not improve in 7 days       MENTHOL COUGI         Joine out of reach of children.       MENTHOL COUGI         Joine ctions       dissolve 1 losenge slowly in mouth. Repeat every 2 hours         Joine ctions       dissolve 1 losenge slowly in mouth. Repeat every 2 hours         Solificen under 5 years       ask a doctor         Solificen under 5 years       ask a doctor         Other information = 10 calories per drop       adotor
Socie mouth does not improve in 7 days     MENTHOL COUCH       Socie mouth does not improve in 7 days     MENTHOL COUCH       Sereach of children.     Sereach of children.       Directions     dissolve 1 lozenge slowly in mouth. Repeat every 2 hours       5 years and children     ask a doctor.       5 years and over     ask a doctor.
adults and children adults
sore mouth does not improve in 7 days the generat or breast-feeding, ask a health professional before use.
i soce month does not improve in / days
Lack a doctor before use if you have: to equif accompanied by excessive philegm (mucus) to cough excompanied by excessive philegm (mucus) to cough excompanied by tever, rash, or persistent neadeche. These could be signs of a serious condition. Is seriet is severe, or imitation, pain or redness lasts or worsens to reading the severe, or imitation, pain or redness lasts or worsens to reading the severe, or imitation, pain or redness lasts or worsens to reading the severe, or imitation, pain or redness lasts or worsens to reading the severe, or imitation, pain or redness lasts or worsens to reading the severe, or imitation, pain or redness lasts or worsens
Varnings Marings for throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or bilowed by fever, headache, reah, swelling, nausea, or vomiting, consult a doctor promptly. If one mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These one mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These task a doctor before use if you have: persistent or chronic cough such as occurs with smoking, asthma, or emphysema
I cough as may occur with a cold a occasional minor initition and sore throat
Purpose in each drop) Purpose in each drop) Purpose in each drop) Purpose Purp
Drug Facts

HONEY LEMON COUGH DROPS menthol lozenge									
Product Information									
Product Type	HUMAN OTC DRUG Item Code (Sour		ce)	NDC:36800-816					
Route of Administration ORAL									
Active Ingredient/Active Moiety									
Ingredi	Basi	<b>Basis of Strength</b>		Strength					
MENTHOL (UNII: L7T10EIP3A) (MEN	MENTHC	MENTHOL		7.5 mg					
Inactive Ingredients									
Ingredient Name			Strength						
WATER (UNII: 059QF0K00R)									

Pro	oduct Chara	cteristics		
Col		yellow	Score	no score
Shape OVAL		Size	16mm	
	vor	LEMON (honey and lemon)	Imprint Code B	
Cor	ntains			
Pa	ckaging			
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:36800-816-	80 in 1 BAG; Type 0: Not a Combination Product	03/20/2013	
Ma		nformation		
Ma	arketing I Marketing Category	Information Application Number or Monogra	ph Marketing Star	t Marketing End

# Labeler - Topco Associates (006935977)

## Registrant - Bestco Inc. (002149136)

### Establishment

Name	Address	ID/FEI	Business Operations
Bestco Inc.		002149136	manufacture(36800-816)

Revised: 10/2023

Topco Associates