ICON IMPERIAL- iodine concentrate IBA

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

ICON IMPERIAL IODINE TEAT DIP CONCENTRATE. A HIGHLY EFFECTIVE SANITIZING TEAT DIP. AN AID IN THE PREVENTION OF THE NEW INTRAMAMAMMARY INFECTIONS.

ACTIVE INGREDIENT

Nonylphenoxypolyethoxyethanol Iodine Complex.....29.00% (PROVIDES 1% MINIMUM TITRATABLE IODINE AT THE RECOMMENDED DILUTION RATIO)

INERT INGREDIENTS

Emollients......12.00%

(Provides a total of 2.0% skin conditioners at the recommended ratio)

Other inerts......59.00%

(Includes Buffering Agents and Surfactants)

TOTAL.....100%

When mixed according to label directions, this product provides highly effective levels of free iodine for fast kill of mastitis causing organisms.

INDICATIONS AND USAGE

GENERAL RECOMMENDATIONS

- 1. Use teat dip applicators made of plastic or other non-corrosive materials. Do not use cups made of aluminum.
- 2. When solution in the teat dip cup becomes dirty and/or noticeably loses color, discard remaining contents and refill cup with fresh teat dip.
- 3. Do not use this product for cleaning or sanitizing equipment
- 4. Wash Teat Dip cups after each milking.

RECOMMENDED PROCEDURES FOR TEAT SANITATION A. PRE-MILKING (PRE-DIPPING)

- 1. REMOVE VISIBLE SOILS FROM THE TEATS.
- 2. OBSERVE FOREMILK BY STRIPPING TWO OR THREE STREAMS OF MILK INTO A STRIP CUP.
- 3. DIP OR SPRAY THE COW'S TEATS FULL LENGTH WITH ICON IMPERIAL TEAT DIP.
- 4 WAIT APPROXIMATELY 30 SECONDS.
- 5. REMOVE ALL TEAT DIP BY THOROUGHLY DRYING THE TEATS AND TEAT ORIFICES WITH A CLEAN, SINGLE SERVICE PAPER TOWEL(S).
- 6. ATTACH MILKING UNIT

B. POST-MILKING (POST DIPPING)

Immediately after milking dip all teats full length with ICON IMPERIAL Teat Dip Ensure good coverage of all sides of the teats and teat orifices.

WARNING

ICON IMPERIAL IODINE TEAT DIP CONCENTRATE MUST BE DILUTED BEFORE USE. DO NOT MIX WITH ANYTHING BUT POTABLE WATER.

DO NOT RETURN TREAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER. ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS. PROTECT THIS PRODUCT FROM FREEZING.

FIRST AID PROCEDURES

EYE CONTACT: IMMEDIATELY FLUSH EYE WITH LARGE AMOUNTS OF FRESH, TEPID WATER FOR 15 MINUTES. HOLD EYELID OPEN TO ENSURE COMPLETE IRRIGATION OF EYE AND LID TISSUES. TILT HEAD TO THE SIDE AND IRRIGATE THE EYE FROM THE BRIDGE OF THE NOSE TO THE OUTSIDE OF THE FACE.

SKIN CONTACT: WASH ANY SENSITIVE AREAS.

INGESTION: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. DRINK LARGE AMOUNTS OF WATER. IF VOMITING OCCURS KEEP AIRWAYS OPEN. KEEP HEAD LOWER THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

ICON IMPERIAL

A HIGHLY EFFECTIVE SANITIZING TEAT DIP



AN AID IN THE PREVENTION OF **NEW INTRAMAMMARY** INFECTIONS

IODINE TEAT DIP CONCENTRATE

Dilute 1 part

ICON IMPERIAL TEAT DIP CONCENTRATE

per 5 parts potable,

tepid water.

Nonylphenoxypotyethoxyethanol-lodine Complex29.00% (Provides 1% minimum Titratable lodine at the recommended dilution ratio) INERT INGREDIENTS:

(Provides a total of 2.0% skin conditioners at the recommended dilution catic)

commended dilution ratio)

(Includes Buffering Agents and Surfactants)

When mixed according to label directions, this product provides highly effective levels of free indine for fast kill of mastitis causing organisms.

GENERAL RECOMMENDATIONS

- 1. Use teat dip applicators made of plastic or other nan-currosive materials. Do not use cupe made of aluminum.
 2. When solution in the test dip cup becomes dirty and/or not osahly insescolor, discard remaining contents and refill cup with fresh test dip.
 3. Do not use this product for cleaning or sanifizing equipment.
 4. Wash test dip cups after each miking.

FIRST AID PROCEDURES

EYE CONTACT: IMMEDIATELY QUENTEYS WITH LARGE ANDIANS OFFESH, TOPIC WATER 503
15 MINUTES HOLD EYELD OPEN TO BRISING COMPLETE IRRIGATION DE EYE MIC LID ITSSUES, TILTHEND
TO THE SIZE AND IRRIGATE THE EYE FROM THE SIX DEC OF THE MOSE TO THE GUTSULE OF THE FACE.
SEMI-CONTACT: FOR CONTACT WITH CONCENTRATED PRODUCTS. FLUSH THOROUGHLY WITH FRESH,
TEPHO WATER DISCORD CONTOMINATED GLOTHING AND FOOTWARD OF WASH SPORE RELISE
FOR REVOY-POLISE PRODUCTS, WASH ANY SENSITIVE WAREN.
INDESTRUME: TO NOT INTUCE YOM THEN INFER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
DRINK LARSE AWOUNTS OF WATER. IF WOMITHING YOUR KEEP HEMD LOWER.
THAN THE HIPS TO PREVENT ASPIRATION INTO THE LUNGS.

ALWAYS SEEK IMMEDIATE MEDICAL ATTENTION FOR MEDICAL EMERGENCIES CALL 1-800-424-9300

RECOMMENDED PROCEDURES FOR TEAT SANITATION

A. PRE-MILKING (PRE-DIPPING)

- Hemove visible soils from the teats.
 Observe foremilk by stripping two or three streams of milk. nto a etrio cuo

- nite a strip out.

 3. Dip or spray the cow's teats full length with diluted ICON IMPERIAL Teat Dip.

 4. Wait approximately 30 seconds.

 5. Remove all teat dip by thoroughly drying the teats and teat orfices with a clean, single service paper towel(s).

 6. Attach milling unit.

B. POST-MILKING (POST-DIPPING)

Connectately after milliong, clp or spray at feats full length with diuled ICON IMPERIAL Teat Dip. Ensure good coverage of all sides of the teats and teat orifices.

CAUTION: KEEP OUT OF REACH OF CHILEREN. AVOID CONTACT WITH FOOD. DO NOT TAKE INTERNALLY.

WARNING

ICON IMPERIAL IODINE TEAT DIP CONCENTRATE MUST BE DILUTED BEFORE USE. DO NOT MIX WITH ANYTHING BUT POTABLE WATER.

DO NOT RETURN TEAT DIP LEFT IN THE TEAT DIPPER TO STORAGE CONTAINER

ENSURE THAT DIPPED TEATS ARE DRY BEFORE EXPOSING THE ANIMALS TO WEATHER CONDITIONS WHICH MAY CAUSE DAMAGE TO THE TEATS.

PROTECT THIS PRODUCT FROM FREEZING.

PART OF THE COMPLETE IBA SANITATION PROGRAM

EXP. DATE:

LOT NO .:

NET CONTENTS: 5 GALLONS

IBA STOCK # 162071

1207E

MANUFACTURED EXCLUSIVELY FOR IBA INC., SANITATION DIVISION, 27 PROVIDENCE ROAD, MILLBURY, MA 01527

ICON IMPERIAL

iodine concentrate

Product Information

NDC:29983-0053 **Product Type** OTC ANIMAL DRUG Item Code (Source)

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Basis of Strength Ingredient Name Strength IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4) **IODINE** 29.0 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:29983-0053-4	18.9 L in 1 DRUM		

	2	NDC:29983-0053-6	56.7 L in 1 DRUM	
ı	3	NDC:29983-0053-8	207.9 L in 1 DRUM	
ı	4	NDC:29983-0053-9	1039.5 L in 1 DRUM	

Marketing Information							
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date					
	05/12/2010						
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date					

Labeler - IBA (019494160)

Revised: 7/2024 IBA