

ROMPE PECHO CF- brompheniramine maleate, dextromethorphan hbr liquid

Dextrum Laboratories, Inc

Rompe Pecho CF

Active ingredient section



Active ingredient section

Brompheniramine maleate 4mg.... Antihistamine

Dextromethorphan HBr 10 mg... Cough suppressant

Warnings

Warnings

Do not exceed recommended dosage

Do not use if you are now taking a prescription monoamine oxidase inhibitor(MAOI) (certain drugs for depression, psychiatric or emotional condition, or Parkinson's disease), or 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI ask a doctor or pharmacist before taking this product.

Drug Facts

Active ingredients (in each dose, 5 mL) **Purposes**
Brompheniramine Maleate 4 mg Antihistamine
Dextromethorphan HBr 10 mg Cough suppressant

Uses • temporarily relieves runny nose, sneezing, itching of the nose or throat, and itchy watery eyes due to hay fever or other upper respiratory allergies
• temporarily relieves cough from the common cold.

Warnings

Do not exceed recommended dosage.

Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • heart disease • glucose • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlargement of the prostate gland • a persistent or chronic cough such as occurs with smoking, asthma or emphysema • a cough that is accompanied by excessive phlegm (mucus) • a breathing problem such as emphysema or chronic bronchitis.

Stop use and ask a doctor if • symptoms do not improve within 7 days, cough leads to hiccups, or symptoms are accompanied by a fever, rash or persistent headache. A persistent cough may be sign of a serious condition • nervousness, dizziness, or sleeplessness occur.

Ask a doctor or pharmacist before use if you are • taking tranquilizers or sedatives.

When using this product • may cause marked drowsiness • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness effect • use caution when driving a motor vehicle or operating machinery • excitability may occur, especially in children.

Lot #: _____
Exp. Date: _____



Rompe Pecho® CF

Cold & Flu

• Antihistamine

• Cough Suppressant

Brompheniramine Maleate
& Dextromethorphan HBr

**ADVANCED FORMULA
ALCOHOL FREE**

Adults & Children 12 years & over

Contents: 6 FL Oz (178 mL)

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of an overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed more than 6 doses in any 24-hour period
- shake well before use
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter • TSP = teaspoon
- this adult product is not intended for use in children under 12 years of age

Age	Dose
adults and children 12 years of age and over	5 mL (1 teaspoonful) every 4 hours
children under 12 years of age	do not use

Other information • store between 15°-30° C (59°-86° F). Do not refrigerate.

TAMPER-EVIDENT FEATURE: Do not use this product if printed safety seal is torn, broken, or missing.

Inactive ingredients blue cohosh root extract, echinacea root extract, eucalyptus oil, ginkgo biloba leaf extract, glycerin, guaiacum root extract, honey, horhound (flower, leaf, stem) extract, licorice root extract, menthol, methylparaben, mullein leaf extract, myrrh gum extract, potassium sorbate, propylene glycol, propylparaben, slippery elm bark extract, sodium chloride, sucralose, water, wild cherry bark extract and zinc sulfate.

Questions or comments? 800-865-3456
Monday - Friday (9 AM - 5 PM EST) or www.efficientusa.com

Other sold formulas: Rompe Pecho® DM, Rompe Pecho® SF, Rompe Pecho® EX, Rompe Pecho® HLI, Rompe Pecho® M, Rompe Pecho® MAX, Rompe Pecho®B, Cough Quilt, Mucin & Maltin.

Keep the box for complete instructions in Spanish.

REV: 10/2023
Rev. 1

Distributed by:
Efficient Laboratories, Inc. ®
Miami, FL 33186, Made in U.S.A.

Ask a doctor section

Drug Facts

Active ingredients (in each dose, 5 mL) **Purposes**
Brompheniramine Maleate 4 mg Antihistamine
Dextromethorphan HBr 10 mg Cough suppressant

Uses • temporarily relieves runny nose, sneezing, itching of the nose or throat, and itchy watery eyes due to hay fever or other upper respiratory allergies
• temporarily relieves cough from the common cold.

Warnings

Do not exceed recommended dosage.

Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • heart disease • glaucoma • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlargement of the prostate gland • a persistent or chronic cough such as occurs with smoking, asthma or emphysema • a cough that is accompanied by excessive phlegm (mucus) • a breathing problem such as emphysema or chronic bronchitis.

Stop use and ask a doctor if • symptoms do not improve within 7 days, cough turns to hiccups, or symptoms are accompanied by a fever, rash or persistent headache. A persistent cough may be sign of a serious condition • nervousness, dizziness, or sleeplessness occur.

Ask a doctor or pharmacist before use if you are • taking tranquilizers or sedatives.

When using this product • may cause marked drowsiness • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness effect • use caution when driving a motor vehicle or operating machinery • excitability may occur, especially in children •

Lot #:

Exp. Date:



Rompe Pecho®

CF

Cold & Flu

- Antihistamine
- Cough Suppressant

**Brompheniramine Maleate
& Dextromethorphan HBr**

**ADVANCED FORMULA
ALCOHOL FREE**

Adults & Children 12 years & over

Contents: 6 FL Oz (178 mL)

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of an overdose, get medical help or contact a Poison Control Center right away.

Directions

- Do not exceed more than 6 doses in any 24-hour period
- Shake well before use
- Measure only with dosing cup provided
- Keep dosing cup with product
- 1 mL = milliliter = 1/20 = 1/2 teaspoon
- This adult product is not intended for use in children under 12 years of age

Age	Dose
Adults and children 12 years of age and over	5 mL (1 teaspoonful) every 4 hours
Children under 12 years of age	Do not use

Other information • store between 15°-30° C (59°-86° F). Do not refrigerate.

TAMPER-EVIDENT FEATURE: Do not use this product if printed safety seal is torn, broken, or missing.

Inactive ingredients blue cohosh root extract, echinacea root extract, eucalyptus oil, pinko beko leaf extract, glycerin, ginkgo leaf extract, honey, horehound (flower, leaf, stem) extract, licorice root extract, menthol, methylparaben, natural leaf extract, myrrh gum extract, potassium sorbate, propylene glycol, propylparaben, slippery elm bark extract, sodium chloride, sucralose, water, wild cherry bark extract and zinc sulfate.

Questions or comments? 365-865-3456

Monday - Friday (9 AM - 5 PM EST) or www.efficientdata.com

Other cold formulas: Rompe Pecho® Cold, Rompe Pecho® SF, Rompe Pecho® FL, Rompe Pecho® HLL, Rompe Pecho® M, Rompe Pecho® MAX, Rompe Pecho® Cough Guard, Mucin® & More.

Keep the box for complete instructions in Spanish.

REV: 10/2023

Rev. 1

Distributed by:
Efficient Laboratories, Inc. 46
Miami, FL 33196, Made in U.S.A.

Ask a doctor section

Ask a doctor before use:

If you have heart disease, glaucoma, high pressure, thyroid disease, diabetes, difficulty in urination due to enlargement of the prostate gland, a persistent or chronic cough such as occurs with smoking, asthma or emphysema, a cough that is accompanied by excessive phlegm (mucus), a breathing problem such as emphysema or chronic bronchitis.

Ask a doctor and pharmacist section

Ask a doctor/pharmacist section

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives

Drug Facts

Active ingredients (in each dose, 5 mL)	Purposes
Brompheniramine Maleate 4 mg	Antihistamine
Dextromethorphan HBr 10 mg	Cough suppressant

Uses • temporarily relieves runny nose, sneezing, itching of the nose or throat, and itchy watery eyes due to hay fever or other upper respiratory allergies
• temporarily relieves cough from the common cold.

Warnings

Do not exceed recommended dosage.

Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • heart disease • glaucoma • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlargement of the prostate gland • a persistent or chronic cough such as occurs with smoking, asthma or emphysema • a cough that is accompanied by excessive phlegm (mucus) • a breathing problem such as emphysema or chronic bronchitis.

Stop use and ask a doctor if • symptoms do not improve within 7 days, cough tends to recur, or symptoms are accompanied by a fever, rash or persistent headache. A persistent cough may be sign of a serious condition • nervousness, dizziness, or sleeplessness occur.

Ask a doctor or pharmacist before use if you are • taking tranquilizers or sedatives.

When using this product • may cause marked drowsiness • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness effect • use caution when driving a motor vehicle or operating machinery • excitability may occur, especially in children •

Lot #:

Exp. Date:



Rompe Pecho[®] CF

Cold & Flu

- Antihistamine
- Cough Suppressant

Brompheniramine Maleate
& Dextromethorphan HBr

**ADVANCED FORMULA
ALCOHOL FREE**

Adults & Children 12 years & over

Contents: 6 FL Oz (178 mL)

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of an overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed more than 6 doses in any 24-hour period
- shake well before use
- measure only with dosing cup provided
- keep dosing cup with product
- 1 mL = milliliter = 1/20 = 1/2 teaspoon
- This adult product is not intended for use in children under 12 years of age

Age	Dose
adults and children 12 years of age and over	5 mL (1 teaspoonful) every 4 hours
children under 12 years of age	do not use

Other information • store between 15°-30° C (59°-86° F). Do not refrigerate.

TAMPER-EVIDENT FEATURE: Do not use this product if printed safety seal is torn, broken, or missing.

Inactive ingredients blue cohosh root extract, echinacea root extract, eucalyptus oil, pinko beko leaf extract, glycerin, gardenia root extract, honey, horehound (flowers, leaf, stem) extract, licorice root extract, menthol, methylparaben, natural leaf extract, myrrh gum extract, potassium sorbate, propylene glycol, propylparaben, slippery elm bark extract, sodium chloride, sucralose, water, wild cherry bark extract and zinc sulfate.

Questions or comments? 365-865-3436

Monday - Friday (9 AM - 5 PM EST) or www.efficient.com

Other cold formulas: Rompe Pecho® DM, Rompe Pecho® SF, Rompe Pecho® FL, Rompe Pecho® HLI, Rompe Pecho® M, Rompe Pecho® MM, Rompe Pecho® CF, Cough Guard, Mucin & More.

Keep the box for complete instructions in Spanish.

REV: 10/2023

Rev. 1

Distributed by:
Efficient Laboratories, Inc. &
Miami, FL 33196, Made in U.S.A.

Keep out of reach of children section.

Keep out of reach of children section.

In case of a overdose, get medical help or contacta Poison Control Center right away.

Drug Facts

Active ingredients (in each dose, 5 mL)	Purposes
Brompheniramine Maleate 4 mg	Antihistamine
Dextromethorphan HBr 10 mg	Cough suppressant

Uses • temporarily relieves runny nose, sneezing, itching of the nose or throat, and itchy watery eyes due to hay fever or other upper respiratory allergies
• temporarily relieves cough from the common cold.

Warnings

Do not exceed recommended dosage.

Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • heart disease • glaucoma • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlargement of the prostate gland • a persistent or chronic cough such as occurs with smoking, asthma or emphysema • a cough that is accompanied by excessive phlegm (mucus) • a breathing problem such as emphysema or chronic bronchitis.

Stop use and ask a doctor if • symptoms do not improve within 7 days, cough tends to recur, or symptoms are accompanied by a fever, rash or persistent headache. A persistent cough may be sign of a serious condition • nervousness, dizziness, or sleeplessness occur.

Ask a doctor or pharmacist before use if you are • taking tranquilizers or sedatives.

When using this product • may cause marked drowsiness • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness effect • use caution when driving a motor vehicle or operating machinery • excitability may occur, especially in children.

Lot #:

Exp. Date:



Rompe Pecho[®]

CF

Cold & Flu

- Antihistamine
- Cough Suppressant

Brompheniramine Maleate
& Dextromethorphan HBr

ADVANCED FORMULA
ALCOHOL FREE

Adults & Children 12 years & over

Contents: 6 FL Oz (178 mL)

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of an overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed more than 6 doses in any 24-hour period
- shake well before use
- measure only with dosing cup provided
- keep dosing cup with product
- mL • milliliter • 152 • teaspoons
- This adult product is not intended for use in children under 12 years of age.

Age	Dose
adults and children 12 years of age and over	5 mL (1 teaspoonful) every 4 hours
children under 12 years of age	do not use

Other information • store between 15°-30° C (59°-86° F). Do not refrigerate.

TAMPER-EVIDENT FEATURE: Do not use this product if printed safety seal is torn, broken, or missing.

Inactive ingredients blue cohosh root extract, echinacea root extract, eucalyptus oil, pinko beko leaf extract, glycerin, gardenia root extract, honey, horehound (flowers, leaf, stem) extract, licorice root extract, menthol, methylparaben, mullen leaf extract, myrrh gum extract, potassium sorbate, propylene glycol, propylparaben, slippery elm bark extract, sodium chloride, sucralose, water, wild cherry bark extract and zinc sulfate.

Questions or comments? 365-865-3436

Monday - Friday (9 AM - 5 PM EST) or www.efficient.com

Other cold formulas: Rompe Pecho® DM, Rompe Pecho® SF, Rompe Pecho® FL, Rompe Pecho® HLL, Rompe Pecho® M, Rompe Pecho® MM, Rompe Pecho® Cough Gumb. Mastic & Honey.

Keep the box for complete instructions in Spanish.

REV: 10/2023

Rev. 1

Distributed by:
Efficient Laboratories, Inc. &
Miami, FL 33196, Made in U.S.A.

Pregnancy or breast feeding section

Pregnancy or breast feeding section

If pregnancy or breaft-feeding, ask a heath professional before use

Drug Facts

Active ingredients (in each dose, 5 mL) **Purposes**
Brompheniramine Maleate 4 mg Antihistamine
Dextromethorphan HBr 10 mg Cough suppressant

Uses • temporarily relieves runny nose, sneezing, itching of the nose or throat, and itchy watery eyes due to hay fever or other upper respiratory allergies
• temporarily relieves cough from the common cold.

Warnings

Do not exceed recommended dosage.

Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • heart disease • glaucoma • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlargement of the prostate gland • a persistent or chronic cough such as occurs with smoking, asthma or emphysema • a cough that is accompanied by excessive phlegm (mucus) • a breathing problem such as emphysema or chronic bronchitis.

Stop use and ask a doctor if • symptoms do not improve within 7 days, cough tends to recur, or symptoms are accompanied by a fever, rash or persistent headache. A persistent cough may be sign of a serious condition • nervousness, dizziness, or sleeplessness occur.

Ask a doctor or pharmacist before use if you are • taking tranquilizers or sedatives.

When using this product • may cause marked drowsiness • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness effect • use caution when driving a motor vehicle or operating machinery • excitability may occur, especially in children •

Lot #:

Exp. Date:



Rompe Pecho®

CF

Cold & Flu

- Antihistamine
- Cough Suppressant

**Brompheniramine Maleate
& Dextromethorphan HBr**

**ADVANCED FORMULA
ALCOHOL FREE**

Adults & Children 12 years & over

Contents: 6 FL Oz (178 mL)

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of an overdose, get medical help or contact a Poison Control Center right away.

Directions

- Do not exceed more than 6 doses in any 24-hour period
- shake well before use
- measure only with dosing cup provided
- keep dosing cup with product
- 1 mL = milliliter • 1 TSP = teaspoonful
- This adult product is not intended for use in children under 12 years of age

Age	Dose
adults and children 12 years of age and over	5 mL (1 teaspoonful) every 4 hours
children under 12 years of age	do not use

Other information • store between 15°-30° C (59°-86° F). Do not refrigerate.

TAMPER-EVIDENT FEATURE: Do not use this product if printed safety seal is torn, broken, or missing.

Inactive ingredients blue cohosh root extract, echinacea root extract, eucalyptus oil, pinko beko leaf extract, glycerin, ginkgo leaf extract, honey, lemonbalm (leaves, leaf, stem) extract, licorice root extract, menthol, methylparaben, mullen leaf extract, myrrh gum extract, potassium sorbate, propylene glycol, propylparaben, slippery elm bark extract, sodium chloride, sucralose, water, wild cherry bark extract and zinc sulfate.

Questions or comments? 365-865-3436

Monday - Friday (9 AM - 5 PM EST) or www.efficient.com

Other cold formulas: Rompe Pecho® DM, Rompe Pecho® SF, Rompe Pecho® FL, Rompe Pecho® HLL, Rompe Pecho® M, Rompe Pecho® MM, Rompe Pecho® CF, Cough Guard, Mucin & More.

Keep the box for complete instructions in Spanish.

REV: 10/2023

Rev. 1

Distributed by:
Efficient Laboratories, Inc. &
Miami, FL 33196, Made in U.S.A.

Indication and usage section

Indication and usage section

Do not exceed more than 6 doses in a 24-hour period

Shake before use

measure only with dosing cup provided

keep dosing cup with product

ml=milliliters TSP=teaspoonful

This adult product is not intended for use in children under 12 years of age

Adult and children 12 years of age and over 5ml (1 teaspoonful) every 4 hours

children under 12 years of age Do not use

Drug Facts

Active ingredients (in each dose, 5 mL) **Purposes**
Brompheniramine Maleate 4 mg Antihistamine
Dextromethorphan HBr 10 mg Cough suppressant

Uses • temporarily relieves runny nose, sneezing, itching of the nose or throat, and itchy watery eyes due to hay fever or other upper respiratory allergies
• temporarily relieves cough from the common cold.

Warnings

Do not exceed recommended dosage.

Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • heart disease • glaucoma • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlargement of the prostate gland • a persistent or chronic cough such as occurs with smoking, asthma or emphysema • a cough that is accompanied by excessive phlegm (mucus) • a breathing problem such as emphysema or chronic bronchitis.

Stop use and ask a doctor if • symptoms do not improve within 7 days, cough tends to recur, or symptoms are accompanied by a fever, rash or persistent headache. A persistent cough may be sign of a serious condition • nervousness, dizziness, or sleeplessness occur.

Ask a doctor or pharmacist before use if you are • taking tranquilizers or sedatives.

When using this product • may cause marked drowsiness • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness effect • use caution when driving a motor vehicle or operating machinery • excitability may occur, especially in children •

Lot #:

Exp. Date:



Rompe Pecho[®]

CF

Cold & Flu

- Antihistamine
- Cough Suppressant

Brompheniramine Maleate
& Dextromethorphan HBr

ADVANCED FORMULA
ALCOHOL FREE

Adults & Children 12 years & over

Contents: 6 FL Oz (178 mL)

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of an overdose, get medical help or contact a Poison Control Center right away.

Directions

- Do not exceed more than 6 doses in any 24-hour period
- Shake well before use
- Measure only with dosing cup provided
- Keep dosing cup with product
- 1 mL = milliliter = 1/20 = 1/2 teaspoon
- This adult product is not intended for use in children under 12 years of age

Age	Dose
Adults and children 12 years of age and over	5 mL (1 teaspoonful) every 4 hours
Children under 12 years of age	do not use

Other information • store between 15°-30° C (59°-86° F). Do not refrigerate.

TAMPER-EVIDENT FEATURE: Do not use this product if printed safety seal is torn, broken, or missing.

Inactive ingredients blue cohosh root extract, echinacea root extract, eucalyptus oil, ginkgo biloba leaf extract, glycerin, goldenseal root extract, honey, horehound (flower, leaf, stem) extract, licorice root extract, menthol, methylparaben, mullein leaf extract, myrrh gum extract, potassium sorbate, propylene glycol, propylparaben, slippery elm bark extract, sodium chloride, sucralose, water, wild cherry bark extract and zinc sulfate.

Questions or comments? 365-865-3436

Monday - Friday (9 AM - 5 PM EST) or www.efficient.com

Other cold formulas: Rompe Pecho® DM, Rompe Pecho® SF, Rompe Pecho® FL, Rompe Pecho® HLL, Rompe Pecho® M, Rompe Pecho® MM, Rompe Pecho® CF, Cough Guard, Mucin & More.

Keep the box for complete instructions in Spanish.

REV: 10/2023

Rev. 1

Distributed by:
Efficient Laboratories, Inc. &
Miami, FL 33196, Made in U.S.A.

Ingredients ingredient section

Ingredients ingredient section

Blue cohosh root extract, echinacea root extract, eucalyptus oil, ginkgo biloba leaf extract, glycerin, goldenseal root extract, honey, horehound (flower, leaf, stem) extract, licorice root extract, menthol, methylparaben, mullein leaf extract, myrrh gum extract, potassium sorbate, propylene glycol, propylparaben, slippery elm bark extract, sodium chloride, sucralose, water, wild cherry bark extract and zinc sulfate.

Drug Facts

Active ingredients (in each dose, 5 mL)	Purposes
Brompheniramine Maleate 4 mg	Antihistamine
Dextromethorphan HBr 10 mg	Cough suppressant

Uses • temporarily relieves runny nose, sneezing, itching of the nose or throat, and itchy watery eyes due to hay fever or other upper respiratory allergies
• temporarily relieves cough from the common cold.

Warnings

Do not exceed recommended dosage.

Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • heart disease • glaucoma • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlargement of the prostate gland • a persistent or chronic cough such as occurs with smoking, asthma or emphysema • a cough that is accompanied by excessive phlegm (mucus) • a breathing problem such as emphysema or chronic bronchitis.

Stop use and ask a doctor if • symptoms do not improve within 7 days, cough tends to recur, or symptoms are accompanied by a fever, rash or persistent headache. A persistent cough may be sign of a serious condition • nervousness, dizziness, or sleeplessness occur.

Ask a doctor or pharmacist before use if you are • taking tranquilizers or sedatives.

When using this product • may cause marked drowsiness • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness effect • use caution when driving a motor vehicle or operating machinery • excitability may occur, especially in children •

Lot #:

Exp. Date:



Rompe Pecho[®]

CF

Cold & Flu

- Antihistamine
 - Cough Suppressant
- Brompheniramine Maleate
& Dextromethorphan HBr

ADVANCED FORMULA
ALCOHOL FREE

Adults & Children 12 years & over

Contents: 6 FL Oz (178 mL)

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of an overdose, get medical help or contact a Poison Control Center right away.

Directions

- Do not exceed more than 6 doses in any 24-hour period
- shake well before use
- measure only with dosing cup provided
- keep dosing cup with product
- 1 mL = milliliter = 1/20 = 1/2 teaspoon
- This adult product is not intended for use in children under 12 years of age

Age	Dose
adults and children 12 years of age and over	5 mL (1 teaspoonful) every 4 hours
children under 12 years of age	do not use

Other information • store between 15°-30° C (59°-86° F). Do not refrigerate.

TAMPER-EVIDENT FEATURE: Do not use this product if printed safety seal is torn, broken, or missing.

Inactive ingredients blue cohosh root extract, echinacea root extract, eucalyptus oil, pinko beko leaf extract, glycerin, ginkgo leaf extract, honey, horehound (flower, leaf, stem) extract, licorice root extract, menthol, methylparaben, mullen leaf extract, myrrh gum extract, potassium sorbate, propylene glycol, propylparaben, slippery elm bark extract, sodium chloride, sucralose, water, wild cherry bark extract and zinc sulfate.

Questions or comments? 305-805-3456

Monday - Friday (9 AM - 5 PM EST) or www.efficientlabs.com

Other cold formulas: Rompe Pecho® DM, Rompe Pecho® SF, Rompe Pecho® FL, Rompe Pecho® HLL, Rompe Pecho® M, Rompe Pecho® MM, Rompe Pecho® CF, Cough Guard, Mucin & More.

Keep the box for complete instructions in Spanish.

REV: 10/2023

Rev. 1

Distributed by:
Efficient Laboratories, Inc. &
Miami, FL 33196, Made in U.S.A.

Question section

Question section

Question or comments:

305-805-3456

Monday-Friday (9am - 5pm) or www.efficientlabs.com

Drug Facts

Active ingredients (in each dose, 5 mL)	Purposes
Brompheniramine Maleate 4 mg	Antihistamine
Dextromethorphan HBr 10 mg	Cough suppressant

Uses • temporarily relieves runny nose, sneezing, itching of the nose or throat, and itchy watery eyes due to hay fever or other upper respiratory allergies
• temporarily relieves cough from the common cold.

Warnings

Do not exceed recommended dosage.

Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • heart disease • glaucoma • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlargement of the prostate gland • a persistent or chronic cough such as occurs with smoking, asthma or emphysema • a cough that is accompanied by excessive phlegm (mucus) • a breathing problem such as emphysema or chronic bronchitis.

Stop use and ask a doctor if • symptoms do not improve within 7 days, cough tends to recur, or symptoms are accompanied by a fever, rash or persistent headache. A persistent cough may be sign of a serious condition • nervousness, dizziness, or sleeplessness occur.

Ask a doctor or pharmacist before use if you are • taking tranquilizers or sedatives.

When using this product • may cause marked drowsiness • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness effect • use caution when driving a motor vehicle or operating machinery • excitability may occur, especially in children •

Lot #:

Exp. Date:



Rompe Pecho[®]

CF

Cold & Flu

- Antihistamine
- Cough Suppressant

Brompheniramine Maleate
& Dextromethorphan HBr

ADVANCED FORMULA
ALCOHOL FREE

Adults & Children 12 years & over

Contents: 6 FL Oz (178 mL)

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of an overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed more than 6 doses in any 24-hour period
- shake well before use
- measure only with dosing cup provided
- keep dosing cup with product
- 1 mL = milliliter = 1/20 = 1/2 teaspoon
- This adult product is not intended for use in children under 12 years of age

Age	Dose
adults and children 12 years of age and over	5 mL (1 teaspoonful) every 4 hours
children under 12 years of age	do not use

Other information • store between 15°-30° C (59°-86° F). Do not refrigerate.

TAMPER-EVIDENT FEATURE: Do not use this product if printed safety seal is torn, broken, or missing.

Inactive ingredients blue cohosh root extract, echinacea root extract, eucalyptus oil, pinko beko leaf extract, glycerin, gardenia root extract, honey, horehound (flowers, leaf, stem) extract, licorice root extract, menthol, methylparaben, mullen leaf extract, myrrh gum extract, potassium sorbate, propylene glycol, propylparaben, slippery elm bark extract, sodium chloride, sucralose, water, wild cherry bark extract and zinc sulfate.

Questions or comments? 305-865-3436

Monday - Friday (9 AM - 5 PM EST) or www.efficient.com

Other cold formulas: Rompe Pecho® DM, Rompe Pecho® SF, Rompe Pecho® FL, Rompe Pecho® HLL, Rompe Pecho® M, Rompe Pecho® MM, Rompe Pecho® CF, Cough Gumb. Made in Mexico.

Keep the box for complete instructions in Spanish.

REV: 10/2023

Rev. 1

Distributed by:
Efficient Laboratories, Inc. &
Miami, FL 33196, Made in U.S.A.

Purpose section

Purpose section

Antihistaminic

Cough suppressant

Drug Facts

Active ingredients (in each dose, 5 mL) **Purposes**
Brompheniramine Maleate 4 mg Antihistamine
Dextromethorphan HBr 10 mg Cough suppressant

Uses • temporarily relieves runny nose, sneezing, itching of the nose or throat, and itchy watery eyes due to hay fever or other upper respiratory allergies
• temporarily relieves cough from the common cold.

Warnings

Do not exceed recommended dosage.

Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • heart disease • glaucoma • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlargement of the prostate gland • a persistent or chronic cough such as occurs with smoking, asthma or emphysema • a cough that is accompanied by excessive phlegm (mucus) • a breathing problem such as emphysema or chronic bronchitis.

Stop use and ask a doctor if • symptoms do not improve within 7 days, cough lasts 10 days, or symptoms are accompanied by a fever, rash or persistent headache. A persistent cough may be sign of a serious condition • nervousness, dizziness, or sleeplessness occur.

Ask a doctor or pharmacist before use if you are • taking tranquilizers or sedatives.

When using this product • may cause marked drowsiness • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness effect • use caution when driving a motor vehicle or operating machinery • excitability may occur, especially in children •

Lot #:

Exp. Date:



Rompe Pecho[®]

CF

Cold & Flu

- Antihistamine
- Cough Suppressant

Brompheniramine Maleate
& Dextromethorphan HBr

ADVANCED FORMULA
ALCOHOL FREE

Adults & Children 12 years & over

Contents: 6 FL Oz (178 mL)

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of an overdose, get medical help or contact a Poison Control Center right away.

Directions

- Do not exceed more than 6 doses in any 24-hour period
- shake well before use
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter • TSP = teaspoonful
- This adult product is not intended for use in children under 12 years of age

Age	Dose
adults and children 12 years of age and over	5 mL (1 teaspoonful) every 4 hours
children under 12 years of age	do not use

Other information • store between 15°-30° C (59°-86° F).

Do not refrigerate.

TAMPER-EVIDENT FEATURE: Do not use this product if printed safety seal is torn, broken, or missing.

Inactive ingredients blue cohosh root extract, echinacea root extract, eucalyptus oil, pinko beko leaf extract, glycerin, ginkgo leaf extract, honey, lemonbalm (lemon, leaf, stem) extract, licorice root extract, menthol, methylparaben, mulein leaf extract, myrrh gum extract, potassium sorbate, propylene glycol, propylparaben, slippery elm bark extract, sodium chloride, sucralose, water, wild cherry bark extract and zinc sulfate.

Questions or comments? 365-865-3436

Monday - Friday (9 AM - 5 PM EST) or www.efficient.com

Other cold formulas: Rompe Pecho® DM, Rompe Pecho® SF, Rompe Pecho® FL, Rompe Pecho® HLL, Rompe Pecho® RL, Rompe Pecho® RM, Rompe Pecho® CF, Cough Guard, Mucin® 12 Hour.

Keep the box for complete instructions in Spanish.

REV: 10/2023

Rev. 1

Distributed by:
Efficient Laboratories, Inc. 46
Miami, FL 33196, Made in U.S.A.

Dosage & Administration section

Dosage & Administration section

Do not exceed more than 6 doses in a 24-hour period

Shake before use

measure only with dosing cup provided

keep dosing cup with product

ml=milliliters TSP=teaspoonful

This adult product is not intended for use in children under 12 years of age

Adult and children 12 years of age and over 5ml (1 teaspoonful) every 4 hours

children under 12 years of age Do not use

Drug Facts

Active ingredients (in each dose, 5 mL)	Purposes
Brompheniramine Maleate 4 mg	Antihistamine
Dextromethorphan HBr 10 mg	Cough suppressant

Uses • temporarily relieves runny nose, sneezing, itching of the nose or throat, and itchy watery eyes due to hay fever or other upper respiratory allergies
• temporarily relieves cough from the common cold.

Warnings

Do not exceed recommended dosage.

Do not use • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • heart disease • glaucoma • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlargement of the prostate gland • a persistent or chronic cough such as occurs with smoking, asthma or emphysema • a cough that is accompanied by excessive phlegm (mucus) • a breathing problem such as emphysema or chronic bronchitis.

Stop use and ask a doctor if • symptoms do not improve within 7 days, cough tends to recur, or symptoms are accompanied by a fever, rash or persistent headache. A persistent cough may be sign of a serious condition • nervousness, dizziness, or sleeplessness occur.

Ask a doctor or pharmacist before use if you are • taking tranquilizers or sedatives.

When using this product • may cause marked drowsiness • avoid alcoholic drinks • alcohol, sedatives, and tranquilizers may increase drowsiness effect • use caution when driving a motor vehicle or operating machinery • excitability may occur, especially in children •

Lot #:

Exp. Date:



Rompe Pecho[®]

CF

Cold & Flu

- Antihistamine
- Cough Suppressant

Brompheniramine Maleate
& Dextromethorphan HBr

ADVANCED FORMULA
ALCOHOL FREE

Adults & Children 12 years & over

Contents: 6 FL Oz (178 mL)

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of an overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed more than 6 doses in any 24-hour period
- shake well before use
- measure only with dosing cup provided
- keep dosing cup with product
- 1 mL = milliliter = 1/20 = 1/2 teaspoon
- This adult product is not intended for use in children under 12 years of age

Age	Dose
adults and children 12 years of age and over	5 mL (1 teaspoonful) every 4 hours
children under 12 years of age	do not use

Other information • store between 15°-30° C (59°-86° F). Do not refrigerate.

TAMPER-EVIDENT FEATURE: Do not use this product if printed safety seal is torn, broken, or missing.

Inactive ingredients blue cohosh root extract, echinacea root extract, eucalyptus oil, pinko beko leaf extract, glycerin, gardenia root extract, honey, horehound (flowers, leaf, stem) extract, licorice root extract, menthol, methylparaben, mullen leaf extract, myrrh gum extract, potassium sorbate, propylene glycol, propylparaben, slippery elm bark extract, sodium chloride, sucralose, water, wild cherry bark extract and zinc sulfate.

Questions or comments? 365-865-3436

Monday - Friday (9 AM - 5 PM EST) or www.efficient.com

Other cold formulas: Rompe Pecho® DM, Rompe Pecho® SF, Rompe Pecho® SL, Rompe Pecho® FLU, Rompe Pecho® AC, Rompe Pecho® MAX, Rompe Pecho® Cough Cough, Mucin® Mucin.

Keep the box for complete instructions in Spanish.

REV: 10/2023

Rev. 1

Distributed by:
Efficient Laboratories, Inc. &
Miami, FL 33196, Made in U.S.A.

Principal display panel



Efficient

Rompe Pecho CF

Cold & Flu

Antihistamine

Cough Suppressant

Brompheniramine Melate

Dextromethorphan HBr

Advanced Formula

Alcohol Free

Adults and Children 12 years and over

Content: 6 FL Oz (178 ml)

ROMPE PECHO CF

brompheniramine maleate, dextromethorphan hbr liquid

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:65852-013

Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
BROMPHENIRAMINE MALEATE (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN)		BROMPHENIRAMINE MALEATE	4 mg in 5 mL	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL	
Inactive Ingredients				
Ingredient Name			Strength	
HOREHOUND (UNII: K08036XEJV)				
GINKGO BILOBA LEAF (UNII: 19FUJ2C58T)				
EUCALYPTUS OIL (UNII: 2R04ONI662)				
CAULOPHYLLUM THALICTROIDES ROOT (UNII: JTJ6HH6YEH)				
LICORICE (UNII: 61ZBX54883)				
GLYCERIN (UNII: PDC6A3C0OX)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
WATER (UNII: 059QF0KO0R)				
PRUNUS SEROTINA (WILD CHERRY) BARK (UNII: 5D48E975HA)				
ZINC SULFATE (UNII: 89DS0H96TB)				
HONEY (UNII: Y9H1V576FH)				
ULMUS RUBRA BARK (UNII: 91QY4PXU8Q)				
MENTHOL (UNII: L7T10EIP3A)				
ECHINACEA ANGUSTIFOLIA ROOT (UNII: D982V7VT3P)				
GOLDENSEAL (UNII: ZW3Z11D0JV)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
MULLEIN LEAF (UNII: 9936O846LI)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
MYRRH (UNII: JC71GJ1F3L)				
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65852-013-06	1 in 1 CARTON	10/01/2023	
1		178 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M012	10/01/2023	

Labeler - Dextrum Laboratories, Inc (007392322)

Revised: 10/2025

Dextrum Laboratories, Inc