

# **STOMACH RELIEF REGULAR STRENGTH- bismuth subsalicylate liquid**

## **Atlantic Biologicals Corp**

-----

### **Stomach Relief (Bismuth)**

#### **Active ingredient (in each 30 mL dose)**

Bismuth subsalicylate 525 mg

#### **Purpose**

Upset stomach reliever/Antidiarrheal

#### **Uses**

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
  - heartburn
  - indigestion
  - nausea
  - gas
  - fullness
  - belching

#### **Warnings**

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

#### **Allergy alert: Contains salicylate. Do not take if you are**

- allergic to salicylates (including aspirin)
- taking other salicylate products

#### **Do not use**

if you have

- an ulcer
- a bleeding problem
- bloody or black stool

#### **Ask a doctor before use if you have**

- fever
- mucus in the stool

## **Ask a doctor or pharmacist before use if you are**

taking any drug for

- diabetes
- gout
- arthritis
- anticoagulation (thinning the blood)

## **When using this product**

a temporary, but harmless, darkening of the stool and/or tongue may occur.

## **Stop use and ask a doctor if**

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

## **If pregnant or breast-feeding,**

ask a health professional before use.

## **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## **Directions**

- mL = milliliter
- shake well before using
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- adults and children 12 years and over
  - 30 mL (1 dose) every 1/2 hour or 60 mL (2 doses) every hour as needed for diarrhea/traveler's diarrhea
  - 30 mL (1 dose) every 1/2 hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
  - do not exceed 8 doses (240 mL) in 24 hours
  - use until diarrhea stops but not more than 2 days
- children under 12 years of age: ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

## **Other information**

- **each 30 mL contains:** potassium 8 mg, sodium 9 mg
- **each 30 mL contains:** salicylate 206 mg
- low sodium
- keep tightly closed
- protect from freezing
- avoid excessive heat (over 104°F or 40°C)

## **Inactive ingredients**

benzoic acid, D&C red #22, D&C red #28, flavor, glycerin, purified water, sucralose, xanthan gum

## **Questions or comments?**

Call **1-800-509-7592**

Monday-Friday 9AM-5PM EST

## **Principal Display Panel**

Compare to the active ingredient in Pepto-Bismol ®\*

regular strength

Stomach relief

bismuth subsalicylate

upset stomach reliever/antidiarrheal

relieves:

- Heartburn
- indigestion
- nausea
- upset stomach
- diarrhea

alcohol free

sugar free

fl. oz. (mL)

\*This product is not manufactured or distributed by The Procter & Gamble Company. Pepto-Bismol ® is a registered trademark of The Procter & Gamble Company.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP IS BROKEN OR IT LOOKS AS IF MAY HAVE BEEN TAMPERED WITH.**

Distributed by:

Atlantic Biologicals Corp.

Miami, FL 33179

**(800) 509-7592**

[www.atlanticbiologicals.com](http://www.atlanticbiologicals.com)

## Package Label

**17856-8286-01**

**BISMUTH SUBSALICYLATE**

**(STOMACH RELIEF)**

**ORAL SUSPENSION**

**525 mg PER 30 mL**

**DELIVERS 262mg/15mL**



See package insert for indications and dosage schedule

This regular strength medication contains:  
Potassium 4mg/ Sodium 4.5mg/ Salicylate  
103mg. Protect from freezing and avoid  
excessive heat over 40°C (104°F).  
\*\*Keep this and all Medications out of the reach  
of children\*\*



**17856-8286-01 Dosage 262mg/15mL**

**BISMUTH**

**SUBSALICYLATE**

**(STOMACH RELIEF)**

**Qty: 50 CUPS**

**GTIN: 00317856828611**

**S/N: XXXXXXXXXXXX**

**Exp: 09/30/25**

**Lot: XXXXXXXXXXXX**



**OTC**

Packaged by:

Distributed by: Atlantic Biologicals Corp.  
Miami, FL 33179

Rev.08/21

**Call to Reorder:**

## STOMACH RELIEF REGULAR STRENGTH

bismuth subsalicylate liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:17856-8286(NDC:0536-1286)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE, SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	525 mg in 30 mL

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)	

D&C RED NO. 22 (UNII: 1678RKX8RT)				
D&C RED NO. 28 (UNII: 767IP0Y5NH)				
GLYCERIN (UNII: PDC6A3C0OX)				
WATER (UNII: 059QF0KO0R)				
XANTHAN GUM (UNII: TTV12P4NEE)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17856-8286-1	50 in 1 CASE	10/01/2025	
1		15 mL in 1 CUP, UNIT-DOSE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M008	03/29/2020	

**Labeler** - Atlantic Biologicals Corp (047437707)

Revised: 10/2025

Atlantic Biologicals Corp