

**TUSSIN DM COUGH AND CHEST- dextromethorphan hbr, guaifenesin liquid**  
**WinCo Foods, LLC**

-----  
**Drug Facts**

**Active ingredients (in each 10 mL)**

Dextromethorphan HBr 20 mg

Guaifenesin, 200 mg

**Purpose**

Cough suppressant

Expectorant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age
- adults and children 12 years and over: 10 mL every 4 hours
- children under 12 years:do not use

## **Other information**

- store between 20-25°C (68-77°F). Do not refrigerate.

## **Inactive ingredients**

anhydrous citric acid, FD&C red 40, flavor, glucose, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

## **Questions?**

Call **800-824-1706** Monday - Friday 9am - 4pm MST

## **Principal Display Panel**

\*Compare to the active ingredients in ROBITUSSIN® Cough + Chest Congestion DM

### **Tussin DM**

Cough & Chest

DEXTROMETHORPHAN HBr/

COUGH SUPPRESSANT

GUAIFENESIN/

EXPECTORANT

Relieves: Cough, Chest Congestion & Mucus

Adult Formula, For Ages 12 & Over

Alcohol Free

FL OZ (mL)

\*This product is not manufactured or distributed by Haleon group of companies, distributed of ROBITUSSIN Cough + Chest Congestion DM.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

DISTRIBUTED BY; WINCO FOODS, LLC, BOISE, ID 83704

Package Label

**Drug Facts (continued)**

**Other information**  
 ■ store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients** citric acid, FD&C red #40, flavor, glucose, glycerin, high fructose corn syrup, menthol, purified water, saccharin sodium, sodium benzoate

**Questions?**  
 Call 800-824-1706 Monday - Friday 9am - 4pm MST

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

**DISTRIBUTED BY:** WINCO FOODS, LLC, BOISE, ID 83704  
\*This product is not manufactured or distributed by Haleon group of companies, distributor of ROBITUSSIN Cough+Chest Congestion DM.

**100% SATISFACTION GUARANTEE**

Comments & Questions?  
 800-824-1706 • www.wincofoods.com

\*Compare to the active ingredients in ROBITUSSIN Cough+Chest Congestion DM

## Tussin DM

Cough & Chest

DEXTROMETHORPHAN HBr/  
COUGH SUPPRESSANT  
GUAIFENESIN/  
EXPECTORANT

Relieves: Cough, Chest Congestion & Mucus  
 .....  
 Adult Formula, For Ages 12 & Over  
 .....  
 Alcohol Free

\*Compare to the active ingredients in ROBITUSSIN Cough+Chest Congestion DM

## Tussin DM

Cough & Chest

DEXTROMETHORPHAN HBr/  
COUGH SUPPRESSANT  
GUAIFENESIN/  
EXPECTORANT

Relieves: Cough, Chest Congestion & Mucus  
 .....  
 Adult Formula, For Ages 12 & Over  
 .....  
 Alcohol Free

**Drug Facts**

<b>Active ingredients (in each 10 mL)</b>	<b>Purposes</b>
Dextromethorphan HBr 20 mg.....	Cough suppressant
Guaifenesin 200 mg.....	Expectorant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor** if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.**  
 In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age
- adults and children 12 years and over: 10 mL every 4 hours
- children under 12 years: do not use

4 FL OZ (118 mL)

4 FL OZ (118 mL)

WF2602

0 70552 24182 4

PLD-E325D FC009676

Lot No.:  
Exp. Date:

WINCO FOODS Cough & Chest Congestion DM

TUSSIN DM COUGH AND CHEST			
dextromethorphan hbr, guaifenesin liquid			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67091-469
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>DEXTROSE</b> (UNII: IY9XDZ35W2)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:67091-469-04	1 in 1 BOX	02/27/2026	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M012	02/27/2026	

**Labeler** - WinCo Foods, LLC (056098817)

Revised: 2/2026

WinCo Foods, LLC