

ALMOST POWDER MAKEUP BROAD SPECTRUM SPF 18- octinoxate and titanium dioxide powder
CLINIQUE LABORATORIES LLC

ALMOST POWDER MAKEUP BROAD SPECTRUM SPF 18

Drug Facts

Active ingredients

Octinoxate 2.0%
Titanium Dioxide 1.2%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive ingredients

talc • dimethicone • nylon-12 • silica • squalane • boron nitride • vinyl dimethicone/methicone silsesquioxane crosspolymer • cetyl ethylhexanoate • diisostearyl malate • phytosteryl/isostearyl/cetyl/stearyl/behenyl dimer dilinoleate • methicone • glycerin • sodium hyaluronate • magnesium palmitoyl glutamate • sodium palmitoyl sarcosinate • palmitoyl proline • alumina • tocopherol • palmitic acid • 1,2-hexanediol • hydrated silica • ascorbyl tetraisopalmitate • aluminum hydroxide • tin oxide • sodium dehydroacetate • [+/- mica • iron oxides (ci 77491) • iron oxides (ci 77492) • iron oxides (ci 77499) • titanium dioxide (ci 77891)] [iln45192]

Other information

protect the product in this container from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - 10 g Jar Carton

02 neutral fair (VF/MF)

CLINIQUE

almost powder makeup

broad spectrum

SPF 18

POIDS NET WT. .35 OZ./10 g e

ALL SKIN TYPES
1, 2, 3, 4
almost powder makeup
broad spectrum SPF 18
02 neutral fair (VF/MF)

02 neutral fair (VF/MF)



CLINIQUE

almost powder makeup
broad spectrum
SPF 18

POIDS NET WT. .35 OZ./10 g e

Allergy Tested. 100% Fragrance Free.
Lightweight "no-makeup" makeup covers without clogging pores. Stays put even through sweat and high humidity. Oil-free.

FPO / UPC

K785-
XX-
1112

Drug Facts

Active ingredients

Octinoxate 2.0%
Titanium Dioxide 1.2%

Purpose

Sunscreen

Use helps prevent sunburn

Warnings

For external use only


Do not use on damaged or broken skin

Drug Facts (continued)

sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive ingredients



ALMOST POWDER MAKEUP BROAD SPECTRUM SPF 18

octinoxate and titanium dioxide powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49527-060
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2 g in 100 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
TALC (UNII: 7SEV7J4R1U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
NYLON-12 (UNII: 446U8J075B)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SQUALANE (UNII: GW89575KF9)	

BORON NITRIDE (UNII: 2U4T60A6YD)
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)
FERRIC OXIDE RED (UNII: 1K09F3G675)
CETYL ETHYLHEXANOATE (UNII: 134647VMX4)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
PHYTOSTERYL/ISOSTEARYL/CETYL/STEARYL/BEHENYL DIMER DILINOLEATE (UNII: 8N725H4EFN)
METHICONE (20 CST) (UNII: 6777U11MKT)
GLYCERIN (UNII: PDC6A3C0OX)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
MAGNESIUM PALMITOYL GLUTAMATE (UNII: DH37YM1F48)
SODIUM PALMITOYL SARCOSINATE (UNII: 7297LY09YF)
PALMITOYL PROLINE (UNII: I49727TDYF)
ALUMINUM OXIDE (UNII: LMI26O6933)
TOCOPHEROL (UNII: R0ZB2556P8)
PALMITIC ACID (UNII: 2V16EO95H1)
1,2-HEXANEDIOL (UNII: TR046Y3K1G)
HYDRATED SILICA (UNII: Y607T4G8P9)
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STANNIC OXIDE (UNII: KM7N50LOS6)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49527-060-01	1 in 1 CARTON	03/01/2018	
1		10 g in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/01/2018	

Labeler - CLINIQUE LABORATORIES LLC (044475127)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

Name	Address	ID/FEI	Business Operations
ASANUMA CORPORATION		715464942	manufacture(49527-060)