

MEDI-FIRST PVP IODINE WIPES- povidone iodine 10% swab Unifirst-First Aid

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Medi-First PVP Iodine Wipes

Drug Facts

Active ingredient

Povidone-iodine 10%

(contains 1% titratable iodine)

Purpose

Antiseptic

Uses

- first aid antiseptic to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Do not use

- in the eyes
- over large areas of the body
- on individuals who are allergic or sensitive to iodine
- as a first aid antiseptic for longer than 1 week

Stop use and ask a doctor if

- condition worsens or persists for more than 72 hours
- irritation and redness develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Other information

- store at controlled temperature 59-86°F (15-30°C)

Inactive ingredients

citric acid, glycerin, nonxynol-9, sodium hydroxide, water

Questions?

Call 1-800-634-7680

Medi-First PVP Iodine Label

Medi-First®

PVP Iodine Wipes

Product # 26712

1" x 2" Wipes

Net Contents: 10 per box

<p>MEDI-FIRST®</p> <p>PVP Iodine Wipes</p> <p><i>First aid to help prevent infection in minor cuts, scrapes and burns.</i></p> <p>Product # 26712</p> <p>1" x 2" Wipes NET CONTENTS: 10 per box</p>	<p>PVP Iodine Wipes Product # 26712 10 per Box</p>	<table border="1"><tr><td colspan="2">Drug Facts</td></tr><tr><td>Active ingredient Povidone-iodine 10% (contains 1% titratable iodine)</td><td>Purpose Antiseptic</td></tr><tr><td colspan="2">Uses ■ first aid antiseptic to help prevent infection in minor cuts, scrapes and burns</td></tr><tr><td colspan="2">Warnings For external use only. Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns Do not use ■ in the eyes ■ over large areas of the body ■ on individuals who are allergic or sensitive to iodine ■ as a first aid antiseptic for longer than 1 week Stop use and ask a doctor if ■ condition worsens or persists for more than 72 hours ■ irritation and redness develops Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td></tr><tr><td colspan="2">Directions ■ clean the affected area ■ apply 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first</td></tr><tr><td colspan="2">Other information ■ store at room temperature 59°-86°F (15°-30°C) ■ tamper evident sealed packets ■ do not use any open or torn packets</td></tr><tr><td colspan="2">Inactive ingredients citric acid, glycerin, nonxynol-9, sodium hydroxide, water</td></tr><tr><td colspan="2">Questions? Call 1-800-634-7680</td></tr></table> <p>Mfd. for Medique Products, Fort Myers, FL 33967 www.mediqueproducts.com</p> <p>MADE IN CHINA</p>	Drug Facts		Active ingredient Povidone-iodine 10% (contains 1% titratable iodine)	Purpose Antiseptic	Uses ■ first aid antiseptic to help prevent infection in minor cuts, scrapes and burns		Warnings For external use only. Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns Do not use ■ in the eyes ■ over large areas of the body ■ on individuals who are allergic or sensitive to iodine ■ as a first aid antiseptic for longer than 1 week Stop use and ask a doctor if ■ condition worsens or persists for more than 72 hours ■ irritation and redness develops Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Directions ■ clean the affected area ■ apply 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first		Other information ■ store at room temperature 59°-86°F (15°-30°C) ■ tamper evident sealed packets ■ do not use any open or torn packets		Inactive ingredients citric acid, glycerin, nonxynol-9, sodium hydroxide, water		Questions? Call 1-800-634-7680	
Drug Facts																		
Active ingredient Povidone-iodine 10% (contains 1% titratable iodine)	Purpose Antiseptic																	
Uses ■ first aid antiseptic to help prevent infection in minor cuts, scrapes and burns																		
Warnings For external use only. Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns Do not use ■ in the eyes ■ over large areas of the body ■ on individuals who are allergic or sensitive to iodine ■ as a first aid antiseptic for longer than 1 week Stop use and ask a doctor if ■ condition worsens or persists for more than 72 hours ■ irritation and redness develops Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																		
Directions ■ clean the affected area ■ apply 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first																		
Other information ■ store at room temperature 59°-86°F (15°-30°C) ■ tamper evident sealed packets ■ do not use any open or torn packets																		
Inactive ingredients citric acid, glycerin, nonxynol-9, sodium hydroxide, water																		
Questions? Call 1-800-634-7680																		

MEDI-FIRST PVP IODINE WIPES

povidone iodine 10% swab

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-267
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0K00R)	
NONOXYNOL-9 (UNII: 48Q180SH9T)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-267-12	10 in 1 BOX	12/01/2016	
1	NDC:47682-267-99	0.375 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	12/01/2016	

Labeler - Unifirst-First Aid (832947092)

Revised: 10/2021

Unifirst-First Aid