

PAIN RELIEVER- acetaminophen tablet, film coated
WALGREENS

Walgreens 679R ACETAMINOPHEN TABLETS USP 500 MG-Easy to swallow red caplets

Drug Facts

-

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	take 2 caplets every 6 hours while symptoms last do not take more than 6 caplets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

store between 20-25°C (68-77°F)

Inactive ingredients carnauba wax, FD&C red no. 40 al. lake, FD&C yellow no. 6 al. lake, guar gum, hypromellose, light mineral oil, maltodextrin, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, sucralose, talc, titanium dioxide

Questions or comments? Call **1-877-290-4008**

Walgreens

FOR ADULTS

Pain Reliever

ACETAMINOPHEN 500 mg

PAIN RELIEVER / FEVER REDUCER

Easy to Swallow

100 CAPLETS

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

RETAIN CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Drug Facts

Active ingredient (in each caplet)
Acetaminophen 500 mg.....Pain reliever/fever reducer

Uses
■ temporarily relieves minor aches and pains due to: the common cold, headache, backache, minor pain of arthritis, toothache, muscular aches, premenstrual and menstrual cramps ■ temporarily reduces fever

Warnings
■ **Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product
■ **Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away.
■ **If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.**

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
■ **do not take more than directed (see overdose warning)**
adults and children 12 years and over: ■ take 2 caplets every 6 hours while symptoms last ■ do not take more than 6 caplets in 24 hours, unless directed by a doctor
■ **do not use for more than 10 days unless directed by a doctor**
children under 12 years: ask a doctor

Other information ■ store between 20-25°C (68-77°F)
Questions or comments? Call **1-877-290-4008**
9:00 AM-5:00 PM ET, Monday-Friday
MADE IN INDIA
Walgreens.com ITEM 725681
NDC 0383-8779-01 W000000-0000-0
40287801 Cph-Mc-600RUS515 679R 1225

LOT:
EXP:

Varnish Omit Area

Varnish Omit

Drug Facts (continued)

not cure whether a drug contains acetaminophen, ask a doctor or pharmacist
 ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none"> ■ take 2 caplets every 6 hours while symptomatic last ■ do not take more than 8 caplets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Drug Facts (continued)

Other information

- store between 20-25°C (68-77°F)

Inactive ingredients

carnauba wax, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, guar gum, hypromellose, light mineral oil, maltodextrin, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, sucralose, talc, titanium dioxide

Questions or comments?

Call 1-877-290-4008
 9:00 AM-5:00 PM ET, Monday-Friday

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

"Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Tylenol®."

DISTRIBUTED BY: WALGREEN CO.
 DEERFIELD, IL 60015
 100% SATISFACTION GUARANTEED
 walgreens.com
 ©2025 Walgreen Co. MADE IN INDIA



679R 1225

NDC 0363-6779-01

Walgreens

FOR ADULTS

Pain Reliever

ACETAMINOPHEN 500 mg
 PAIN RELIEVER / FEVER REDUCER

Easy to Swallow

ACTUAL SIZE

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

100 CAPLETS

FOR ADULTS

Pain Reliever

ACETAMINOPHEN 500 mg / PAIN RELIEVER / FEVER REDUCER

Easy to Swallow



ITEM 725681 W00000-0000-0



W3ORG1225-F

LOT:
EXP:

Varnish Omit

Walgreens

FOR ADULTS

Pain Reliever

ACETAMINOPHEN 500 mg
 PAIN RELIEVER / FEVER REDUCER

24 CAPLETS Easy to Swallow

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

RETAIN CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE THIS PRODUCT IF THE IMPRINTED FOIL SEAL OVER THE MOUTH OF THE BOTTLE IS CUT, TORN, BROKEN OR MISSING

Drug Facts

Active ingredient
 (in each caplet)

acetaminophen 500 mg **Pain reliever/fever reducer**

Uses ■ temporarily relieves minor aches and pains due to: the common cold, headache, backache, minor pain of arthritis, toothache, muscular aches, premenstrual and menstrual cramps
 ■ temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product
Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin redness ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away.
 If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions ■ do not take more than directed (see overdose warning)
 adults and children 12 years and over: ■ take 2 caplets every 6 hours while symptoms last ■ do not take more than 8 caplets in 24 hours, unless directed by a doctor
 ■ do not use for more than 10 days unless directed by a doctor
 children under 12 years: ask a doctor

Other information ■ store between 20-25°C (68-77°F)

Questions or comments?

Call 1-877-290-4008
 9:00 AM-5:00 PM ET, Monday-Friday
 NDC 0363-6779-02

walgreens.com MADE IN INDIA W3ORG1225-F
 ITEM 725681 W00000-0000-0 679R 1225

LOT: 40257701

Varnish Omit Area



PAIN RELIEVER

acetaminophen tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-6779
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 ALUMINUM LAKE (UNII: GYP6Z2JR6Q)	

GUAR GUM (UNII: E89I1637KE)	
TALC (UNII: 7SEV7J4R1U)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POVIDONE (UNII: FZ989GH94E)	
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	

Product Characteristics

Color	red	Score	no score
Shape	OVAL (Capsule shaped tablets)	Size	18mm
Flavor		Imprint Code	TCL341
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-6779-42	1 in 1 CARTON	02/01/2026	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:0363-6779-01	1 in 1 CARTON	02/01/2026	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/01/2026	

Labeler - WALGREENS (008965063)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		925822975	manufacture(0363-6779)

