

LIDOCAINE PAIN RELIEVING GEL-PATCH- lidocaine patch
Nanjing Anxing Medical Technology Co., Ltd.

87125-001 Lidocaine Pain Relieving Gel-Patch

Lidocaine 4%

Topical anesthetic

Temporarily relieves minor pain
associated with:

arthritis
simple backache
muscle strains
sprains
bruises

For external use only

on wounds or damaged, broken or irritated skin
with a heating pad
if you are allergic to any ingredients of this product

Use only as directed

Do not bandage tightly

Avoid contact with eyes and mucous membranes

Temporary burning or redness at application site may occur

Rare cases of serious burns have been reported with products of this type

condition worsens or symptoms persist for more than 7 days
symptoms clear up and occur again within a few days
severe burning sensation, itching, rash or skin irritation develops
If pregnant or breast-feeding, ask a health professional before use.

Used patches contain a large amount of lidocaine. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222). Accidental exposure in children can result in death.

Adults and children 12 years of age and over:
clean and dry affected area
remove film from patch and apply to the skin
apply one patch at a time to affected area
use 1 patch for up to 8 hours
do not use more than 3 to 4 times daily
Children under 12 years of age: consult
a doctor

WATER

POLYVINYL ALCOHOL
PHENOXYETHANOL

Maximum Strength

Running Alien®

LIDOCAINE

Pain Relieving Gel-Patch

Desensitizes Aggravated Nerves
And Provides Targeted Pain Relief

-  Stay-put Flexible Patch
-  Easy to Apply & Remove
-  Up to 8 Hours of Relief



4% LIDOCAINE **36** PATCHES
3.9" x 5.5"
(10cm x 14cm)

Drug Facts
Active ingredient Purpose
Lidocaine 4% Topical anesthetic

Uses
Temporarily relieves minor pain associated with:
■ arthritis ■ simple backache ■ muscle strains
■ sprains ■ bruises

Warnings
For external use only

Do not use
· on wounds or damaged, broken or irritated skin
· with a heating pad
· if you are allergic to any ingredients of this product

When using this product
· Use only as directed
· Do not bandage tightly
· Avoid contact with eyes and mucous membranes
· Temporary burning or redness at application site may occur
· Rare cases of serious burns have been reported with products of this type

Stop use and ask a doctor if
· condition worsens or symptoms persist for more than 7 days
· symptoms clear up and occur again within a few days
· severe burning sensation, itching, rash or skin irritation develops

If pregnant or breast-feeding, ask a health professional before use.

Directions
Adults and children 12 years of age and over:
· clean and dry affected area
· remove film from patch and apply to the skin
· apply one patch at a time to affected area
· use 1 patch for up to 8 hours
· do not use more than 3 to 4 times daily
Children under 12 years of age: consult a doctor

Other information
· store in a clean, dry place outside of direct sunlight
· protect from excessive moisture

Inactive ingredients
Phenoxyethanol, Polyvinyl Alcohol, Water

Keep out of reach of children and pets.
Used patches contain a large amount of lidocaine. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222). Accidental exposure in children can result in death.

Distributed by:
Nanjing Anxing Medical Technology Co., LTD
Building 1, South of Shuangpu Road and west of Puwu Road, Qiaolin District, Pukou Economic Development Zone
Nanjing, Jiangsu 210000, China

Questions or comments?
Write to: Running Alien Customer Care
5070 Lindsay Ct b
Chino, CA 91710, USA

Child-Resistant Packaging
Made in China

LIDOCAINE PAIN RELIEVING GEL-PATCH

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87125-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE ANHYDROUS (UNII: EC2CNF7XFP) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	0.04 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87125-001-01	18 in 1 BOX	10/10/2025	
1		1 in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:87125-001-02	36 in 1 BOX	10/10/2025	
2		1 in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/10/2025	

Labeler - Nanjing Anxing Medical Technology Co., Ltd. (711551921)

Establishment

Name	Address	ID/FEI	Business Operations
Nanjing Anxing Medical Technology Co., Ltd.		711551921	manufacture(87125-001)

Revised: 10/2025

Nanjing Anxing Medical Technology Co., Ltd.