

STOPAIN CLINICAL- menthol gel
Troy Manufacturing, Inc.

Stopain Clinical maximum Performance Pain Relief

Drug Facts

Active Ingredient

Menthol 10.0%

Purpose

Topical Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

For external use only. Avoid contact with eyes.

Flammable: Keep away from fire or flame.

When using this product

- use only as directed
- do not bandage tightly or use a heating pad
- do not apply to wounds or damaged skin

Stop use and ask a doctor if

- condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days
- redness is present
- excessive irritation of the skin develops

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions**Adults and children 2 years of age and older:**

- apply directly onto affected area, not more than 3 to 4 times daily
- wash hands after use

Children under 2 years of age:do not use, consult a doctor

Other Information

- Store at room temperature

Inactive Ingredients

acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP)

Question or comments?

1-800-201-7246

Package Labeling:



CLINICAL

MAXIMUM PERFORMANCE
PAIN RELIEF

Immediate, Penetrating Relief from
Arthritis / Muscle Aches / Joint & Back Pain
With MSM & Glucosamine

GEL

NET WT 3g

Drug Facts

Active Ingredient	Purpose
Menthol 10.0%	Topical Analgesic

Uses For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

Warnings For external use only. Avoid contact with eyes.

Flammable: Keep away from fire or flame.

When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin

Stop use and ask a doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Adults and children 2 years of age and older: ■ apply directly onto affected area, not more than 3 to 4 times daily ■ wash hands after use

Children under 2 years of age: do not use, consult a doctor

Other Information Store at room temperature

Inactive Ingredients acrylic acid/vinyl ester copolymer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, hydroxypropylcellulose, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP)

Questions or comments? 1-800-201-7246



Manufactured for:
Troy Healthcare, LLC
130 Lions Drive, Hazleton, PA 18202
800-201-PAIN (7246)



For more information visit StopainClinical.com

©2025 Troy Healthcare, LLC 2-750 REV 02/0625

STOPAIN CLINICAL

menthol gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63936-9758
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	100 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

ACRYLIC ACID (UNII: J94PBK7X8S)	
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
GLUCOSAMINE SULFATE (UNII: 1FW7WLR731)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
PEG-8 DIMETHICONE (UNII: GIA7T764OD)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63936-9758-1	3 g in 1 PACKET; Type 0: Not a Combination Product	11/30/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/30/2022	

Labeler - Troy Manufacturing, Inc. (160075248)

Registrant - Troy Manufacturing, Inc. (160075248)

Revised: 8/2025

Troy Manufacturing, Inc.