AEROTAB PAIN RELIEVER- pain reliever tablet, film coated Aero Healthcare

Drug Facts

Active ingredients (in each caplet)

Aspirin (NSAID)* 500 mg Caffeine 32.5 mg

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever

Pain reliever aid

Uses

for the temporary relief of

- backache pain
- muscle aches and pains
- minor aches and pains of arthritis

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert:

Aspirin may cause a severe allergic reaction which may include:

- hives
- shock
- facial swelling
- asthma (wheezing)

Stomach bleeding warning:

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- take more or for a longer time than directed
- take a blood thinning (anticoagulant) or steroid drug

- are age 60 or older
- have 3 or more alcohol drinks every day while using this product
- have had stomach ulcers or bleeding problems
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have asthma
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic

Ask a doctor or pharmacist before use if you are taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding: vomit blood have bloody or black stools feel faint have stomach pain that does not get better
- ringing in the ears or a loss of hearing occurs
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center

(1-800-222-1222) right away.

Directions

■ drink a full glass of water with each dose

Adults and children (12 years and over): take 2 caplets every 6 hours, not to exceed 8 caplets in 24 hours

Children under 12 years: do not use unless directed by a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- tamper evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

corn starch, hypromellose, maltodextrin, microcrystalline cellulose, polyethylene glycol, sodium lauryl sulfate

Questions or comments? 1-845-618-7037 (Monday through Friday 9AM - 5PM EST).

AEROTAB

Pain Reliever

Aspirin (NSAID) 500 mg, Caffeine 32.5 mg

Fast Acting Formula

Relieves aches and pains

Contains Caffeine

50 | 2 per packet



AEROTAB PAIN RELIEVER

pain reliever tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55305-135
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	500 mg	
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	32.5 mg	

Inactive Ingredients		
Ingredient Name	Strength	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)		
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
MALTODEXTRIN (UNII: 7CVR7L4A2D)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
STARCH, CORN (UNII: 08232NY3SJ)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		

Product Characteristics			
Color	white	Score	no score
Shape	CAPSULE (Caplet)	Size	17mm

Flavor	Imprint Code	44;413
Contains		

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55305-135- 01	25 in 1 BOX	02/10/2025	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:55305-135- 02	50 in 1 BOX	02/10/2025	
2		2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:55305-135- 03	125 in 1 BOX	02/10/2025	
3		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/10/2025	

Labeler - Aero Healthcare (008186174)

Registrant - Aero Healthcare (008186174)

Revised: 2/2025 Aero Healthcare