

NIGHTTIME SLEEP AID MAXIMUM STRENGTH- diphenhydramine hydrochloride capsule, liquid filled

Best Choice (Valu Merchandisers Company)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Use

for relief of occasional sleeplessness.

Warnings

Do not use

- in children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic drinks.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information

- store between 15-30°C (59-86°F)

Inactive ingredients

FD&C blue #1, gelatin, glycerin, lecithin, light mineral oil, mannitol, polyethylene glycol, purified water, sorbitol-sorbitan, white ink

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENT IN UNISOM® SLEEPGELS®†

MAXIMUM STRENGTH

NIGHTTIME

Sleep Aid**DIPHENHYDRAMINE HCl 50 mg**

Helps to reduce difficulty falling asleep

Safe, Non-Habit Forming

LIQUID FILLED

SOFTGELS

†This product is not manufactured or distributed by Chattem, Inc., distributor of Unisom® SleepGels®.

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

PROUDLY DISTRIBUTED BY:

VALU MERCHANDISERS, CO.

5000 KANSAS AVE

KANSAS CITY, KS 66106

www.bestchoicebrand.com

Package Label

COMPARE TO THE ACTIVE INGREDIENT IN UNISOM® SLEEPGELS[†]

MAXIMUM STRENGTH NIGHTTIME Sleep Aid

Best
Choice®

Actual Size



DIPHENHYDRAMINE HCl 50 mg
Helps to reduce difficulty falling asleep
Safe, Non-Habit Forming

LIQUID FILLED
16 SOFTGELS

PROUDLY DISTRIBUTED BY:
VALU MERCHANDISERS, CO.
5000 KANSAS AVE
KANSAS CITY, KS 66106

Best Choice.
100% Guaranteed

www.bestchoicebrand.com

BEST CHOICE



PLD-A632A
FC006714

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:
Exp. Date:

[†]This product is not manufactured or distributed by Chatten, Inc., distributor of Unisom® SleepGels®.

Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Inactive ingredients FD&C blue #1, gelatin, glycerin, lecthin, light mineral oil, mannitol, polyethylene glycol, purified water, sorbitan, sorbitol, white ink

Other information ■ store between 15-30°C (59-86°F)

Directions ■ adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

■ If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

When using this product, avoid alcoholic drinks.

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

■ Ask a doctor before use if you have
■ a breathing problem such as emphysema or chronic bronchitis
■ trouble urinating due to an enlarged prostate gland
■ glaucoma
■ a breathing problem such as emphysema or chronic bronchitis

Do not use ■ for children under 12 years of age
■ with any other product containing diphenhydramine, even one used on skin

Warnings

Use For relief of occasional sleeplessness.

Active ingredient (in each softgel)

Purpose Diphenhydramine HCl 50 mg
Nighttime sleep-aid

BEST CHOICE Maximum Strength Nighttime Sleep Aid

NIGHTTIME SLEEP AID MAXIMUM STRENGTH

diphenhydramine hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-916
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
MANNITOL (UNII: 3OWL53L36A)	

Product Characteristics

Color	BLUE	Score	no score
Shape	OVAL	Size	13mm
Flavor		Imprint Code	PC5
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-916-16	16 in 1 CARTON	12/27/2019	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part338	12/27/2019	

Labeler - Best Choice (Valu Merchandisers Company) (868703513)

Revised: 3/2020

Best Choice (Valu Merchandisers Company)