

# **NEUROCOOL PATCHES- neurocool patches patch**

## **Blue Heron Pharmaceuticals LLC**

-----

### **NeuroCool**

#### **Active Ingredients**

Lidocaine 4%

Menthol 1%

#### **Purposes**

Topical analgesic

#### **Uses**

For the temporary relief of pain

#### **Warnings**

For external use only

#### **Do Not Use**

- If you are allergic to Lidocaine or Menthol
- On open wounds or on damaged, broken or irritated skin
- Remove immediately if you sense a burning sensation after application

#### **When using this product:**

- Do not use other topical products.
- Do not allow contact with eyes or mucous membranes
- Keep away from excessive heat.
- Do not apply heating pad to area of use.
- Apply only to clean, dry, untreated skin.
- Use only as directed. Read and follow all directions and warnings on this label.

#### **Stop use and ask a doctor if:**

- Condition worsens
- Symptoms persist for more than 7 days

#### **If pregnant or breast-feeding,**

Ask a physician before use.

## **Keep out of reach of children**

If put in mouth, get medical help or contact a poison control center right away. Dispose of used product away from children and pets.

## **Directions**

### **Adult and children 12 years of age and over:**

- Clean and dry affected area
- Peel patch off plastic liner and place patch on affected area for no more than 12 hours
- Wash hands after applying patch
- Under age 12, consult a physician before use
- For easier removal of the patch, apply rubbing alcohol or baby oil to adhesive edge while gently peeling

### **Children under 12 years of age: Consult a doctor**

## **Storage**

- Store at 68-77°F (20-25°C) - Room Temperature
- Do not exceed 100 °F (38 °C)

## **Inactive Ingredients**

Acrylic Adhesive, Polyethylene Fabric

## **Questions?**

Call: 813-380-0271

## **Label**



## NEUROCOOL PATCHES

neurocool patches patch

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85622-500
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE	4 mg in 100 mg
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)		MENTHOL	1 mg in 100 mg

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

**ACRYLIC ACID** (UNII: J94PBK7X8S)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85622-500-15	15 in 1 BOX	10/13/2025	
1		1 mg in 1 POUCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	10/13/2025	

**Labeler** - Blue Heron Pharmaceuticals LLC (137019051)

Revised: 12/2025

Blue Heron Pharmaceuticals LLC