

GMC MEDICAL ACNE- salicylic acid gel
Laboratoires Dermo Cosmetik

GMC MEDICAL® Acne Gel

Drug Facts

Active ingredient

Salicylic Acid 2.0%

Purpose

Acne Treatment

Uses

- Helps treat acne pimples.
- Dries and helps clear up acne pimples.
- Helps prevent new acne pimples.

Warnings

For external use only.

Do not use if you have very sensitive skin.

When using this product

- Avoid contact with the eyes, lips and mouth; if contact occurs, rinse thoroughly with water.
- Using other topical acne drugs at the same time or right after use of this product may increase dryness or irritation of the skin. If this occurs, only one product should be used unless otherwise directed by a doctor.
- **Skin reactions:** This product may cause irritation, burning, itching, swelling and blistering of the skin. If any of the above noted symptoms occur, discontinue use.

Stop use and ask a doctor if

- The skin reaction becomes severe or spreads beyond the site of application.
- You develop severe itching, hives, swelling of eyes or mouth, blistering or difficulty breathing.
- No substantial improvement occurs within 6 to 8 weeks.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Wash hands with a non-medicinal soap.

- Clean the skin thoroughly with the appropriate GMC Medical cleanser before applying this product.
- For New Users: Apply product to a small area once a day for three days to test if you are sensitive to this product.
- Apply morning and/or evening on the affected areas, or as recommended by your doctor.
- Start with one application daily, then increase if needed.
- If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Other information

Store at 15-30°C (59-86°F).

Questions?

USA: 1 (800) 341-1531 / CANADA: 1 (800) 361-1263

Inactive ingredients

Ammonium Acryloyldimethyltaurate/VP Copolymer, Biosaccharide Gum-1, Butylene Glycol, Caprylyl Glycol, Carbomer, Cinnamomum Camphora (Camphor) Bark Oil, Cistus Ladaniferus Oil, Citrus Aurantium Amara (Bitter Orange) Peel Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Copaifera Officinalis (Balsam Copaiba) Resin, Cymbopogon Martini Oil, Dimethicone, Ethoxydiglycol, Eugenia Caryophyllus (Clove) Leaf Oil, Glycerin, Madecassoside, Mentha Arvensis Leaf Oil, Niacinamide, Nordihydroguaiaretic Acid, Oleanolic Acid, Peg-8, Peg-40 Hydrogenated Castor Oil, Peg-60 Almond Glycerides, Pelargonium Graveolens Flower Oil, Pentylene Glycol, Peumus Boldus Leaf Extract, Salvia Officinalis (Sage) Oil, Sclerotium Gum, Sodium Hyaluronate, Triethanolamine, Tropaeolum Majus Flower/Leaf/Stem Extract, Xanthan Gum, Water/Eau.

EXCLUSIVELY DIST. BY

® LABORATOIRES DERMO-COSMETIK INC.

68 STINSON, MONTREAL, QC, CANADA H4N 2E7

PRINCIPAL DISPLAY PANEL - 50 ml Tube Carton

GMC MEDICAL ®

**ACNE
GEL**

2%

Salicylic Acid

Acne Treatment

NDC 64127-205-01

NPN 80086999

50 ml - 1.7 fl. oz.

MV1643

ACNE GEL



GMC MEDICAL®

ACNE GEL

2%

Salicylic Acid Acide salicylique

Acne Treatment

Traitement pour l'acné

NDC 64127-205-01
NPN 80086999

50 ml - 1.7 fl. oz.

Information sur le produit

Ingrédient actif :

Acide salicylique : 2,0 %

Objet : Traitement de l'acné

Indications

- Aide à traiter les boutons d'acné.
- Assèche et aide à éliminer les boutons d'acné.
- Aide à empêcher la formation de nouveaux boutons d'acné.

Précautions

Pour usage externe seulement.

Ne pas utiliser sur une peau très sensible.

Lors de l'utilisation de ce produit :

- Éviter tout contact avec les yeux, les lèvres et la bouche; en cas de contact, rincer abondamment avec de l'eau.
- L'emploi topique d'autres produits anti-acné simultanément ou immédiatement après l'usage de ce produit peut augmenter le dessèchement ou l'irritation de la peau. Dans ce cas, un seul produit devrait être employé, sauf indication contraire d'un médecin.
- **Réactions cutanées :** Ce produit peut provoquer des irritations, une sensation de brûlure, des démangeaisons, des gonflements et la formation de cloques sur la peau. Si l'un des symptômes ci-dessus survient, cesser l'emploi du produit.

Cesser d'utiliser ce produit et consulter un médecin :

- Si la réaction cutanée s'aggrave ou se propage au-delà de la zone traitée.
- En cas d'apparition de démangeaisons graves, d'une urticaire, d'un gonflement des yeux ou de la bouche, de cloques ou de difficultés respiratoires.
- Si aucune amélioration significative n'est visible après six à huit semaines d'utilisation.

Garder hors de portée des enfants. En cas d'ingestion, consulter un médecin immédiatement ou appeler un centre anti-poison.



Papier recyclé
Recycled paper

Information (suite)

Mode d'emploi

- Se laver les mains avec un savon non médicamenteux.
- Bien nettoyer la peau avec le nettoyant GMC Medical approprié avant d'appliquer le produit.
- Pour les nouveaux utilisateurs : appliquer le produit sur une petite surface une fois par jour pendant trois jours afin de tester la sensibilité à ce produit.
- Appliquer matin et/ou soir sur les zones affectées, ou selon les recommandations de votre médecin.
- Commencer par une application par jour, puis augmenter au besoin.
- En cas de sécheresse ou de desquamation, réduire l'application à une fois par jour ou à une fois tous les deux jours.

Autres renseignements

Entreposer à 15-30°C.

Ingrédients inactifs

voir « Product/Drug Facts ».

Product / Drug Facts (continued)

Inactive ingredients:

Ammonium Acryloyldimethyltaurate/
VP Copolymer, Biosaccharide
Gum-1, Butylene Glycol, Caprylyl
Glycol, Carbomer, Cinnamomum
Camphora (Camphor) Bark Oil,
Cistus Ladaniferus Oil, Citrus
Aurantium Amara (Bitter Orange)
Peel Oil, Citrus Aurantium Dulcis
(Orange) Peel Oil, Copalifera
Officinalis (Balsam Copaliba)
Resin, Cymbopogon Martini Oil,
Dimethicone, Ethoxydiglycol,
Eugenia Caryophyllus (Clove) Leaf
Oil, Glycerin, Madecassoside,
Mentha Arvensis Leaf Oil,
Niacinamide, Nordihydroguaiaretic
Acid, Oleic Acid, Peg-8, Peg-40
Hydrogenated Castor Oil, Peg-60
Almond Glycides, Pelargonium
Graveolens Flower Oil, Pentylene
Glycol, Peumus Boldus Leaf
Extract, Salvia Officinalis (Sage)
Oil, Sclerotium Gum, Sodium
Hyaluronate, Triethanolamine,
Tropaeolum Majus Flower/Leaf/
Stem Extract, Xanthan Gum,
Water/Eau.

**PARABEN-FREE
SANS PARABEN**





NAC: GEV166
Version: S01

REF. MV1643

Product / Drug Facts

Active ingredient	Purpose
Salicylic Acid 2.0%	Acne Treatment
Uses	
<ul style="list-style-type: none"> • Helps treat acne pimples. • Dries and helps clear up acne pimples. • Helps prevent new acne pimples. 	
Warnings	
For external use only.	
Do not use if you have very sensitive skin.	
When using this product:	
<ul style="list-style-type: none"> • Avoid contact with the eyes, lips and mouth; if contact occurs, rinse thoroughly with water. • Using other topical acne drugs at the same time or right after use of this product may increase dryness or irritation of the skin. If this occurs, only one product should be used unless otherwise directed by a doctor. • Skin reactions: This product may cause irritation, burning, itching, swelling and blistering of the skin. If any of the above noted symptoms occur, discontinue use. 	
Stop use and ask a doctor if:	
<ul style="list-style-type: none"> • The skin reaction becomes severe or spreads beyond the site of application. • You develop severe itching, hives, swelling of eyes or mouth, blistering or difficulty breathing. • No substantial improvement occurs within 6 to 8 weeks. 	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> • Wash hands with a non-medicinal soap. • Clean the skin thoroughly with the appropriate GMC Medical cleanser before applying this product. • For New Users: Apply product to a small area once a day for three days to test if you are sensitive to this product. • Apply morning and/or evening on the affected areas, or as recommended by your doctor. • Start with one application daily, then increase if needed. • If bothersome dryness or peeling occurs, reduce application to once a day or every other day. 	
Other information	
Store at 15-30°C (59-86°F).	
Questions?	
USA: 1 (800) 341-1531 / CANADA: 1 (800) 361-1263	

GLUE AREA

GLUE INSIDE



www.gmcmedicals skincare.com

MADE IN CANADA. EXCLUSIVELY DIST. BY
© LABORATOIRES DERMO-COSMETIK INC.
68 STINSON, MONTREAL, QC, CANADA H4N 2E7

salicylic acid gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64127-205
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	20 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG)	
BIOSACCHARIDE GUM-1 (UNII: BB4PU4V09H)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
CAMPHOR OIL (UNII: 75IZZ8Y727)	
LABDANUM OIL (UNII: 67GS9BGA2X)	
BITTER ORANGE OIL (UNII: 9TLV70SV6I)	
ORANGE OIL, COLD PRESSED (UNII: AKN3KSD11B)	
COPAIFERA OFFICINALIS RESIN (UNII: 1VH544O5AT)	
PALMAROSA OIL (UNII: 0J3G3O53ST)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIETHYLENE GLYCOL MONOETHYL ETHER (UNII: A1A18X02B)	
CLOVE LEAF OIL (UNII: VCA5491KVF)	
GLYCERIN (UNII: PDC6A3C0OX)	
MADECASSOSIDE (UNII: CQ2F5O6YIY)	
MENTHA ARVENSIS LEAF OIL (UNII: 1AEY1M553N)	
NIACINAMIDE (UNII: 25X51I8RD4)	
OLEANOLIC ACID (UNII: 6SMK8R7TGJ)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
PEG-60 ALMOND GLYCERIDES (UNII: 4Y0E651N0F)	
PELARGONIUM GRAVEOLENS FLOWER OIL (UNII: 3K0J1S7QGC)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
SAGE OIL (UNII: U27K0H1H2O)	
BETASIZOFIRAN (UNII: 2X51AD1X3T)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
TROLAMINE (UNII: 9O3K93S3TK)	
XANTHAN GUM (UNII: TTV12P4NEE)	
WATER (UNII: 059QF0KO0R)	

Packaging

Marketing Start Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64127-205-01	1 in 1 CARTON	11/26/2018	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	11/26/2018	07/31/2024

Labeler - Laboratoires Dermo Cosmetik (249335480)

Establishment

Name	Address	ID/FEI	Business Operations
Entreprises Importfab Inc.		248586117	manufacture(64127-205)

Revised: 10/2023

Laboratoires Dermo Cosmetik