

TOCOBO COTTON AIRY SUN STICK- avobenzone, homosalate, octisalate, octocrylene stick
PICTON CO., Ltd.

TOCOBO Cotton Airy Sun Stick 19g

Active Ingredients

Avobenzone 2.7 %

Homosalate 13.6 %

Octisalate 4.5 %

Octocrylene 9 %

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:


- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating

Other information

- protect the product from excessive heat and direct sun
- Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive Ingredients

Synthetic Wax, Dicaprylyl Carbonate, Butylene Glycol Dicaprylate/Dicaprate, Methyl Methacrylate Crosspolymer, Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer, Butyloctyl Salicylate, Silica, Acrylates Copolymer, Diethylhexyl 2,6-Naphthalate, Caprylyl Methicone, Ozokerite, Vinyl Dimethicone, Lauryl Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Caprylyl Glycol, Triethoxycaprylylsilane, Fragrance, Ethylhexylglycerin, Tocopherol, Panthenol, Water, 1,2-Hexanediol, Centella Asiatica Extract



TOCOBO COTTON AIRY SUN STICK

avobenzone, homosalate, octisalate, octocrylene stick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85287-119	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)		HOMOSALATE	2.584 g in 19 g	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	1.71 g in 19 g	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)		OCTISALATE	0.855 g in 19 g	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)		AVOBENZONE	0.513 g in 19 g	
Inactive Ingredients				
Ingredient Name			Strength	
CAPRYLYL METHICONE (UNII: Q95M2P1KJL)				
CAPRYLYL GLYCOL (UNII: 00YIU5438U)				
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)				
CENTELLA ASIATICA TRITERPENOIDS (UNII: 4YS74Q4G4J)				
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)				
SILICA (UNII: ETJ7Z6XBU4)				
WATER (UNII: 059QF0KO0R)				
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)				
TOCOPHEROL (UNII: R0ZB2556P8)				
PANTHENOL (UNII: WV9CM0O67Z)				
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)				
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)				
1,2-HEXANEDIOL (UNII: TR046Y3K1G)				
BUTYLENE GLYCOL DICAPRYLATE/DICAPRATE (UNII: 75D21FL1PI)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85287-119-02	1 in 1 BOX	10/15/2025	
1	NDC:85287-119-01	19 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020		10/15/2025	

Labeler - PICTON CO., Ltd. (695418404)

Establishment

Name	Address	ID/FEI	Business Operations
Kolmar Korea Co.,Ltd. Bucheon Factory		963271763	manufacture(85287-119)

Revised: 10/2025

PICTON CO., Ltd.