

ECO-DINE CONCENTRATE- iodine solution, concentrate
Ecolab Inc.

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Danger

Causes serious eye damage.

Wear eye protection/ face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

DIRECTIONS:

ECO-DINE CONCENTRATE MUST BE DILUTED BEFORE USE

DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER

FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB Dilution Parameter(s):

Percent Iodine	Eco-Dine Concentrate By Part	Water By Part	Final RTU Product
1.00%	1	3	4
0.75%	1	4.30	5.30
0.50%	1	7	8
0.25%	1	15	16

IMPORTANT: Never use concentrated product on teats. Once concentrated teat dip product has been properly diluted, do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

Udder Prep: When using an udder wash step before milking, make sure to wash teats with appropriate udder wash solution using proper cleaning procedures. Teats should then be dried with single-service towels.

Application of Diluted Eco-Dine Concentrate

Directions for Teat Dipping

Pre-Milk Dipping: Before each cow is milked, and using fresh final RTU product dip each teat full-length into the teat dip cup. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Using fresh final RTU product dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, and using fresh final RTU product spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Using fresh final RTU product spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before

calving.

PRECAUTION: Eco-Dine Concentrate is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352

(number is in the US).

Principal display panel and representative label

ECOLAB

Eco-Dine Concentrate

Iodine Teat Dip Concentrate

An aid in reducing the spread of organisms which may cause mastitis | Ayuda a evitar la proliferación de organismos que pueden causar mastitis

Does not contain Nonylphenol Ethoxylate (NPE) | No contiene Etoxilatos de nonilfenol

ACTIVE INGREDIENT:

Titrateable Iodine.....4.0%

INERT INGREDIENTS:..... 96.0%

(contains propylene glycol, glycerin)

TOTAL:.....100.0%

56.8 L (15 US GAL)

6302241

775107/5300/1019

This product may be patented | www.ecolab.com/patents

Ecolab · 1 Ecolab Place · St. Paul, MN 55102 USA · tel: 1 800 392 3392

© 2019 Ecolab USA · All rights reserved

Made in U.S.A.

www.ecolab.com · 775111/5300/1019

Eco-Dine Concentrate

Iodine Teat Dip Concentrate Yodo concentrado para el tratamiento de pezones

- An aid in reducing the spread of organisms which may cause mastitis | Ayuda a evitar la proliferación de organismos que pueden causar mastitis
- Does not contain Nonylphenol Ethoxylate (NPE) | No contiene Etoxilatos de nonilfenol

ACTIVE INGREDIENT:

Titrateable Iodine.....4.0%

INERT INGREDIENTS:.....96.0%

(contains propylene glycol, glycerin)

TOTAL:.....100.0%

Danger | Peligro

KEEP OUT OF REACH OF CHILDREN | MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

FOR INDUSTRIAL USE ONLY | PARA USO INDUSTRIAL SOLAMENTE

NOT FOR HUMAN USE | NO ES PARA USO HUMANO

Read other label for directions for use, first aid and precautionary statements

Lea la otra etiqueta para direcciones de uso, primeros auxilios y medidas preventivas



Teat Dip
Baño de tetina



Teat Spray
Roceador de tetina



56.8 L (15 US GAL)
6302241

Eco-Dine Concentrate

Iodine Teat Dip Concentrate

FOR INDUSTRIAL USE ONLY

DIRECCIONES:

ECO-DINE CONCENTRATE MUST BE DILUTED BEFORE USE

DO NOT MIX WITH ANYTHING BUT COOL, POTABLE WATER

FOR USE ONLY IN A DISPENSING SYSTEM RECOMMENDED BY ECOLAB

Dilution Parameter(s):

Percent Iodine	Eco-Dine Concentrate By Part	Water By Part	Final RTU Product
1.00%	1	3	4
0.75%	1	4.30	5.30
0.50%	1	7	8
0.25%	1	15	16

IMPORTANT: Never use concentrated product on teats. Once concentrated teat dip product has been properly diluted, do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

Udder Prep: When using an udder wash step before milking, make sure to wash teats with appropriate udder wash solution using proper cleaning procedures. Teats should then be dried with single-service towels.

Application of Diluted Eco-Dine Concentrate

Directions for Teat Dipping

Pre-Milk Dipping: Before each cow is milked, and using fresh final RTU product dip each teat full-length into the teat dip cup. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Dipping: Using fresh final RTU product dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Directions for Teat Spraying

Pre-Milk Spraying: Before each cow is milked, and using fresh final RTU product spray entire teat. Wipe teats after dipping using single-service towels to avoid contamination of milk.

Post-Milk Spraying: Using fresh final RTU product spray entire teat immediately after each milking. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.

PRECAUTION: Eco-Dine Concentrate is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

Danger

Causes serious eye damage.

Wear eye protection/ face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

This product may be patented | Este producto puede ser patentado: www.ecolab.com/patents

Ecolab - 1 Ecolab Place - St. Paul, MN 55102 USA - tel: 1 800 392 3392
 © 2019 Ecolab USA - All rights reserved | Todos los derechos reservados
 Made in U.S.A. | Hecho en EE.UU.
www.ecolab.com - 77511/5300/1019

Yodo concentrado para el tratamiento de pezones

PARA USO INDUSTRIAL SOLAMENTE

INSTRUCCIONES:

ECO-DINE CONCENTRATE DILUIR ANTES DE USAR

NO MEZCLAR CON NADA QUE NO SEA AGUA POTABLE FRÍA

USAR ÚNICAMENTE EN UN SISTEMA DE DOSIFICACIÓN RECOMENDADO POR ECOLAB

Parámetro(s) de dilución:

Porcentaje de yodo	Eco-Dine Concentrate Por Parte	Agua Por Parte	Producto RTU final
1.00%	1	3	4
0.75%	1	4.30	5.30
0.50%	1	7	8
0.25%	1	15	16

IMPORTANTE: Nunca utilice el producto concentrado sobre los pezones. Una vez que el producto para baño de pezones concentrado se haya diluido, no lo vuelva a diluir con agua ni lo mezcle con otros productos para baño de pezones. Si el producto del recipiente para realizar el baño está visiblemente sucio, deseche el contenido y rellene el recipiente con producto fresco. No vuelva a utilizar el producto ni vuelva a colocar producto sin usar en el contenedor original.

Preparado para ubres: Si se realiza un paso de limpieza de ubres antes del ordeño, asegúrese de limpiar los pezones con una solución para limpieza de ubres adecuada y procedimientos de limpieza apropiados. Los pezones deben secarse con toallas de uso único.

Aplicación de Eco-Dine Concentrate diluido

Instrucciones para el sellado de pezones

Sellado del pezón previo al ordeño: Antes de ordeñar cada vaca, bañe toda la superficie de cada pezón en un recipiente que contenga producto RTU final fresco. Limpie los pezones con toallas de uso único luego del baño para evitar la contaminación de la leche.

Sellado del pezón posterior al ordeño: Bañe toda la superficie de cada pezón en un recipiente que contenga producto RTU final fresco. No utilice paños. Deje secar al aire. No deje las vacas en un clima helado hasta que el producto se haya secado por completo.

Instrucciones para el rociado de pezones

Rociado previo al ordeño: Antes de ordeñar cada vaca, rocíe toda la superficie de cada pezón con producto RTU final fresco. Limpie los pezones con toallas de uso único luego del baño para evitar la contaminación de la leche.

Rociado de pezones posterior al ordeño: Inmediatamente después del ordeño, rocíe toda la superficie de cada pezón con producto RTU final fresco. No utilice paños. Deje secar al aire. No deje las vacas en un clima helado hasta que el producto se haya secado por completo.

Uso ampliado: Si la vaca va a parir, comience a realizar el baño dos veces al día unos 10 días antes del parto.

PRECAUCIÓN: Eco-Dine Concentrate no está pensado para curar ni ayudar a sanar los pezones agrietados o irritados. Como cualquier germicida, el producto puede causar irritación o sensibilización en los animales sensibles. Si los pezones están agrietados o irritados, encargue a un veterinario que examine la condición y la trate si es necesario.

Consulte con su representante de Ecolab para obtener instrucciones específicas sobre el uso y el equipo dispensador recomendado.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

NO ES PARA USO HUMANO

Peligro

Provoca lesiones oculares graves.

Usar equipo de protección para los ojos/la cara.

EN CASO DE CONTACTO CON LOS OJOS: Enjuagar con agua cuidadosamente durante varios minutos. Quitar las lentes de contacto cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Llamar inmediatamente a un CENTRO DE TOXICOLOGÍA o a un médico.

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cubro revertido al 1 651 222 5352 (número en los EE.UU.).

ECO-DINE CONCENTRATE

iodine solution, concentrate

Product Information

Product Type

Item Code (Source)

NDC:50 138-0 18

Route of Administration

NOT APPLICABLE

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	40 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERIN (UNII: PDC6A3C0OX)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50 138-018-17	56800 mL in 1 DRUM		
2	NDC:50 138-018-21	208000 mL in 1 DRUM		
3	NDC:50 138-018-35	2000000 mL in 1 CONTAINER		
4	NDC:50 138-018-44	1134000 mL in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
drug for further processing		11/15/2019	

Labeler - Ecolab Inc. (006154611)

Revised: 10/2020

Ecolab Inc.