

# **HYDROCORTISONE- hydrocortisone cream H E B**

-----  
**HEB 1% Hydrocortisone Cream Drug Facts**

## **Active ingredient**

Hydrocortisone 1%

## **Purpose**

Anti-itch

## **Uses**

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
  - eczema
  - psoriasis
  - poison ivy, oak, sumac
  - insect bites
  - detergents
  - jewelry
  - cosmetics
  - soaps
  - seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should be only under the advice and supervision of a doctor

## **Warnings**

For external use only

## **Do not use**

- in the genital area if you have a vaginal discharge. Ask a doctor.
- for the treatment of diaper rash. Ask a doctor.

## **When using this product**

- avoid contact with the eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

## **Stop use and ask a doctor if**

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- for itching of skin irritation, inflammation, and rashes:
- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, ask a doctor
- for external anal and genital itching, adults:
- when practical, clean the affected area with mild soap and warm water and rinse thoroughly
- gently dry by patting or blotting with toilet tissue or a soft cloth before applying
- apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

### **Other information**

- store at 20°-25°C (68°-77°F)

### **Inactive ingredients**

aloe barbadensis leaf juice, aluminum sulfate, calcium acetate, cetearyl alcohol, cetyl alcohol, cholecalciferol, dextrin, glycerin, isopropyl palmitate, light mineral oil, maltodextrin, methylparaben, propylene glycol, propylparaben, purified water, retinyl palmitate, sodium cetearyl sulfate, sodium lauryl sulfate, tocopherol, white petrolatum, white wax, zea mays (corn) oil

### **Questions or comments?**

1-800-719-9260

### **Principal Display Panel**

Compare to active ingredient in Cortizone-10® Plus

Maximum Strength

1% Hydrocortisone Cream

ANTI-ITCH CREAM

Plus 10 Moisturizers

Maximum Strength

1% Hydrocortisone Cream

ANTI-ITCH CREAM

Plus 10 Moisturizers

NET WT. 1 OZ (28g)



<b>Drug Facts</b>		<b>Drug Facts (continued)</b>	
<b>Active ingredient</b> Hydrocortisone 1%.....	<b>Purpose</b> Anti-itch	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)	
<b>Uses</b> <ul style="list-style-type: none"> <li>■ temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to: <ul style="list-style-type: none"> <li>■ eczema    ■ psoriasis    ■ poison ivy, oak, sumac</li> <li>■ insect bites    ■ detergents    ■ jewelry    ■ cosmetics</li> <li>■ soaps    ■ seborrheic dermatitis</li> </ul> </li> <li>■ temporarily relieves external anal and genital itching</li> <li>■ other uses of this product should be only under the advice and supervision of a doctor</li> </ul>		<b>Directions</b> <ul style="list-style-type: none"> <li>■ for itching of skin irritation, inflammation, and rashes: <ul style="list-style-type: none"> <li>■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily</li> <li>■ children under 2 years of age: do not use, ask a doctor</li> </ul> </li> <li>■ for external anal and genital itching, adults: <ul style="list-style-type: none"> <li>■ when practical, clean the affected area with mild soap and warm water and rinse thoroughly</li> <li>■ gently dry by patting or blotting with toilet tissue or a soft cloth before applying</li> <li>■ apply to affected area not more than 3 to 4 times daily</li> <li>■ children under 12 years of age: ask a doctor</li> </ul> </li> </ul>	
<b>Warnings</b> For external use only		<b>Other information</b> ■ store at 20°-25°C (68°-77°F)	
<b>Do not use</b> <ul style="list-style-type: none"> <li>■ in the genital area if you have a vaginal discharge. Ask a doctor.</li> <li>■ for the treatment of diaper rash. Ask a doctor.</li> </ul>		<b>Inactive ingredients</b> aloe barbadensis leaf juice, aluminum sulfate, calcium acetate, cetearyl alcohol, cetyl alcohol, cholecalciferol, dextrin, glycerin, isopropyl palmitate, light mineral oil, maltodextrin, methylparaben, propylene glycol, propylparaben, purified water, retinyl palmitate, sodium cetearyl sulfate, sodium lauryl sulfate, tocopherol, white petrolatum, white wax, zea mays (corn) oil	
<b>When using this product</b> ■ avoid contact with the eyes <ul style="list-style-type: none"> <li>■ do not use more than directed unless told to do so by a doctor</li> <li>■ do not put directly into the rectum by using fingers or any mechanical device or applicator</li> </ul>		<b>Questions or comments?</b> 1-800-719-9260	
<b>Stop use and ask a doctor if</b> <ul style="list-style-type: none"> <li>■ condition worsens    ■ rectal bleeding occurs</li> <li>■ symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor</li> </ul>			

## HYDROCORTISONE

hydrocortisone cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37808-973
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W44X0X7BP) (HYDROCORTISONE - UNII:W44X0X7BP)	HYDROCORTISONE	1 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ALUMINUM SULFATE (UNII: 34S289N54E)	
CALCIUM ACETATE (UNII: Y882YXF34X)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

<b>WATER</b> (UNII: 059QF0KO0R)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>SODIUM CETOSTEARYL SULFATE</b> (UNII: 7ZBS06BH4B)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>WHITE WAX</b> (UNII: 7G1J5DA97F)	
<b>CORN OIL</b> (UNII: 8470G57WFM)	
<b>ICODEXTRIN</b> (UNII: 2NX48Z0A9G)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-973-64	1 in 1 CARTON	09/27/2010	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/27/2010	

**Labeler - H E B (007924756)**