PAIN RELIEVING GEL-PATCH- lidocaine patch Shanghai Chuangshi Medical Technology (Group) Co., Ltd.

73557-185

Active ingredient

Lidocaine 4% Purpose: Topical Anesthetic

Purpose

Topical Anesthetic

Uses

For temporary relief of pain

Warnings

For external use only

Ask a doctor if:

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- Conditions worsen
- Symptoms persists for more than 7 days
- Symptoms clear up and occur again within a few days

When using this product

- Use only as directed
- Avoid contact with the eyes, mucous membranes or rashed
- Do not bandage tightly

Do not use

- More than 1 patch at a time
- On wounds or damaged skin
- With a heating pad
- If you are allergic to any ingredients of this product

Stop use if:

- localized skin reactions occur, such as rash, itching, redness, irritation, pain, swelling and blistering
- Conditions worsen

- Symptoms persists for more than 7 days
- Symptoms clear up and occur again within a few days

Pregnancy or breast feeding

If pregnant or breastfeeding, ask a health professional before use

Directions

Adult and Children 12 years of age and over:

- Clean and dry affected area
- Remove film from patch and apply to the skin (see illustration)
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily
- Remove patch from the skin after at most 8-hour application

Children under 12 years of age: Consult a doctor

Keep out of reach of children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Inactive ingredients

Glycerin, Sodium Polyacrylate, Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Kaolin, Titanium Dioxide, Polysorbate 80, Propylene Glycol, Tartaric Acid, Polyacrylic Acid, Povidone, Methylparaben, Propylparaben, Water

Questions or Comments?

86-21-31166566∏webmaster@csigroup.com.cn

Other information

- Avoid storing product in direct sunlight
- Protect product from excessive moisture

Package label. Principal display panel

●SI上海创始医疗科技(集团)股份有限公司

地址:上海市青浦区练塘工业园章练塘路388号 电话: 021-31166566 网址: www.csigroup.com.cn

印刷制版确认单

稿件编号: DYFT250926-ZEEY4%利多卡因2A大尺寸袋子 文件编号:_

日期: 2025.10.11

制作单位 联系人 比例尺 1:1 印刷完成日期



●\$1 上海创始医疗科技(集团)股份有限公司

电话: 021-31166566 网址: www.csigroup.com.cn

印刷制版确认单

稿件编号: DYFT250926-ZEEY4%利多卡因2A大尺寸彩盒 文件编号:

日期: 2025.10.11

制作单位		联系人		比例尺	1:1	印刷罗	完成日期	
			PAIN RELINGE GEL-PATCI		140x45	x180mm		
	PAIN RELIEVING GEL-PATCH	PAIN RELIEVINGEL-PATCH Desensitive aggreeated nerves for temporary relief of pain	VG P	TO APPLY GEL- Drug fact Active layer Control of the relative Bookstar or Recording the control Bookstar or Recording the control Control or Recording the control Recording the	force Pupper Typical annalises Typical ann	LIDOCAIN top set ef reach of dibles. If sudient of prime in the limit of the limit	discharges Acatolica Acatolica	
	LIDOCAINE \$%	• Back • Neck • Shoulders • Knees & Elbows LIDOCA 10 PATCHES CONTAINS TEN 4,72" x 7,87" INDIVIDUAL	NE 470	Produced by SHAPPING HEADERS (1888) BASE of the Produced by SHAPPING (1888) BASE of the Produced Headers (1888) BASE of the Produced Heade	ve beant-feeding, as a health preferenced before are UNACCH MEDICAL HONOLOGY (CROSP) OLDD Lacture (R. Ongou, District, Shanghu, China, 2017)5 19906 1990	G To 2 4 2 3 9 17 0 7 3	84.	
² 品名称:		材质: 300g白卡		尺寸:14	0x45x180mm	並五		2000
四口1777:		17,000		版/次:		颜 色 C	M Y K	300C 361C

PAIN RELIEVING GEL-PATCH

lidocaine patch

Decade		Inform	:
Prod	IICT.	Intorm	ATION
FIGU	ull		ıatıvı

Product Type HUMAN OTC DRUG Item Code (Source) NDC:73557-185

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) LIDOCAINE 0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength			
POLYSORBATE 80 (UNII: 60ZP39ZG8H)				
GLYCERIN (UNII: PDC6A3C0OX)				
POVIDONE K90 (UNII: RDH86HJV5Z)				

METHYLPARABEN (UNII: A2I8C7HI9T)
PROPYLPARABEN (UNII: Z8IX2SC10H)
EDETATE DISODIUM (UNII: 7FLD91C86K)

KAOLIN (UNII: 24H4NWX5CO)

TARTARIC ACID (UNII: W48881119H)

WATER (UNII: 059QF0KO0R)

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
C t - !			

Contains

	- 1		
Pa			~

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73557-185- 10	10 in 1 BOX	10/15/2025	
1		1 in 1 BAG		

21 g in 1 PATCH; Type 0: Not a Combination Product				
nformation				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
M017	10/15/2025			
	nformation Application Number or Monograph	nformation Application Number or Monograph Marketing Start Citation Date		

Labeler - Shanghai Chuangshi Medical Technology (Group) Co., Ltd. (546872672)

Registrant - Shanghai Chuangshi Medical Technology (Group) Co., Ltd. (546872672)

Establishment						
Name	Address	ID/FEI	Business Operations			
Shanghai Chuangshi Medical Technology (Group) Co., Ltd.		546872672	label(73557-185) , manufacture(73557-185)			

Revised: 10/2025 Shanghai Chuangshi Medical Technology (Group) Co., Ltd.