

DEXTROMETHORPHAN HYDROBROMIDE AND GUAIFENESIN-
dextromethorphan hydrobromide and guaifenesin syrup
OPMX LLC

Desenfriol-ito PLUS

Active Ingredient (in each 5 mL) Purpose

Dextromethorphan HBr USP 10 mg..... Cough suppressant

Guaifenesin, USP 100 mg..... Expectorant

- Cough suppressant
- Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps to loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Warnings

Do not use

- **Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use

Keep out of reach of children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take every 4 hours
- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product

Age	Dose
Adults and children 12 years and over	2 teaspoonful (10 mL)
Children 6 to under 12 years	1 teaspoonful (5 mL)
Children under 6 years	Ask a doctor

Other information

- Store at 20°-25°C (68° -77°F).
- Do not refrigerate.
- Retain carton for future reference on full labeling

Inactive ingredients

anhydrous citric acid, cherry flavor, glycerin, menthol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate dihydrate, sorbitol solution, sucralose.

Questions or comments?

Call 619-600-5632

Tamper evident: Do not use if inner seal under cap is broken or missing.

Exclusively distributed by

OPMX

Chula Vista, CA91910

Phone: 619-600-5632

Manufactured in

FDA Registered Facility

In the USA

PRINCIPAL DISPLAY PANEL DESENFRIOLITO



DEXTROMETHORPHAN HYDROBROMIDE AND GUAIFENESIN

dextromethorphan hydrobromide and guaifenesin syrup

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69729-812
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH)	DEXTROMETHORPHAN	10 mg

(DEXTROMETHORPHAN - UNII:7355X3ROTS)	HYDROBROMIDE	in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
MENTHOL (UNII: L7T10EIP3A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69729-812-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/15/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/15/2025	

Labeler - OPMX LLC (029918743)

Establishment

Name	Address	ID/FEI	Business Operations
KJD Pharma Pvt Ltd		877256314	manufacture(69729-812)