

SHUNGA MALE GENITAL DESENSITIZER- benzocaine aerosol, spray
Eau Zone Oils & Fragrances LTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredient
Topical Pump Spray
Benzocaine 7.5 pourcentage
7.0 mg per spray

Genital Desensitizer
Désensibilisant Genital

Topical pump spray containing:
Vaporisateur topique contenant:
Benzocaine USP 7.5 pourcent

15g

Stop use and ask doctor if
This product used as directed does not provide relief. Premature ejaculation may require medical supervision.
You or your partner develops a rash or irritation, such as burning or itching.
Symptoms persist

Warnings

FOR EXTERNAL USE ONLY. Keep out of reach of children
When using this product, avoid contact with eyes; in case of contact with eyes, flush with water.
Do not inhale.
Do not exceed a maximum of 24 sprays in 24 hours.

Name: SHUNGA Genital Desensitizer

SHUNGA Male Genital Desensitizer helps in temporarily prolonging the time until ejaculation by diminishing tactile sensations to the penis.
Directions: Spray 3 to 8 doses on the head and shaft of the penis, between 5 to 10 minutes prior to activity. The effective number of sprays and application delay may vary upon individuals. Use the minimum effective quantity. (Consult the booklet for additional

information).

Purpose

Male genital desensitizer

Uses

It helps in temporarily prolonging the time until ejaculation by diminishing tactile sensations to the penis. Use for reducing oversensitivity in advance of intercourse.

Directions

Spray 3 to 8 doses on the head and shaft of the penis, between 5 to 15 minutes prior to intercourse. The effective number of sprays and application delay may vary upon individuals. Use the minimum effective quantity. Wash off after intercourse.

Other information

Store below 25°C (77°F). Each spray application contains 7.0 mg of Benzocaine and there are about 170 spray doses per container.

Inactive ingredients

PROPANEDIOL, ETHYL ALCOHOL, FLAVOR (AROMA)

Poids net/Net W. 15 g

Made in Canada by Eau Zone H and F Ltée, Montreal, H4N 2S7

See base for LOT and Expiry Date

Directions

Spray 3 to 8 doses on the head and shaft of the penis, between 5 to 10 minutes prior to intercourse. The effective number of sprays and application delay may vary upon individuals. Use the minimum effective quantity. Wash off after intercourse.

Warnings

FOR EXTERNAL USE ONLY

When using this product. Avoid contact with eyes; in case of contact with eyes flush with water. Do not exceed a maximum of 24 sprays in 24 hours. Do not inhale. Do not use in large quantities or on large body surface. Do not use in case of allergy to benzocaine or to any ingredient contained in this product.

Uses

It helps in temporarily prolonging the time until ejaculation by diminishing tactile sensations to the penis. Use for reducing oversensitivity in advance of intercourse.

<paragraph>

SHUNGA Male Genital Desensitizer helps in temporarily prolonging the time until ejaculation by diminishing tactile sensations to the penis.

Directions: Spray 3 to 8 doses on the head and shaft of the penis, between 5 to 10 minutes prior to activity. The effective number of sprays and application delay may vary upon individuals. Use the minimum effective quantity. (Consult the booklet for additional information).

Caution: **FOR EXTERNAL USE ONLY**

Le désensibilisant génital pour homme SHUNGA aide à prolonger temporairement le temps avant l'éjaculation en diminuant les sensations tactiles du pénis.

Mode d'emploi: Vaporisez 3 à 8 doses sur le gland et le membre 5 à 10 minutes avant l'activité. La quantité à vaporiser et le délai d'application peuvent varier en fonction de chaque individu. Utilisez la quantité efficace minimale. (Consultez le dépliant pour plus de renseignements)

Précaution: **POUR USAGE EXTERNE SEULEMENT**

Active / Medicinal Ingredient: Benzocaine USP 7.5% W/W

Non-Active / Non-medicinal Ingredients: Propanediol, Ethyl Alcohol, Flavor (Aroma).

Made in / fait au Canada by Eau Zone H & F Ltée, Montréal, H4N 2S7

See base for LOT and Expiry Date - Voir dessous pour LOT et Date d'expiration.



SHUNGA
EROTIC ART

**Genital
Desensitizer**

**Désensibilisant
génital**

Topical pump spray containing:
Vaporisateur topique contenant:
Benzocaine USP 7.5%

15g

NSC



SHUNGA
EROTICART

Genitale Desensitizer
Désensibilisant génitale

Topical pump spray containing:
Vaporisateur topique contenant:
Benzocaine USP 7.5%
15g

Medicinal Ingredient	Drug Facts	Purpose
Benzocaine, 7.5%		Male genital desensitizer

Uses

- ☐ helps in temporarily prolonging the time of ejaculation
- ☐ for reducing oversensitivity in the male in advance of intercourse

Warnings ☐ For external use only. Keep out of reach of children

- ☐ When using this product avoid contact with eyes; in case of contact with eyes flush with water.

Stop use and ask doctor if

- ☐ the product used as directed does not provide relief. Premature ejaculation may require medical supervision.
- ☐ you or your partner develop a rash or irritation, such as burning or itching.
- ☐ symptoms persist

Directions ☐ spray 3 to 8 doses on the head and shaft of the penis before 5 to 10 minutes prior to intercourse, or as directed by a doctor

- ☐ Wash off after intercourse

Non-medicinal ingredients
Propanediol, Ethyl Alcohol, Flavor

Ingredient médicinal	Informations	Usage
Benzocaïne, 7,5%		Désensibilisant pour partie génitale mâle

Utilisations

- ☐ aide temporairement à prolonger le temps avant l'éjaculation
- ☐ aide à désensibiliser la région du gland avant la relation

Mise en garde ☐ Pour usage externe seulement.

Gardez hors de la portée des enfants. ☐ Évitez tout contact avec les yeux; en cas de contact avec les yeux, rincez à grande eau.

Cessez l'utilisation et consultez un médecin si:

- ☐ Ce produit utilisé tel qu'indiqué ne soulage pas. L'éjaculation précoce peut nécessiter une supervision médicale.
- ☐ Vous ou votre partenaire développez des éruptions ou irritations telles que des sensations de brûlures ou de démangeaison.
- ☐ Les symptômes persistent.

Directions ☐ vaporisez 3 à 8 doses sur le gland et le pénis 5 à 10 minutes avant la relation, ou tel qu'indiqué par un médecin.

- ☐ Nettoyez après la relation

ingrédients non médicinaux
Propanediol, Ethyl alcool, Saveur (aroma)

Made in India or Canada © 2000 Shunga Erotica Inc. & Fragrances Ltd.
 Moment 1465 257 SHUNGA™ is a registered trade mark. All rights reserved.
WWW.SHUNGA.COM

SHUNGA MALE GENITAL DESENSITIZER

benzocaine aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63240-5100
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	1.125 g in 15 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	9.375 g in 15 g
ALCOHOL (UNII: 3K9958V90M)	4.35 g in 15 g

Product Characteristics

Color		Score	
Shape		Size	
Flavor	STRAWBERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63240-5100-2	1 in 1 CYLINDER	08/01/2010	
1	NDC:63240-5100-1	15 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part348	08/01/2010	

Labeler - Eau Zone Oils & Fragrances LTD (249543091)

Establishment

Name	Address	ID/FEI	Business Operations
Eau Zone Oils & Fragrances LTD		249543091	manufacture(63240-5100) , label(63240-5100)

Revised: 11/2022

Eau Zone Oils & Fragrances LTD