

**WOFANLI QUIT SMOKING NICOTINE PATCHES- nicotine transdermal patches patch**  
**Shenzhen Paxi Trading Co., Ltd.**

-----  
**85835-005**

**Active Ingredient**

Nicotine 14mg

**Purpose**

Stopsmoking aid

**Use**

reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking.

Apply one new patch every 24 hours on skin that is dry, clean and hairless. Remove backing from patch and immediately press onto skin. Hold for 10 seconds. Wash hands after applying or removing patch. Save pouch to use for patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch. The used patch should be removed and a new one applied to a different skin site at the same time each day.

If you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning.

Do not wear more than one patch at a time.

Do not cut patch in half or into smaller pieces.

Do not leave patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours.

To avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures.

It is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your healthcare provider.

**Warnings**

If you are pregnant or breast feeding, only use this medicine on the advice of your health care provider.

Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

**Do not use**

Ask a doctor before use if you have

- heart disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate.
- high blood pressure not controlled with medication. Nicotine can increase your blood pressure.
- an allergy to adhesive tape or have skin problems, because you are more likely to get rashes.
- Stomach ulcer or diabetes.
- History of seizures.

## **Ask Doctor**

Ask a doctor or pharmacist before use if you are

- using a non-nicotine stop smoking drug.
- taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.

## **When Using**

When using this product

- if you have vivid dreams or other sleep disturbances remove this patch at bedtime.

## **Stop Use**

Stop use and ask a doctor if

- skin redness caused by the patch does not go away after four days, or if your skin swells, or you get a rash.
- irregular heartbeat or palpitations occur.
- you get symptoms of nicotine overdose, such as persistent nausea, vomiting, dizziness, weakness and rapid heartbeat.
- You have symptoms of an allergic reaction (such as difficulty breathing or rash).

## **Keep Out Of Reach Of Children**

Keep out of reach of children and pets

Used patches contain enough nicotine to poison children and pets. If swallowed, seek medical help immediately or contact a Poison Control Center 1-800-222-1222 right away. Save the pouch for patch disposal. Dispose of used patches by folding the sticky ends together and placing them in the pouch.

## **Directions**

If you are under 18 years of age, ask a doctor before use.

Before using this product, read the enclosed self-help guide for complete directions and other information.

Begin using the patch on your quit day.

If you smoke more than 20 cigarettes per day, use the following schedule below:

Weeks 1 and 2

STEP 1+  
use 1½  
patch/day

Weeks 3 and 6  
STEP 1  
use 1  
patch/day

Weeks 7 and 8  
STEP 2  
use 1/2  
patch/day

Weeks 9 and 10  
STEP 3  
use 1/4  
patch/day

If you smoke more than 10 but not more than 20 cigarettes, start with Step 1, if you smoke 10 or less cigarettes per day, start with Step 2 for 4 weeks (Start with 1 patch or 3/4 patch for the first week), then on to Step 3 for 2 weeks. (Read the enclosed self-help guide for additional information.)

Apply one new patch every 24 hours on skin that is dry, clean and hairless.

Wash hands after applying or removing patch. Save pouch to use for patch disposal.

Dispose of the used patches by folding sticky ends together and putting in pouch.

The used patch should be removed and a new one applied to a different skin site at the same time each day.

If you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning.

Do not wear more than one patch at a time.

Do not cut patch in half or into smaller pieces.

Do not leave patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours.

To avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures.

It is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your healthcare provider.

## **Other information**

Store at room temperature

## **Inactive ingredients**

acrylate adhesive, aluminized polyester, cellulose paper, methacrylic acid copolymer.

## **Questions**

After-sales service contact information:

For any product inquiries, contact us: [ParuiTrade@outlook.com](mailto:ParuiTrade@outlook.com)

For family's protection patches are supplied in child-proof container. **DO NOT USE IF INDIVIDUAL PATCH IS OPEN OR TORN.**

**QUIT SMOKING**  
Nicotine Patches

Nicotine Patches  
**QUIT SMOKING**

**CONTROL CRAVINGS**  
**ALL-DAY!**

**Over 24 hours**  
**Each patch contains 14 mg**

Helps You Quit Smoking  
Controls Cravings  
Fights Withdrawal Symptoms  
100% Natural Plant Based

**30**  
**Patches**

Trade Mark: WOFANLI  
Lot number: NP8686

**STEP**  
**2**

**Drug Facts**  
**Important Information (in each patch)** Purpose  
Nicotine, 14mg delivered over 24 hours. Step smoking aid

**Warnings**  
**If you are pregnant or breastfeeding, only use this medicine on the advice of your health care provider.**  
Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

**Ask a doctor before use if you have**  
• heart disease, recent heart attack, or regular heartbeats  
• high blood pressure not controlled with medication  
• increase your blood pressure  
• an allergy to adhesive tape or have skin problems, because you are more likely to get rashes  
• stomach acid or diabetes  
• history of seizures

**Ask a doctor or pharmacist before use if you are**  
• using a non-nicotine stop smoking drug  
• taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.

**When using this product**  
• If you have vivid dreams or other sleep disturbances remove this patch at bedtime.

**Stop use and ask a doctor if**  
• skin redness caused by the patches does not go away after four days, or if your skin swells, or you get a rash  
• irregular heartbeats or palpitations occur  
• you get symptoms of nicotine overdose, such as persistent nausea, vomiting, dizziness, weakness and rapid heartbeat  
• you have symptoms of an allergic reaction (such as difficulty breathing or rash)

**Keep out of reach of children and pets**  
Used patches contain enough nicotine to poison children and pets. If swallowed, seek medical help immediately or contact a Poison Control Center at 1-800-222-1222 right away. See the pouch for patch disposal. Dispose of used patches by folding the sticky ends together and placing them in the pouch.

\* Statements regarding dietary supplements have not been evaluated by the FDA and are not intended to diagnose, treat, cure, or prevent any disease or health condition.

See bottom panel for lot number and expiration date.

**Directions**  
• If you are under 18 years of age, ask a doctor before use.  
• Before using this product, read the enclosed self-help guide for complete directions and other information.  
• Begin using the patch on your quit day.  
• If you smoke more than 19 cigarettes per day, use the following schedule below:

| Weeks 1 thru 4                           | Weeks 5 and 6                            | Weeks 7 and 8                           |
|------------------------------------------|------------------------------------------|-----------------------------------------|
| <b>STEP 1</b><br>use one 21 mg patch/day | <b>STEP 2</b><br>use one 14 mg patch/day | <b>STEP 3</b><br>use one 7 mg patch/day |

- If you smoke 10 or less cigarettes per day, start with Step 2 for 4 weeks, then Step 3 for 2 weeks.
- Apply one new patch every 24 hours on skin that is dry, clean, and hairless.
- Wash hands after applying or removing patch. Save pouch to use for patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch.
- The used patch should be removed and a new one applied to a different skin site at the same time each day.
- If you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning.
- Do not wear more than one patch at a time.
- Do not cut patch in half or into smaller pieces.
- Do not leave patch on for more than 24 hours because it may irritate your skin and lose strength after 24 hours.
- To avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures.
- It is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider.

**Other information**  
• store at room temperature

**Inactive ingredients**  
acrylate adhesive, aluminum polyester, cellulose paper, methacrylic acid copolymer.

**After-sales service contact information:**  
If you have any doubt with our products, please contact us.  
PatchTrading@outlook.com

**Address:**  
48 Zhongyuan Road, 102 Hohu Community, Pinghu Street, Longgang District, Shenzhen City.  
**Manufacturing company:**  
Shenzhen Paitrading Co., Ltd.

nicotine transdermal patches patch

| Active Ingredient/Active Moiety                                           |                   |              |
|---------------------------------------------------------------------------|-------------------|--------------|
| Ingredient Name                                                           | Basis of Strength | Strength     |
| NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)                  | NICOTINE          | 14 mg in 100 |
|                                                                           |                   |              |
| Inactive Ingredients                                                      |                   |              |
| Ingredient Name                                                           | Strength          |              |
| METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13) |                   |              |
| ACRYLIC ACID (UNII: J94PBK7X8S)                                           |                   |              |
| POLYESTER-7 (UNII: 0841698D2F)                                            |                   |              |

**POWDERED CELLULOSE** (UNII: SMD1X3XO9M)

### Packaging

| # | Item Code        | Package Description                            | Marketing Start Date | Marketing End Date |
|---|------------------|------------------------------------------------|----------------------|--------------------|
| 1 | NDC:85835-005-01 | 30 in 1 BOX; Type 0: Not a Combination Product | 10/15/2025           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|------------------------------------------|----------------------|--------------------|
| OTC Monograph Drug | M017                                     | 10/15/2025           |                    |

**Labeler** - Shenzhen Paxi Trading Co., Ltd. (633886766)

### Establishment

| Name                            | Address | ID/FEI    | Business Operations    |
|---------------------------------|---------|-----------|------------------------|
| Shenzhen Paxi Trading Co., Ltd. |         | 633886766 | manufacture(85835-005) |

Revised: 10/2025

Shenzhen Paxi Trading Co., Ltd.