WOFANLI QUIT SMOKING NICOTINE PATCHES- nicotine transdermal patches patch

Shenzhen Paxi Trading Co., Ltd.

85835-007 008 009 Kit

Active Ingredient

Nicotine 7mg 14mg 21mg

Purpose

Stopsmoking aid

Use

reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking.

Apply one new patch every 24 hours on skin that is dry, clean and hairless. Remove backing from patch and immediately press onto skin. Hold for 10 seconds. Wash hands after applying or removing patch. Save pouch to use for patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch. The used patch should be removed and a new one applied to a different skin site at the same time each day.

If you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning.

Do not wear more than one patch at a time.

Do not cut patch in half or into smaller pieces.

Do not leave patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours.

To avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures.

It is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your healthcare provider.

Warnings

If you are pregnant or breast feeding, only use this medicine on the advice of your health care provider.

Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

Do not use

Ask a doctor before use if you have

- heat disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate.
- high blood pressure not controlled with medication. Nicotine can increase your blood pressure.
- an allergy to adhesive tape or have skin problems, because you are more likely to get rashes.
- Stomach ulcer or diabetes.
- History of seizures.

Ask Doctor

Ask a doctor or pharmacist before use if you are

- using a non-nicotine stop smoking drug.
- taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.

When Using

When using this product

- if you have vivid dreams or other sleep disturbances remove this patch at bedtime.

Stop Use

Stop use and ask a doctor if

- skin redness caused by the patch does not go away after four days, or if your skin swells, or you get a rash.
- irregular heartbeat or palpitations occur.
- you get symptoms of nicotine overdose, such as persistent nausea, vomiting, dizziness, weakness and rapid heartbeat.
- You have symptoms of an allergic reaction (such as difficulty breathing or rash).

Keep Out Of Reach Of Children

Keep out of reach of children and pets

Used patches contain enough nicotine to poison children and pets. If swallowed, seek medical help immediately or contact a Poison Control Center 1-800-222-1222 right away. Save the pouch for patch disposal. Dispose of used patches by folding the sticky ends together and placing them in the pouch.

Directions

If you are under 18 years of age, ask a doctor before use.

Before using this product, read the enclosed self-help guide for complete directions and other information.

Begin using the patch on your quit day.

If you smoke more than 20 cigarettes per day, use the following schedule below:

Weeks 1 and 2

STEP 1+ use1½ patch/day

Weeks 3 and 6 STEP 1 use 1 patch/day

Weeks 7 and 8 STEP 2 use I/2 patch/day

Weeks 9 and 10 STEP 3 use I/4 patch/day

If you smoke more than 10 but not more than 20 cigarettes, start with Step 1, if you smoke 10 or less cigarettes per day, start with Step 2 for 4 weeks (Start with 1 patch or 3/4 patch for the first week), then on to Step 3 for 2 weeks. (Read the enclosed selfhelp guide for additional information.)

Apply one new patch every 24 hours on skin that is dry, clean and hairless.

Wash hands after applying or removing patch. Save pouch to use for patch disposal. Dispose of the used patches by folding sticky ends together and putting in pouch. The used patch should be removed and a new one applied to a different skin site at the same time each day.

If you have vivid dreams, you may remove the patch at bedtime and apply a new one in the morning.

Do not wear more than one patch at a time.

Do not cut patch in half or into smaller pieces.

Do not leave patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours.

To avoid possible burns, remove patch before undergoing any MRI (magnetic resonance imaging) procedures.

It is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your healthcare provider.

Other information

Store at room temperature

Inactive ingredients

acrylate adhesive, aluminized polyester, cellulose paper, methacrylic acid copolymer.

Questions

After-sales service contact information:

For any product inquiries, contact us: ParuiTrade@outlook.com

PRINCIPAL DISPLAY PANEL



PRINCIPAL DISPLAY PANEL



PRINCIPAL DISPLAY PANEL



WOFANLI QUIT SMOKING NICOTINE PATCHES

nicotine transdermal patches patch

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:85835-009

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R) NICOTINE 21 mg in 100

Inactive Ingredients

Ingredient Name	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)	
POLYESTER-7 (UNII: 0841698D2F)	
ACRYLIC ACID (UNII: J94PBK7X8S)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85835-009- 01	30 in 1 BOX; Type 0: Not a Combination Product	10/16/2025	

Marketing Information				
Marketing Category				
OTC Monograph Drug	M017	10/16/2025		

WOFANLI QUIT SMOKING NICOTINE PATCHES

nicotine transdermal patches patch

Product	Inform	ation
PIOUUCL		auvii

Product Type HUMAN OTC DRUG Item Code (Source) NDC:85835-007

Route of Administration TOPICAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R) NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)

Inactive Ingredients		
Ingredient Name	Strength	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)		
ACRYLIC ACID (UNII: J94PBK7X8S)		
POLYESTER-7 (UNII: 0841698D2F)		
POWDERED CELLULOSE (UNII: SMD1X3XO9M)		

Packaging			
# Item Co	de Package Des	scription Marketing Date	
1 NDC:85835-	15 in 1 BOX; Type 0: Not a Product	a Combination 10/15/2025	

Marketing In	formation		
Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date

WOFANLI QUIT SMOKING NICOTINE PATCHES

nicotine transdermal patches patch

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:85835-008

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)	NICOTINE	14 mg in 100

Inactive Ingredients

Ingredient Name	Strength
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)	

POLYESTER-7 (UNII: 0841698D2F)
ACRYLIC ACID (UNII: J94PBK7X8S)

Packaging

ı					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:85835-008- 01	15 in 1 BOX; Type 0: Not a Combination Product	10/16/2025	

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
Category	Citation	Date	Date
OTC Monograph Drug	M017	10/16/2025	

Labeler - Shenzhen Paxi Trading Co., Ltd. (633886766)

Establishment					
Name	Address	ID/FEI	Business Operations		
Shenzhen Paxi Trading Co. Ltd.		633886766	manufacture(85835-007, 85835-008, 85835-009)		

Revised: 10/2025 Shenzhen Paxi Trading Co., Ltd.