



NUMBING CREAM- menthol cream
FlexiGo Inc

44*38*128mm



102*108mm





57*57*47mm



50*50mm

Recommended Usage Steps:

1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;
2. Apply a thick layer of the numbing cream evenly (1mm) on the skin area;
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;
4. Wipe away the residue, then begin your next procedure.

* Please read the manual carefully and use it according to the instructions.



NUMBING CREAM
Topical Anesthetic

6 HOURS

ENT WT.
1.7oz/50ml

Fast Healing With Emu Oil and Arnica

Topical Discomfort Relief
Numbing Cream

Warnings:

- For external use only
- Keep out of the reach of children
- Pregnant women or people with skin allergies should seek professional advice before use the cream
- Stop use and ask doctor if irritation or redness or other discomfort occur

QUESTIONS:
Qylink@hotmail.com

170*22mm



57*57*47mm



50*50mm

Recommended Usage Steps:

1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;
2. Apply a thick layer of the numbing cream evenly (1mm) on the skin area;
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;
4. Wipe away the residue, then begin your next procedure.

* Please read the manual carefully and use it according to the instructions.

Topical Discomfort Relief
Numbing Cream

Warnings:

- For external use only
- Keep out of the reach of children
- Pregnant women or people with skin allergies should seek professional advice before use the cream
- Stop use and ask doctor if irritation or redness or other discomfort occur

QUESTIONS:
Qylink@hotmail.com

170*22mm

44*38*128mm

102*108mm

How to Use it correctly?
-Clean your hands and treatment area thoroughly with mild soap and warm water.
-Gently dry them afterward.
-Apply a thick layer of numbing cream to the treatment area, making sure to cover both the treatment area and its surroundings.
-Leave it on for 40-60 minutes for the best results (keeping it on longer gives better effects).
-Remove any remaining cream and wait an additional 10 minutes for the numbing sensation to reach its peak.

Numbing Cream



FAST HEALING WITH EMU OIL AND AROMA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
-an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding,
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Design by USA, Made in P.R.C.

DRUG FACTS (Continued)

Directions
-For children under 12, consult a doctor.
-For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
-Apply up to 4 times daily.

DIRECTIONS:
Store room temperature 59° -86°F (15°-30°C). Keep away from direct sunlight or heat.

Inactive Ingredients
Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.


Questions or comments?
Contact us at Rqekmy333kk@outlook.com

DISTRIBUTED BY:
FlexiGo Inc
2910 S Tejon St
Englewood Colorado 80110

SHELF LIFE: 3 years

MPG:09/25/2025
EXP:09/24/2028
BATCH NUMBER:20250925-01

Numbing Cream



FAST HEALING WITH EMU OIL AND AROMA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.



57*57*47mm



50*50mm

Recommended Usage Steps:

1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;
2. Apply a thick layer of the numbing cream evenly (1mm) on the skin area;
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;
4. Wipe away the residue, then begin your next procedure.

* Please read the manual carefully and use it according to the instructions.



NUMBING CREAM
Topical Anesthetic

6 HOURS

ENT WT.
1.7oz/50ml

Fast Healing With Emu Oil and Arnica

Topical Discomfort Relieve
Numbing Cream

Warnings:

- For external use only
- Keep out of the reach of children
- Pregnant women or people with skin allergies should seek professional advice before use the cream
- Stop use and ask doctor if irritation or redness or other discomfort occur

QUESTIONS:
Qylink@hotmail.com

170*22mm

44*38*128mm

102*108mm

How to Use it correctly?
-Clean your hands and treatment area thoroughly with mild soap and warm water.
-Gently dry them afterward.
-Apply a thick layer of numbing cream to the treatment area, making sure to cover both the treatment area and its surroundings.
-Leave it on for 40-60 minutes for the best results (keeping it on longer gives better effects).
-Remove any remaining cream and wait an additional 10 minutes for the numbing sensation to reach its peak.

Numbing Cream



FAST HEALING WITH EMU OIL AND AROMA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
-an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding,
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Design by USA, Made in P.R.C.

DRUG FACTS (Continued)

Directions
-For children under 12, consult a doctor.
-For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
-Apply up to 4 times daily.

DIRECTIONS:
Store room temperature 59° -86°F (15°-30°C). Keep away from direct sunlight or heat.

Inactive Ingredients
Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.


Questions or comments?
Contact us at Rqekmy333kk@outlook.com

DISTRIBUTED BY:
FlexiGo Inc
2910 S Tejon St
Englewood Colorado 80110

SHELF LIFE: 3 years

MPG:09/25/2025
EXP:09/24/2028
BATCH NUMBER:20250925-01

Numbing Cream



FAST HEALING WITH EMU OIL AND AROMA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding,
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

44*38*128mm

102*108mm

How to Use it correctly?
-Clean your hands and treatment area thoroughly with mild soap and warm water.
-Gently dry them afterward.
-Apply a thick layer of numbing cream to the treatment area, making sure to cover both the treatment area and its surroundings.
-Leave it on for 40-60 minutes for the best results (keeping it on longer gives better effects).
-Remove any remaining cream and wait an additional 10 minutes for the numbing sensation to reach its peak.

Numbing Cream



FAST HEALING WITH EMU OIL AND ARNICA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
-an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding,
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Design by USA, Made in P.R.C.

DRUG FACTS (Continued)

Directions
-For children under 12, consult a doctor.
-For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
-Apply up to 4 times daily.

DIRECTIONS:
Store room temperature 59° -86°F (15°-30°C). Keep away from direct sunlight or heat.

Inactive Ingredients
Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.


Questions or comments?
Contact us at Rqekmy333kk@outlook.com

DISTRIBUTED BY:
FlexiGo Inc
2910 S Tejon St
Englewood Colorado 80110

SHELF LIFE: 3 years

MPG:09/25/2025
EXP:09/24/2028
BATCH NUMBER:20250925-01

Numbing Cream



FAST HEALING WITH EMU OIL AND ARNICA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.



57*57*47mm



50*50mm

Recommended Usage Steps:

1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;
2. Apply a thick layer of the numbing cream evenly (1mm) on the skin area;
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;
4. Wipe away the residue, then begin your next procedure.

* Please read the manual carefully and use it according to the instructions.



NUMBING CREAM
Topical Anesthetic

6 HOURS

ENT WT.
1.7oz/50ml

Fast Healing With Emu Oil and Arnica

Topical Discomfort Relieve
Numbing Cream

Warnings:

- For external use only
- Keep out of the reach of children
- Pregnant women or people with skin allergies should seek professional advice before use the cream
- Stop use and ask doctor if irritation or redness or other discomfort occur

QUESTIONS:
Qylink@hotmail.com

170*22mm



57*57*47mm



50*50mm

Recommended Usage Steps:

1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;
2. Apply a thick layer of the numbing cream evenly (1mm) on the skin area;
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;
4. Wipe away the residue, then begin your next procedure.

* Please read the manual carefully and use it according to the instructions.



NUMBING CREAM
Topical Anesthetic

6 HOURS

ENT WT.
1.7oz/50ml

Fast Healing With Emu Oil and Arnica

Topical Discomfort Relief
Numbing Cream

Warnings:

- For external use only
- Keep out of the reach of children
- Pregnant women or people with skin allergies should seek professional advice before use the cream
- Stop use and ask doctor if irritation or redness or other discomfort occur

QUESTIONS:
Qylink@hotmail.com

170*22mm

44*38*128mm

102*108mm

How to Use it correctly?
-Clean your hands and treatment area thoroughly with mild soap and warm water.
-Gently dry them afterward.
-Apply a thick layer of numbing cream to the treatment area, making sure to cover both the treatment area and its surroundings.
-Leave it on for 40-60 minutes for the best results (keeping it on longer gives better effects).
-Remove any remaining cream and wait an additional 10 minutes for the numbing sensation to reach its peak.

Numbing Cream



FAST HEALING WITH EMU OIL AND AROMA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
-an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding,
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Design by USA, Made in P.R.C.

DRUG FACTS (Continued)

Directions
-For children under 12, consult a doctor.
-For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
-Apply up to 4 times daily.

DIRECTIONS:
Store room temperature 59° -86°F (15°-30°C). Keep away from direct sunlight or heat.

Inactive Ingredients
Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.


Questions or comments?
Contact us at Rqekmy333kk@outlook.com

DISTRIBUTED BY:
FlexiGo Inc
2910 S Tejon St
Englewood Colorado 80110

SHELF LIFE: 3 years

MPG:09/25/2025
EXP:09/24/2028
BATCH NUMBER:20250925-01

Numbing Cream



FAST HEALING WITH EMU OIL AND AROMA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

44*38*128mm

102*108mm

How to Use it correctly?
-Clean your hands and treatment area thoroughly with mild soap and warm water.
-Gently dry them afterward.
-Apply a thick layer of numbing cream to the treatment area, making sure to cover both the treatment area and its surroundings.
-Leave it on for 40-60 minutes for the best results (keeping it on longer gives better effects).
-Remove any remaining cream and wait an additional 10 minutes for the numbing sensation to reach its peak.

Numbing Cream



FAST HEALING WITH EMU OIL AND AROMA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
-an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding,
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Design by USA, Made in P.R.C.

DRUG FACTS (Continued)

Directions
-For children under 12, consult a doctor.
-For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
-Apply up to 4 times daily.

DIRECTIONS:
Store room temperature 59° -86°F (15°-30°C). Keep away from direct sunlight or heat.

Inactive Ingredients
Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.


Questions or comments?
Contact us at Rqekmy333kk@outlook.com

DISTRIBUTED BY:
FlexiGo Inc
2910 S Tejon St
Englewood Colorado 80110

SHELF LIFE: 3 years

MPG:09/25/2025
EXP:09/24/2028
BATCH NUMBER:20250925-01

Numbing Cream



FAST HEALING WITH EMU OIL AND AROMA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.



57*57*47mm



50*50mm

Recommended Usage Steps:

1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;
2. Apply a thick layer of the numbing cream evenly (1mm) on the skin area;
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;
4. Wipe away the residue, then begin your next procedure.

* Please read the manual carefully and use it according to the instructions.



NUMBING CREAM
Topical Anesthetic

6 HOURS

ENT WT.
1.7oz/50ml

Fast Healing With Emu Oil and Arnica

Topical Discomfort Relieve
Numbing Cream

Warnings:

- For external use only
- Keep out of the reach of children
- Pregnant women or people with skin allergies should seek professional advice before use the cream
- Stop use and ask doctor if irritation or redness or other discomfort occur

QUESTIONS:
Qylink@hotmail.com

170*22mm



57*57*47mm



50*50mm

Recommended Usage Steps:

1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;
2. Apply a thick layer of the numbing cream evenly (1mm) on the skin area;
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;
4. Wipe away the residue, then begin your next procedure.

* Please read the manual carefully and use it according to the instructions.



NUMBING CREAM
Topical Anesthetic

6 HOURS

ENT WT.
1.7oz/50ml

Fast Healing With Emu Oil and Arnica

Topical Discomfort Relief
Numbing Cream

Warnings:

- For external use only
- Keep out of the reach of children
- Pregnant women or people with skin allergies should seek professional advice before use the cream
- Stop use and ask doctor if irritation or redness or other discomfort occur

QUESTIONS:
Qylink@hotmail.com

170*22mm

44*38*128mm

102*108mm

How to Use it correctly?
-Clean your hands and treatment area thoroughly with mild soap and warm water.
-Gently dry them afterward.
-Apply a thick layer of numbing cream to the treatment area, making sure to cover both the treatment area and its surroundings.
-Leave it on for 40-60 minutes for the best results (keeping it on longer gives better effects).
-Remove any remaining cream and wait an additional 10 minutes for the numbing sensation to reach its peak.

Numbing Cream



FAST HEALING WITH EMU OIL AND AROMA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
-an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding,
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Design by USA, Made in P.R.C.

DRUG FACTS (Continued)

Directions
-For children under 12, consult a doctor.
-For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
-Apply up to 4 times daily.

DIRECTIONS:
Store room temperature 59° -86°F (15°-30°C). Keep away from direct sunlight or heat.

Inactive Ingredients
Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.


Questions or comments?
Contact us at Rqekmy333kk@outlook.com

DISTRIBUTED BY:
FlexiGo Inc
2910 S Tejon St
Englewood Colorado 80110

SHELF LIFE: 3 years

MPG:09/25/2025
EXP:09/24/2028
BATCH NUMBER:20250925-01

Numbing Cream



FAST HEALING WITH EMU OIL AND AROMA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.



57*57*47mm



50*50mm

Recommended Usage Steps:

1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;
2. Apply a thick layer of the numbing cream evenly (1mm) on the skin area;
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;
4. Wipe away the residue, then begin your next procedure.

* Please read the manual carefully and use it according to the instructions.

Topical Discomfort Relieve
Numbing Cream

Warnings:

- For external use only
- Keep out of the reach of children
- Pregnant women or people with skin allergies should seek professional advice before use the cream
- Stop use and ask doctor if irritation or redness or other discomfort occur

QUESTIONS:
Qylink@hotmail.com

170*22mm

44*38*128mm

102*108mm

How to Use it correctly?
-Clean your hands and treatment area thoroughly with mild soap and warm water.
-Gently dry them afterward.
-Apply a thick layer of numbing cream to the treatment area, making sure to cover both the treatment area and its surroundings.
-Leave it on for 40-60 minutes for the best results (keeping it on longer gives better effects).
-Remove any remaining cream and wait an additional 10 minutes for the numbing sensation to reach its peak.

Numbing Cream



FAST HEALING WITH EMU OIL AND AROMA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
-an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding,
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Design by USA, Made in P.R.C.

DRUG FACTS (Continued)

Directions
-For children under 12, consult a doctor.
-For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
-Apply up to 4 times daily.

DIRECTIONS:
Store room temperature 59° -86°F (15°-30°C). Keep away from direct sunlight or heat.

Inactive Ingredients
Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.


Questions or comments?
Contact us at Rqekmy333kk@outlook.com

DISTRIBUTED BY:
FlexiGo Inc
2910 S Tejon St
Englewood Colorado 80110

SHELF LIFE: 3 years

MPG:09/25/2025
EXP:09/24/2028
BATCH NUMBER:20250925-01

Numbing Cream



FAST HEALING WITH EMU OIL AND AROMA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.



57*57*47mm



50*50mm

Recommended Usage Steps:

1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;
2. Apply a thick layer of the numbing cream evenly (1mm) on the skin area;
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;
4. Wipe away the residue, then begin your next procedure.

* Please read the manual carefully and use it according to the instructions.

Topical Discomfort Relieve
Numbing Cream

Warnings:

- For external use only
- Keep out of the reach of children
- Pregnant women or people with skin allergies should seek professional advice before use the cream
- Stop use and ask doctor if irritation or redness or other discomfort occur

QUESTIONS:
Qylink@hotmail.com

170*22mm

44*38*128mm

102*108mm

How to Use it correctly?
-Clean your hands and treatment area thoroughly with mild soap and warm water.
-Gently dry them afterward.
-Apply a thick layer of numbing cream to the treatment area, making sure to cover both the treatment area and its surroundings.
-Leave it on for 40-60 minutes for the best results (keeping it on longer gives better effects).
-Remove any remaining cream and wait an additional 10 minutes for the numbing sensation to reach its peak.

Numbing Cream



FAST HEALING WITH EMU OIL AND AROMA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
-an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding,
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Design by USA, Made in P.R.C.

DRUG FACTS (Continued)

Directions
-For children under 12, consult a doctor.
-For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
-Apply up to 4 times daily.

DIRECTIONS:
Store room temperature 59° -86°F (15°-30°C). Keep away from direct sunlight or heat.

Inactive Ingredients
Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.


Questions or comments?
Contact us at Rqekmy333kk@outlook.com

DISTRIBUTED BY:
FlexiGo Inc
2910 S Tejon St
Englewood Colorado 80110

SHELF LIFE: 3 years

MPG:09/25/2025
EXP:09/24/2028
BATCH NUMBER:20250925-01

Numbing Cream



FAST HEALING WITH EMU OIL AND AROMA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.



57*57*47mm



50*50mm

Recommended Usage Steps:

1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;
2. Apply a thick layer of the numbing cream evenly (1mm) on the skin area;
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;
4. Wipe away the residue, then begin your next procedure.

* Please read the manual carefully and use it according to the instructions.

Topical Discomfort Relieve
Numbing Cream

Warnings:

- For external use only
- Keep out of the reach of children
- Pregnant women or people with skin allergies should seek professional advice before use the cream
- Stop use and ask doctor if irritation or redness or other discomfort occur

QUESTIONS:
Qylink@hotmail.com

170*22mm

44*38*128mm

102*108mm

How to Use it correctly?
-Clean your hands and treatment area thoroughly with mild soap and warm water.
-Gently dry them afterward.
-Apply a thick layer of numbing cream to the treatment area, making sure to cover both the treatment area and its surroundings.
-Leave it on for 40-60 minutes for the best results (keeping it on longer gives better effects).
-Remove any remaining cream and wait an additional 10 minutes for the numbing sensation to reach its peak.

Numbing Cream



FAST HEALING WITH EMU OIL AND AROMA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
-an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding,
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.

Design by USA, Made in P.R.C.

DRUG FACTS (Continued)

Directions
-For children under 12, consult a doctor.
-For adults: If possible, clean the affected area with mild soap and warm water, making sure to rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product.
-Apply up to 4 times daily.

DIRECTIONS:
Store room temperature 59° -86°F (15°-30°C). Keep away from direct sunlight or heat.

Inactive Ingredients
Carbomer 934, Lecithin(Soybean), Emu Oil, Arnica, Propylene Glycol, Tocopheryl Acetate, Benzyl Alcohol, Aqua.


Questions or comments?
Contact us at Rqekmy333kk@outlook.com

DISTRIBUTED BY:
FlexiGo Inc
2910 S Tejon St
Englewood Colorado 80110

SHELF LIFE: 3 years

MPG:09/25/2025
EXP:09/24/2028
BATCH NUMBER:20250925-01

Numbing Cream



FAST HEALING WITH EMU OIL AND AROMA
MAXIMUM STRENGTH LONG LASTING NUMBNESS

Net Wt. 60ML/2 OZ

DRUG FACTS:

Active Ingredient	Purpose
Menthol 1%	Local Anesthetic

Uses:
For the temporary alleviation of localized discomfort, pruritus, pain, or burning sensation in the perianal area associated with anorectal disorders.

Warning
(For external use only)

Stop and ask a doctor if
an allergic reaction occurs.
-symptom does not improve or if redness, irritation, swelling, pain or other symptoms develop or increase.

When using this product
do not exceed the recommended daily dosage unless directed by a doctor. Avoid inserting this product into the rectum using fingers, medical devices or applicators. Do not use if you are allergic to the ingredients in this product or if the seal is broken or missing.

If pregnant or breast-feeding
ask a health professional before use. Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away.



57*57*47mm



50*50mm

Recommended Usage Steps:

1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;
2. Apply a thick layer of the numbing cream evenly (1mm) on the skin area;
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;
4. Wipe away the residue, then begin your next procedure.

* Please read the manual carefully and use it according to the instructions.

NUMBING CREAM
Topical Anesthetic



6 HOURS

ENT WT.
1.7oz/50ml

Fast Healing With Emu Oil and Arnica

Topical Discomfort Relief
Numbing Cream

Warnings:



- For external use only
- Keep out of the reach of children
- Pregnant women or people with skin allergies should seek professional advice before use the cream
- Stop use and ask doctor if irritation or redness or other discomfort occur

QUESTIONS:
Qylink@hotmail.com

170*22mm

44*38*128mm

102*108mm



NUMBING CREAM

menthol cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85524-2520
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)		MENTHOL	1 g in 100 mL
Inactive Ingredients			
Ingredient Name			Strength
CARBOMER 934 (UNII: Z135WT9208)			
Product Characteristics			
Color	white	Score	

Shape		Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85524-2520-2	1 in 1 BOX	10/16/2025	
1	NDC:85524-2520-1	60 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:85524-2520-4	1 in 1 BOX	10/16/2025	
2	NDC:85524-2520-3	50 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017		10/16/2025	

Labeler - FlexiGo Inc (118951527)

Registrant - FlexiGo Inc (118951527)

Establishment			
Name	Address	ID/FEI	Business Operations
FlexiGo Inc		118951527	label(85524-2520) , manufacture(85524-2520)