# NUMBING CREAM- menthol cream FlexiGo Inc

-----





Recommended Usage Steps:

1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them,
2. Apply a thick layer of the numbing cream evently (firm) on the skin area;
3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;
4. Wipe away the residue, then begain your next procrdure.

\* Please read the manual carefully and use it according to the instructions.

\* Please read the manual carefully and use it according to the instructions.



- Neconfilmented to Sage Steps:

  1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;

  2. Apply a thick layer of the numbing cream eventy (1mm) on the skin area.

  3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;

  4. Wipe away the residue, then begain your next procrdure.

\* Please read the manual carefully and use it according to the instructions.

**NUMBING CREAM** 

Topical Discomfort Relife Numbing Cream



- Neconfilmented to Sage Steps:

  1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;

  2. Apply a thick layer of the numbing cream eventy (1mm) on the skin area.

  3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;

  4. Wipe away the residue, then begain your next procrdure.


\* Please read the manual carefully and use it according to the instructions.

**NUMBING CREAM** 

Topical Discomfort Relife Numbing Cream







- Neconfilmented to Sage Steps:

  1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;

  2. Apply a thick layer of the numbing cream eventy (1mm) on the skin area.

  3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;

  4. Wipe away the residue, then begain your next procrdure.


\* Please read the manual carefully and use it according to the instructions.

**NUMBING CREAM** 

Topical Discomfort Relife Numbing Cream







- Neconfilmented to Sage Steps:

  1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;

  2. Apply a thick layer of the numbing cream eventy (1mm) on the skin area.

  3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;

  4. Wipe away the residue, then begain your next procrdure.


\* Please read the manual carefully and use it according to the instructions.

**NUMBING CREAM** 

Topical Discomfort Relife Numbing Cream







- Neconfilmented to Sage Steps:

  1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;

  2. Apply a thick layer of the numbing cream eventy (1mm) on the skin area.

  3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;

  4. Wipe away the residue, then begain your next procrdure.


\* Please read the manual carefully and use it according to the instructions.

**NUMBING CREAM** 

Topical Discomfort Relife Numbing Cream







- Neconfilmented to Sage Steps:

  1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;

  2. Apply a thick layer of the numbing cream eventy (1mm) on the skin area.

  3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;

  4. Wipe away the residue, then begain your next procrdure.

\* Please read the manual carefully and use it according to the instructions.

**NUMBING CREAM** 

Topical Discomfort Relife Numbing Cream







- Neconfilmented to Sage Steps:

  1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;

  2. Apply a thick layer of the numbing cream eventy (1mm) on the skin area.

  3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;

  4. Wipe away the residue, then begain your next procrdure.

\* Please read the manual carefully and use it according to the instructions.

**NUMBING CREAM** 

Topical Discomfort Relife Numbing Cream







- Neconfilmented to Sage Steps:

  1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;

  2. Apply a thick layer of the numbing cream eventy (1mm) on the skin area.

  3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;

  4. Wipe away the residue, then begain your next procrdure.

\* Please read the manual carefully and use it according to the instructions.

**NUMBING CREAM** 

Topical Discomfort Relife Numbing Cream







- Neconfilmented to Sage Steps:

  1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;

  2. Apply a thick layer of the numbing cream eventy (1mm) on the skin area.

  3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;

  4. Wipe away the residue, then begain your next procrdure.

\* Please read the manual carefully and use it according to the instructions.

**NUMBING CREAM** 

Topical Discomfort Relife Numbing Cream







- Neconfilmented to Sage Steps:

  1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;

  2. Apply a thick layer of the numbing cream eventy (1mm) on the skin area.

  3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;

  4. Wipe away the residue, then begain your next procrdure.

\* Please read the manual carefully and use it according to the instructions.

**NUMBING CREAM** 

Topical Discomfort Relife Numbing Cream







- Neconfilmented to Sage Steps:

  1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;

  2. Apply a thick layer of the numbing cream eventy (1mm) on the skin area.

  3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;

  4. Wipe away the residue, then begain your next procrdure.

\* Please read the manual carefully and use it according to the instructions.

**NUMBING CREAM** 

Topical Discomfort Relife Numbing Cream







- Neconfilmented to Sage Steps:

  1. Clean your hands and the skin area with soap and warm water, rinse thoroughly and then gently dry them;

  2. Apply a thick layer of the numbing cream eventy (1mm) on the skin area.

  3. Wrap the treatment area with plastic tightly, and wait 45-60 minutes to the numbness peak;

  4. Wipe away the residue, then begain your next procrdure.

\* Please read the manual carefully and use it according to the instructions.

**NUMBING CREAM** 

Topical Discomfort Relife Numbing Cream



57\*57\*47mm





## 170\*22mm

### **NUMBING CREAM** menthol cream **Product Information Product Type** HUMAN OTC DRUG **Item Code (Source)** NDC:85524-2519 **Route of Administration TOPICAL Active Ingredient/Active Moiety Ingredient Name Basis of Strength** Strength MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) 1 g in 100 g **MENTHOL**

Inactive Ingredients		
Ingredient Name	Strength	
CARBOMER 934 (UNII: Z135WT9208)		

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85524- 2519-2	1 in 1 BOX	10/17/2025	
1	NDC:85524- 2519-1	50 g in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:85524- 2519-4	1 in 1 BOX	10/17/2025	
2	NDC:85524- 2519-3	50 g in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/17/2025	

### Labeler - FlexiGo Inc (118951527)

Establishment			
Name	Address	ID/FEI	Business Operations
FlexiGo Inc		118951527	label(85524-2519), manufacture(85524-2519)

Revised: 10/2025 FlexiGo Inc