

**DR MELLAXEEN SKIN SAVER ACNE RELIEF STICK- salicylic acid stick**  
**Longway Technology(Guangzhou) Co., Ltd.**

-----  
**For external use only**

When using this product

avoid contact with the eyes, lips, and mouth. If contact occurs, flush thoroughly with water.

skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

skin irritation may occur, characterized redness, burning, itching, peeling or possibly swelling. Irritation may be reduced by using the product frequently or in a lower concentration.

If Swallowed, Get Medical Help or Contact a Poison Control Center right away

WATER, GLYCERIN, BETAINE, POLYACRYLATE CROSSPOLYMER-  
6, PHENOXYETHANOL, SODIUM HYDROXIDE, ECTOIN, ETHYLHEXYLGLYCERIN

**Uses**

For the treatment of acne

Reduces the number of acne blemishes

protect the product in this container from excessive heat and direct sun

Acne treatment

**Directions**

wet area to be deansed.

apply acne wash and gently massage area for 1-2 minutes.

rinse thoroughly and pat dry.

cover the entire affected area with a thin layer one to three times daily.

because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.

if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Longway Lab Inc.

[www.longwaylab.com](http://www.longwaylab.com)

SALICYLIC ACID:2%



## Dr.Mellaxeen SKIN SAVER

### Drug Facts

**Active ingredient** **Purpose**  
SALICYLIC ACID 2% Acne treatment

#### Uses

- For the treatment of acne
- Reduces the number of acne blemishes

#### Warnings

For external use only

#### When using this product

- avoid contact with the eyes, lips, and mouth. If contact occurs, flush thoroughly with water.
- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- skin irritation may occur, characterized by redness, burning, itching, peeling or possibly swelling. Irritation may be reduced by using the product frequently or in a lower concentration.

Keep out of the reach of children. If Swallowed, Get Medical Help or Contact a Poison Control Center right away

#### Directions

- wet area to be cleansed
- apply acne wash and gently massage area for 1-2 minutes
- rinse thoroughly and pat dry
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

#### Other information

protect the product in this container from excessive heat and direct sun

#### Inactive ingredients

WATER, GLYCERIN, BETAINE, POLYACRYLATE CROSSPOLYMER-6, PHENOXYETHANOL, SODIUM HYDROXIDE, ECTOIN, ETHYLHEXYLGLYCERIN

#### Questions or comments?

Longway Lab Inc.  
www.longwaylab.com

Distributed by: Longway Lab Inc.  
Email: [service@longwaylab.com](mailto:service@longwaylab.com)  
Website: [www.longwaylab.com](http://www.longwaylab.com)  
Address: 1500 N GRANT ST STE R  
DENVER CO 80203  
US

Formulated by Longway Lab Inc.  
Distributed by Longway Lab Inc.

NDC:87246-001-01

Dr.Mellaxeen



24 Hours Fast Relief

Dr.Mellaxeen



Non-Irritating

Dr.Mellaxeen




Intensive Repair



Dr.Mellaxeen

SKIN SAVER

Powered by 2% Salicylic Acid



SKIN SAVER

BHA & ECTOIN

ACNE RELIEF STICK

For all skin types

Active ingredients: SALICYLIC ACID

#### Uses

For the treatment of acne  
Reduces the number of  
acne blemishes

NET CONTENTS 0.5 fl.oz. (15mL)

DR MELLAXEEN SKIN SAVER ACNE RELIEF STICK

salicylic acid stick

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85161-133
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.02 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
POLYACRYLATE CROSSPOLYMER-6 (UNII: Q7UI015FF9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ECTOINE (UNII: 7GXZ3858RY)	
GLYCERIN (UNII: PDC6A3C0OX)	
BETAINE (UNII: 3SCV180C9W)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
WATER (UNII: 059QF0KO0R)	

## Product Characteristics

Color		Score	
Shape	FREEFORM	Size	
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85161-133-01	1 in 1 BOX	01/15/2026	
1		1 g in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	01/15/2026	

**Labeler** - Longway Technology(Guangzhou) Co., Ltd. (844528915)

**Registrant** - Longway Technology(Guangzhou) Co., Ltd. (844528915)

Revised: 10/2025

Longway Technology(Guangzhou) Co., Ltd.