

DEFEND - iodine liquid
BouMatic, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Defend

Premium Sanitizing Teat Dip

ACTIVE INGREDIENT: 1% Titratable Iodine. Contains 10% Emollients.

DIRECTIONS FOR USE

Pre-Dipping

1. Remove excessive organic soils from teats prior to the application of the teat dip solution.
2. Forestrip milk from each quarter for mastitis detection and to initiate milk "let down". (This procedure may be implemented after application of pre-dip as outlined in Step 3.)
3. Apply DEFEND! with either a dip cup or a sprayer completely covering the entire teat with the teat dip solution. Allow for 15-45 seconds contact time.
4. Wipe each teat with a single service towel removing all dip and soil from teat surface.
5. Attach milking unit.

Post-Dipping

1. After removal of milking unit, apply DEFEND! with either a dip cup or sprayer completely covering the entire teat with the teat dip solution.

DO NOT DILUTE TEAT DIP – USE AT FULL STRENGTH.

IF TEAT DIP BECOMES CLOUDY OR DIRTY, DISCARD AND REPLACE WITH FRESH DIP. DO NOT RETURN CONTAMINATED DIP TO ORIGINAL CONTAINER.

IF FROZEN, THAW COMPLETELY AND MIX WELL BEFORE USING.

PRECAUTIONARY STATEMENTS

Danger - Keep Out of Reach of Children - Can Cause Eye Damage

Protect eyes when handling. DO NOT get in eyes or on clothing.

Harmful if swallowed. Avoid contamination of food.

First Aid

EYES: In case of contact with eyes, flush immediately with plenty of water for at least 15 minutes. Call a physician.

INTERNAL: If swallowed, promptly rinse mouth then give a large quantity of milk or water. Avoid alcohol. Contact a physician immediately. Never give anything by mouth to an unconscious person.

For Assistance with Medical Emergency, Call: 1-800-255-3924.

Refer to Material Safety Data Sheet.



VAN DAIRY EQUIPMENT CO., INC.

DEFEND!

ium Sanitizing Teat Dip

INGREDIENT: 1% Titratable Iodine. Contains 10% Emollients.

USINGS FOR USE

1. Remove organic soils from teats prior to the application of the teat dip

2. Milk from each quarter for mastitis detection and to initiate milk "let down".
3. Teat dip may be implemented after application of pre-dip as outlined in Step 3.)

4. Apply DEFEND! with either a dip cup or a sprayer completely covering the entire teat.
5. Allow for 15-45 seconds contact time.
6. Dip solution. Allow for 15-45 seconds contact time.
7. Dip solution. Allow for 15-45 seconds contact time.
8. Dip solution. Allow for 15-45 seconds contact time.
9. Dip solution. Allow for 15-45 seconds contact time.
10. Dip solution. Allow for 15-45 seconds contact time.
11. Dip solution. Allow for 15-45 seconds contact time.
12. Dip solution. Allow for 15-45 seconds contact time.
13. Dip solution. Allow for 15-45 seconds contact time.
14. Dip solution. Allow for 15-45 seconds contact time.
15. Dip solution. Allow for 15-45 seconds contact time.
16. Dip solution. Allow for 15-45 seconds contact time.
17. Dip solution. Allow for 15-45 seconds contact time.
18. Dip solution. Allow for 15-45 seconds contact time.
19. Dip solution. Allow for 15-45 seconds contact time.

20. Dip solution. Allow for 15-45 seconds contact time.
21. Dip solution. Allow for 15-45 seconds contact time.
22. Dip solution. Allow for 15-45 seconds contact time.
23. Dip solution. Allow for 15-45 seconds contact time.
24. Dip solution. Allow for 15-45 seconds contact time.
25. Dip solution. Allow for 15-45 seconds contact time.
26. Dip solution. Allow for 15-45 seconds contact time.
27. Dip solution. Allow for 15-45 seconds contact time.
28. Dip solution. Allow for 15-45 seconds contact time.
29. Dip solution. Allow for 15-45 seconds contact time.
30. Dip solution. Allow for 15-45 seconds contact time.

RETURN CONTAMINATED DIP TO ORIGINAL CONTAINER. IF FROZEN, LETELY AND MIX WELL BEFORE USING.

CAUTIONARY STATEMENTS

Keep Out of Reach of Children - Can Cause Eye Damage
When handling, DO NOT get in eyes or on clothing.
Avoid contamination of food.

Avoid contact with eyes. Flush immediately with plenty of water for at least 15 minutes.
Avoid contact with eyes. Flush immediately with plenty of water for at least 15 minutes.

Swallowing, promptly rinse mouth then give a large quantity of milk or water.
Contact a physician immediately. Never give anything by mouth to an infant.

For more information, contact your local distributor or call:
1-800-255-3924.
Material Safety Data Sheet.


Lot #:
Expires:
Net Contents:

SKU:



TAKE TIME

OBSERVE LABEL DIRECTIONS



"Serving Michigan Dairy Producers Since 1962"

Repackaged by: **BROWN DAIRY EQUIPMENT Co., Inc.**
2153 N. Van Dyke • Bad Axe • Michigan 48413 (800) 373-2153
Distributed by: **BOUMATIC LLC**
1919 S. Stoughton Rd • Madison • Wisconsin 53708 (608) 222-3484



Enter section text here

DEFEND

iodine liquid

Product Information

| | | | |
|--------------------------------|-----------------|---------------------------|-----------------|
| Product Type | OTC ANIMAL DRUG | Item Code (Source) | NDC:48 106-1192 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|-----------------|
| IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4) | IODINE | 10 g in 1 L |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|-------------------|---|----------------------|--------------------|
| 1 | NDC:48 106-1192-1 | 3.8 L in 1 DRUM | | |
| 2 | NDC:48 106-1192-2 | 18.9 L in 1 DRUM | | |
| 3 | NDC:48 106-1192-3 | 56.8 L in 1 DRUM | | |
| 4 | NDC:48 106-1192-4 | 114 L in 1 DRUM | | |
| 5 | NDC:48 106-1192-5 | 208 L in 1 DRUM | | |
| 6 | NDC:48 106-1192-6 | 1040 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|-----------------------|--|----------------------|--------------------|
| unapproved drug other | | 08/01/2007 | |

Labeler - BouMatic, LLC (124727400)

Registrant - BouMatic, LLC (124727400)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------------|---------|-----------|------------------------------|
| BouMatic, LLC | | 124727400 | manufacture, api manufacture |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-----------------------|---------|------------|---------------------|
| BROWN DAIRY EQUIPMENT | | 028 199899 | repack |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-----------------------|---------|-------------|---------------------|
| BROWN DAIRY EQUIPMENT | | 0170 30 149 | repack |