

RITE AID RENEWAL BABY SUNSCREEN SPF 60- titanium dioxide zinc oxide lotion
RITE AID CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Titanium Dioxide 2.8%

Zinc Oxide 4.0%

Purpose

Sunscreen

Warnings

For external use only.

Do not use on damaged skin or broken skin. Rinse with water to remove

When using this product keep out of eyes.

stop use and ask a doctor if rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

May stain some fabrics.

DIRECTIONS:

- apply liberally 15 minutes before sun exposure
- reapply: after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

Sun protection measures.

Spending time in the sun increase your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 am - 2 pm
- Wear long sleeves shirts, pants, hats and sunglasses
- children under 6 month of age: Ask a doctor

OTHER INFORMATION:

protect this product from excessive heat and direct sun

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions).
- decrease the risk of skin cancer and early skin caused by the sun.

Principal Display Panel

RITE

AID

RENEWAL

baby

SUNSCREEN LOTION

BROAD SPECTRUM

SPF 60

UVA/UVB Protection

Water Resistant (80 minutes)

Hypoallergenic

RECOMMENDED

SKIN

CANCER

FOUNDATION

ACTIVE

RECOMMENDED AS

AN EFFECTIVE

BROAD SPECTRUM

SUNSCREEN

3 FL OZ

NO PRINT AREA

All copy must be below the eye-mark Eye Mark

RITE AID

RENEWAL™

baby

SUNSCREEN LOTION

BROAD SPECTRUM SPF 60

UVA/UVB Protection
Water Resistant (80 minutes)
Hypoallergenic

RECOMMENDED AS AN EFFECTIVE BROAD SPECTRUM SUNSCREEN

3 FL OZ (88 mL)

RECOMMENDED BY SKIN CANCER FOUNDATION ACTIVE

0 11822 51525 2

ITEM# 351525 93005295

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 2.8%, Zinc Oxide 4.0%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. • May stain some fabrics.

Directions
• apply liberally 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. - 2 p.m.
• wear long-sleeve shirts, pants, hats and sunglasses
• children under 6 months of age: Ask a doctor

Inactive ingredients
Water, Caprylic/Capric Triglyceride, Butyloctyl Salicylate, Phenethyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Ozokerite, Cyclopentasiloxane, Cyclohexasiloxane, C30-38 Olefin/Isopropyl Maleate/MA Copolymer, Ethylhexyl Methacrylate, PEG-8, Sodium Chloride, Caprylyl Glycol, Dimethicone, Alumina, Methicone, Glycerin, Sodium Citrate, Disodium EDTA, Panthenol, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice, Phenoxyethanol.

Other information
• protect this product from excessive heat and direct sun

DISTRIBUTED BY:
RITE AID, 30 HUNTER LANE
CAMP HILL, PA 17011
MADE IN USA

IF YOU'RE NOT SATISFIED, WE'LL HAPPILY REFUND YOUR MONEY.

No Text in This Area

UPC:
BLACK BARS
OVER WHITE
BOX

(88 mL)

INACTIVE INGREDIENTS:

Water, Caprylic Capric Triglyceride, Butyloctyl Salicylate, Phenethyl Benzoate, Cetyl PEG/PPG-10/1 Dimethicone, Lauryl PEG-8 Dimethicone, Ozokerite, Cyclopentasiloxane, Cyclohexasiloxane, C30-38 Olefin/Isopropyl Maleate MA Copolymer, Ethylhexyl Methacrylate, PEG-8, Sodium Chloride, Caprylyl Glycol, Dimethicone, Alumina, Methicone, Glycerin, Sodium Citrate, Disodium EDTA, Panthenol, Tocopheryl Acetate, Aloe Barbadensis Leaf Juice, Phenoxyethanol.

RITE AID RENEWAL BABY SUNSCREEN SPF 60

titanium dioxide zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-9027
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.8 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
TRICAPRIN (UNII: O1PB8EU98M)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PHENETHYL BENZOATE (UNII: 0C143929GK)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
DIMETHICONE (UNII: 92RU3N3Y10)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PANTHENOL (UNII: WV9CM0O67Z)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
ALUMINUM OXIDE (UNII: LM26O6933)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-9027-2	85 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	08/06/2013	

Labeler - RITE AID CORPORATION (014578892)