

LIDOCARE 03- 4% lidocaine patch
Kingsway Pharmaceuticals dba NFI, LLC

Lidocaine Back / Shoulder Patch

Active Ingredients

Lidocaine 4%

Purpose

Topical anesthetic

Use

For the temporary relief of pain.

Warnings

For external use only.

Do not use if pouch is damaged or opened. Do not use

- on large areas of the body or on cut, irritated skin
- on open wounds or sensitive skin
- for more than one week without consulting a doctor
- **do not use if you are allergic to lidocaine or any of the inactive ingredients listed below.**

When using this product

- use only as directed. Read and follow all directions and warnings on this package.
- do not allow contact with the eyes
- do not bandage or apply local heat (such as heating pads) to the area of use
- **do not reuse patch.**

Stop use and ask doctor if

- condition worsens
- rash, itching or skin irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

If pregnant or breast feeding,

ask a health professional before use.

Keep out of reach of children and pets.

If swallowed, get medical help or contact Poison Control Center right away.

Directions

Adults and children over 12 years of age: Apply patch to affected area every 8 to 12 hours.

Children 12 years or younger: Consult a physician before use.

Instructions for Use

- clean and dry affected area
- cut open pouch and remove the patch
- remove clear protective liner from the patch
- apply to affected area no more than three (3) times per day
- leave in place for up to 8 but no more than 12 hours
- wash hands thoroughly after applying or removing patch
- some individuals may not experience pain relief until several minutes or hours after applying a patch
- do not use other local anesthetic products in addition to Lidocare.

Storage Information

- protect from freezing or excessive heat
- store at 68°-77°F (20°-25°C).

Inactive Ingredients

Crospovidone, menthoxypropanediol, non-woven backing fabric, polyester film, non-latex rubber based adhesive, vanillyl butyl ether.

DISTRIBUTED BY:

NFI CONSUMER PRODUCTS

501 Fifth Street

Bristol, TN 37620

TOLL FREE: 800-432-9334

WWW.LIDOCARE.COM

PRINCIPAL DISPLAY PANEL - 3 Patch Carton Label

FROM THE MAKERS OF BLUE-EMU®

Lidocare™

4% LIDOCAINE

PAIN RELIEF

PATCH

BACK/SHOULDER

PATENT PENDING
PRESSURE ADHESIVE
PATCH
PATCH SIZE
2.5" x 6"

MADE IN
THE USA

ULTRA-FLEXIBLE
ODOR-FREE
FOR THE TEMPORARY RELIEF OF PAIN

3 PATCHES
1 PATCH PER POUCH



LIDOCARE 03

4% lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69993-400
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g

Inactive Ingredients

Ingredient Name	Strength
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
3-(L-MENTHOXY)-2-METHYLPROPANE-1,2-DIOL (UNII: 649M1Y2P72)	
VANILLYL BUTYL ETHER (UNII: S2ULN37C9R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69993-400-03	3 in 1 CARTON	05/01/2016	
1		1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	05/01/2016	

Labeler - Kingsway Pharmaceuticals dba NFI, LLC (121681919)

Registrant - Kingsway Pharmaceuticals dba NFI, LLC (121681919)

Establishment

Name	Address	ID/FEI	Business Operations
ProSolus, Inc.		079876832	MANUFACTURE(69993-400)

Revised: 1/2025

Kingsway Pharmaceuticals dba NFI, LLC