

WINTER AID- iodine solution solution
West Agro, Inc.

Winter Aid

Winter Aid

Teat Disinfectant

Contains 1% available iodine

50% glycerine

Volume:

Composition/Content Per 100g

Component Amount Active

Ingredients Glycerin-Iodine complex 3.80 g

Sodium iodide 0.90 g

Humectant: Glycerin 48.1 g

Contains 1 g of available iodine and 50 g of glycerin

Indications

Disinfection and sanitization of bovin teats.

Dosage and Administration:

Pour the undiluted solution into a cup or similar container and briefly immerse the teats immediately after each milking.

Precautions

Precautions to Be Observed:

Use this product only for the purposes specified under indications and effects. Follow the designated dosage and administration strictly.

Handling and Disposal Precautions:

Do not use metal cups, as the product is corrosive. Shake well before use. Milk and other organic matter consume available iodine and reduce the disinfecting effect. If a large amount of milk and organic matter mixes into the solution, discard it and refill with fresh product. Store out of reach of children. Avoid contact with food, feed, clothing, and children's toys. Store tightly sealed in a place away from direct sunlight, high temperatures, and humidity, and where freezing does not occur. Do not store near fire or heat sources. If frozen, warm to room temperature and mix thoroughly before use. To avoid misuse and maintain product quality, do not transfer the product to another container. Dispose of used containers in accordance with local municipal regulations.

When discarding the product take care not to contaminate the environment or water systems and follow local disposal regulations.

Precautions During Use

User precautions

If the user develops rash, itching, or other hypersensitivity symptoms, stop use immediately and consult a physician. Wear rubber gloves when handling the product to avoid skin contact. If it contacts the skin, wash immediately with running water.

Avoid eye contact. If the product gets into the eyes, do not rub - rinse immediately with running water. After rinsing for about 5 minutes, remove contact lenses if applicable and continue rinsing. Bring this product label and seek prompt medical attention.

Avoid accidental ingestion. If swallowed, give plenty of water and induce vomiting as appropriate, then seek immediate medical attention.

Precautions for Cattle:

Hypersensitivity reactions such as rash may occur, discontinue use if such symptoms appear.

Consult a veterinarian before use if teats have wounds or cracks. If the cow lies down before teats are dry, manure, bedding, or other organic matter may adhere to them. Keep cows standing until teats are dry after dipping. In cold climates, teats may be at risk of frostbite. After dipping, leave for about one minute, then wipe off with a new paper towel or dry indoors at room temperature.

Other Handling Precautions:

Do not use for pre-milking disinfection. Use undiluted. Use fresh solution for each milking. Clean non-return dipper devices and cups thoroughly before use. Clean all used equipment thoroughly.

Use within the expiry date printed on the packaging.

Product Information Contact: Nippon Zenyaku Kogyo Co., Ltd. 1-1 Hirano-ue, Sasagawa, Asaka-machi, Koriyama-shi, Fukushima 963-0196 Japan.

Toll-Free: 0120-452-793 Hours: 9:00 - 17:00 (excluding weekends and company holidays)

Veterinarians, pharmacists, and other healthcare professionals who become aware of diseases, injuries, or deaths suspected to be related to this product, or infections suspected to be caused by its use, should notify the above contact and also report to: National Veterinary Assay Laboratory
(<http://www.maff.go.jp/nval/iyakutou/fukusayo/sousa/index.html>)

1130-001

【成分及び分量】 100g中

	成分	分量
主 剤	グリセリン・ヨウ素複合体	3.80g
	ヨウ化ナトリウム	0.90g
保湿剤	グリセリン	48.1g

*有効ヨウ素として1g、グリセリンとして50gを含有。



【効能又は効果】 牛の乳頭の殺菌及び消毒

【用法及び用量】

原液をコップ等の容器に入れ、毎搾乳直後、乳頭を短時間浸漬する。

【使用上の注意】

【基本的事項】

1. 守らなければならないこと

(一般的注意)

・本剤は効能・効果において定められた目的にのみ使用すること。

・本剤は定められた用法・用量を厳守すること。

【取扱い及び廃棄のための注意】

・腐食性があるため金属製のコップを使用しないこと。

・よく振り混ぜてから使用すること。

・乳汁等は有効ヨウ素を消費し本剤の消毒効果を減衰させるので、多量の乳汁等が混入した場合は廃棄し、新たに容器に入れ使用すること。

・小児の手の届かないところに保管すること。

・本剤が飲食物、飼料、被服、小児のおもちゃ等にかからないように注意すること。

・本剤の保管は密栓して、直射日光、高温及び多湿を避け、寒冷時に凍結しないような場所に保管すること。

・火気や熱源のそばに保管しないこと。

・万一凍結した場合は、室温にて溶め、使用前に混和すること。

・調用を避け、品質を保持するため、他の容器に入れ替えないこと。

・使用済みの容器は地方公共団体条例等に従い処分すること。

・本剤を廃棄する際は、濃塩や水系を汚染しないように注意し、地方公共団体条例等に従い処分すること。

2. 使用に際して気を付けること

(使用者に対する注意)

・本剤の使用により、使用者に発疹、掻痒感等の過敏性徴候が現れた場合は、直ちに使用を中止し、医師の診察を受けること。

製造元
WESTAGRO® ウェスタアグロ社
アメリカ合衆国カンザスシティ

製造販売元 (輸入・発売元)
ZENOVQ 日本全業工業株式会社
福島県郡山市安積町世川字平ノ上1-1

Made in U.S.A. 001-1130-B0817
© 2017, West Agro, Inc.

SPC1



WESTAGRO®

2017年7月作成
【用法】 室温保存

承認番号 農薬第252号

動物用医薬品

乳頭殺菌消毒剤

ウィンターエイド®

有効ヨウ素1%、グリセリン50%含有

容量:55ガロン(約208L)

Winter Aid



Manufactured by:

WESTAGRO®

11100 N. Congress Ave. Kansas City, MO
64153-1296

・本剤の取扱いにはゴム手袋等を使用し、使用者の皮膚に付着しないように注意すること。万一、使用者の皮膚に付着した場合は、直ちに流水で洗い流すこと。

・本剤が眼に入らないように注意すること。万一使用者の眼に入った場合は、こすらず直ちに流水で洗眼し、本品を持参して速やかに医師の診察を受けること。

・本剤を誤飲しないように注意すること。万一、誤飲した場合は、多量の水を飲ませて吐き出させる等適切な処置を行い、直ちに医師の診察を受けること。

(牛に関する注意)

・本剤の使用により、発疹等の過敏反応が現れることがあるが、このような症状が現れた場合には使用を中止すること。

・乳頭に傷、ひび割れ等がある場合は、使用前に獣医師に相談すること。

・乳頭が乾燥する前に横臥すると、糞、敷き料等の有機物が付着することがあるので、乳頭浸漬後は、乳頭が乾燥するまで牛を立たせておくこと。

・特に寒冷地で使用する場合は、乳頭が凍傷になる恐れがあるので、乳頭浸漬後1分程度処置したあとで、新しいペーパータオル等で拭き取るか、または室温にて乳頭を乾燥させること。

(取扱い上の注意)

・本剤を搾乳機の消毒に使用しないこと。

・本剤は希釈せず原液で使用すること。

・搾乳用に新しい薬剤を用いること。

・デッピンングに用いるノーターンディッパー等の器具は使用する前によく洗浄すること。

・使用した器具は、よく洗浄すること。

【使用期限】 包装に表示の使用期限内に使用すること。

【包装】 5ガロン、15ガロン、55ガロン

【製品情報のお問い合わせ】

日本全業工業株式会社

〒963-0196 福島県郡山市安積町世川字平ノ上1-1

フリーダイヤル 0120-452-793

受付時間 9:00-17:00 (土日祝日・弊社休業日を除く)

獣医師、薬剤師等の医薬関係者は、本剤による副作用などによると疑われる疾病、障害若しくは死亡の発生又は本剤の使用によるものと疑われる感染症の発生に関する事象を知った場合において、保健衛生上の危害の発生又は拡大を防止するために必要があると認めるときは、上記【製品情報お問い合わせ先】に連絡するとともに、農林水産省動物医薬品検査所 (<http://www.maff.go.jp/rwal/fyakutou/fukusayo/sousa/index.html>) にも報告をお願いします。

製造番号:

使用期限:

WINTER AID

iodine solution solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:33392-704
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
iodine (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	iodine	10 g in 1 L

Inactive Ingredients

Ingredient Name	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
PHOSPHORIC ACID (UNII: E4GA8884NN)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM IODIDE (UNII: F5WR8N145C)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:33392-704-01	208 L in 1 DRUM		
2	NDC:33392-704-02	57 L in 1 PAIL		
3	NDC:33392-704-08	19 L in 1 PAIL		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
export only		03/12/2026	

Labeler - West Agro, Inc. (069288728)

Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc.		147528723	manufacture, label, api manufacture, pack, analysis

Establishment

Name	Address	ID/FEI	Business Operations
West Agro, Inc.		095906480	manufacture, label, api manufacture, pack, analysis

Revised: 3/2026

West Agro, Inc.