

MEIJER - avobenzone, homosalate, octisalate, octocrylene lotion
Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredients

Avobenzone	3.0%
Homosalate	15.0%
Octisalate	5.0%
Octocrylene	4.5%
Oxybenzone	6.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures(see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

- **May stain some fabrics**

Directions

- apply liberally 15 minutes before sun exposure
- reapply after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures**
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long sleeve shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor.

Inactive ingredients

Water, Styrene/Acrylates Copolymer, Butyloctyl Salicylate, Glyceryl Stearate, Silica, PEG-100 Stearate, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Caprylyl Methicone, Sodium Polyacrylate, Benzyl Alcohol, Beeswax, Ethylhexyl Stearate, Dimethicone, Cetyl Dimethicone, Xanthan Gum, Trimethylsiloxysilicate, Trideceth-6, Disodium EDTA, Dipotassium Glycyrrhizate, BHT, Chlorphenesin, Fragrance..

Principal Display Panel

meijer

Sheer

Sunscreen lotion

light, clean feel

dermatologist tested

85

Broad Spectrum 85

Water Resistant

(80 Minutes)

3 FL. OZ.

(88 mL)



Drug Facts	
Active ingredients Avobenzone 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 4.5%, Oxybenzone 6.0%	Purpose Sunscreen
Uses • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun	
Warnings For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. • May stain some fabrics	
Directions • apply liberally 15 minutes before sun exposure • reapply: after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeve shirts, pants, hats and sunglasses • children under 6 months of age: Ask a doctor	
Inactive ingredients Water, Styrene/Acrylates Copolymer, Butylbutyl Salicylate, Glyceryl Stearate, Silica, PEG-100 Stearate, Acrylates/C12-22 Alkyl Methacrylate Copolymer, Caprylyl Methicone, Sodium Polyacrylate, Benzyl Alcohol, Beeswax, Ethylhexyl Stearate, Dimethicone, Cetyl Dimethicone, Xanthan Gum, Trimethylsilyloxydimethylsilicate, Trideceth-6, Disodium EDTA, Dipotassium Glycyphosphate, BHT, Chlorphenesin, Fragrance.	
Other information • protect this product from excessive heat and direct sun	

93005544

Made in USA

7 15733 26341 4

DIST. BY MEIJER DISTRIBUTION, INC.
2929 WALKER AVE NW
GRAND RAPIDS, MI 49544
www.meijer.com



Other information

- protect the product from excessive heat and direct sun.

MEIJER

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:41250-035

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	4.5 g in 100 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	6 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
XANTHAN GUM (UNII: TTV12P4NEE)	
TRIDECETH-6 (UNII: 3T5PCR2H0C)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0FE3FX)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CHLORPHENESIN (UNII: I670DAL4SZ)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-035-22	85 g in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	07/12/2013	

Labeler - Meijer Distribution Inc (006959555)