

**ERBORIAN DOUBLE SAMPLE CC CREME CLAIR AND DORE SPF 25- octinoxate,  
octisalate, titanium dioxide, zinc oxide  
LABORATOIRES M&L**

-----  
**ERBORIAN - DOUBLE SAMPLE CC CREME CLAIR & DORE SPF 25**

***Drug Facts***

***Active ingredients***

Ethylhexyl methoxycinnamate / Octinoxate 6.00%

Ethylhexyl salicylate / Octisalate 2.00%

Titanium dioxide 4.97%

Zinc oxide 1.92%

***Purpose***

Sunscreen

***Uses***

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

For external use only

***Do not use***

- on damaged or broken skin

***When using this product***

keep out of eyes. Rinse with water to remove

***Stop use and ask a doctor if***

1. rash occurs.

***Keep out of reach of children.***

If swallowed, get medical help or contact a Poison Control Center right away

***Directions***

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- SunProtectionMeasures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses
  - Children under 6 months of age: Ask a doctor

### ***Other information***

- Protect the product in this container from excessive heat and direct sun

### ***Inactive ingredients***

Aqua/water - cyclomethicone - dipropylene glycol - glycerin - peg-10 dimethicone - methyl trimethicone - C12-15 alkyl benzoate - dimethicone - CI 77492/iron oxides - disteardimonium hectorite - magnesium sulfate - vinyl dimethicone /methicone silsesquioxane crosspolymer - centella asiatica extract - mel/honey extract - mica - talc - trihydroxystearin - butylene glycol - polyester-1 - aluminum hydroxide - silica dimethyl silylate - palmitic acid - stearic acid - tocopheryl acetate - ethylhexylglycerin - phenoxyethanol - methicone - dimethicone/vinyl imethicone crosspolymer - parfum/fragrance - hexyl cinnamal - alpha-isomethyl ionone - linalool - citronellol - geraniol - eugenol - limonene - CI 77491/iron oxides - CI 77499/iron oxides

### ***Questions or comments?***

Call toll free 1-888-975-2162

### ***Drug Facts***

#### ***Active ingredients***

Ethylhexyl methoxycinnamate / Octinoxate 6.00%

Ethylhexyl salicylate / Octisalate 2.00%

Titanium Dioxide 4.33%

Zinc oxide 1.92%

#### ***Purpose***

Sunscreen

#### ***Uses***

- Helps prevent sunburn

- if used as directed with other sun protection measures [ see *Directions*], decreases the risk of skin cancer and early skin aging caused by the sun

## **Warnings**

For external use only

### **Do not use**

- on damaged or broken skin

### **When using this product**

- keep out of eyes. Rinse with water to remove

### **Stop use and ask a doctor if**

- rash occurs

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses
  - Children under 6 months of age: Ask a doctor.

## **Other information**

- Protect the product in this container from excessive heat and direct sun

## **Inactive ingredients**

qua/water - cyclomethicone - dipropylene glycol - glycerin - peg-10 dimethicone - methyl trimethicone - C12-15 alkyl benzoate - dimethicone - disteardimonium hectorite - magnesium sulfate - vinyl dimethicone/methicone silsesquioxane crosspolymer - centella asiatica extract - mel/honey extract - talc - dimethicone/vinyl dimethicone crosspolymer - phenoxyethanol - ethylhexylglycerin - trihydroxystearin - butylene glycol - mica - aluminum hydroxide - palmitic acid - stearic acid - polyester-1 - silica dimethyl silylate - tocopheryl acetate - methicone - tocopherol - parfum/fragrance - hexyl cinnamal - alpha-isomethyl ionone - linalool - citronellol - geraniol - eugenol - limonene - CI 77492/iron oxides - CI 77491/iron oxides - CI 77499/iron oxides

## Questions or comments?

Call toll free 1-888-975-2162

## Package Labeling:



**erborian**  
KOREAN SKIN THERAPY

**CC CRÈME**  
À LA CENTELLA ASIATICA

HIGH DEFINITION RADIANCE  
FACE CREAM  
SKIN PERFECTOR  
BROAD SPECTRUM SPF 25 SUNSCREEN

CLAIR

1.5 ML NET WT. 0.05 OZ.

CC CRÈME is a multi-purpose formula: this "High Definition" illuminator, with its fine texture, contains encapsulated pigments to enhance your skin's beauty. Upon application, it adapts to your skin tone, naturally revealing a more even, more beautiful complexion.



**erborian**  
KOREAN SKIN THERAPY

**CC CRÈME**  
À LA CENTELLA ASIATICA

HIGH DEFINITION RADIANCE  
FACE CREAM  
SKIN PERFECTOR  
BROAD SPECTRUM SPF 25 SUNSCREEN

DORÉ

1.5 ML NET WT. 0.05 OZ.

CC CRÈME is a multi-purpose formula: this "High Definition" illuminator, with its fine texture, contains encapsulated pigments to enhance your skin's beauty. Upon application, it adapts to your skin tone, naturally revealing a more even, more beautiful complexion.

*background color & images(that is okay to be cut) should be continued in this area*

<p><b>Drug Facts</b></p> <p><b>Active ingredients</b></p> <p>Ethylhexyl methoxycinnamate / Octinoxate 6.00%.....Sunscreen Ethylhexyl salicylate / Octisalate 2.00%.....Sunscreen Titanium dioxide 4.97%.....Sunscreen Zinc oxide 1.92%.....Sunscreen</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>Helps prevent sunburn</li> <li>If used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <p>Do not use on damaged or broken skin</p> <p>When using this product keep out of eyes. Rinse with water to remove</p> <p>Stop use and ask a doctor if rash occurs.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away</p> <p><b>Directions</b></p> <p>For sunscreen use:</p> <ul style="list-style-type: none"> <li>Apply liberally 15 minutes before sun exposure</li> <li>Reapply at least every 2 hours</li> <li>Use a water resistant sunscreen if swimming or sweating</li> <li><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:             <ul style="list-style-type: none"> <li>Limit time in the sun, especially from 10 a.m. - 2 p.m.</li> <li>Wear long-sleeved shirts, pants, hats and sunglasses</li> <li>Children under 6 months of age: ask a doctor</li> </ul> </li> </ul>	<p><b>Drug facts (continued)</b></p> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>Protect the product in this container from excessive heat and direct sun</li> </ul> <p><b>Inactive ingredients</b></p> <p>Aqua/water - cyclomethicone - dipropylene glycol - glycerin - peg-10 dimethicone - methyl trimethicone - C12-15 alkyl benzoate - dimethicone - Ci 77492/iron oxides - disteardimonium hectorite - magnesium sulfate - vinyl dimethicone/methicone silsesquioxane crosspolymer - centella asiatica extract - mel/honey extract - mica - talc - trihydroxystearin - butylene glycol - polyester-1 - aluminum hydroxide - silica dimethyl silylate - palmitic acid - stearic acid - tocopheryl acetate - ethylhexylglycerin - phenoxyethanol - methicone - dimethicone/vinyl dimethicone crosspolymer - parfum/fragrance - hexyl cinnamal - alpha-isomethyl ionone - linalool - citronellol - geraniol - eugenol - limonene - Ci 77491/iron oxides - Ci 77499/iron oxides</p> <p><b>Questions or comments?</b></p> <p>Call toll free 1-888-975-2162</p> <p>[Apply in a fine layer on your face, just like your daily moisturizer.] Tested under dermatological supervision. Non comedogenic. Free sample. Not for sale</p> <p>6AA30184 www.erborian.com Made in South Korea M&amp;L - 108 rue de Richelieu - Paris - France</p> <p style="text-align: center;"><i>This area is for batch code should be blank or light image</i></p>	<p><b>Drug Facts</b></p> <p><b>Active ingredients</b></p> <p>Ethylhexyl methoxycinnamate / Octinoxate 6.00%.....Sunscreen Ethylhexyl salicylate / Octisalate 2.00%.....Sunscreen Titanium dioxide 4.33%.....Sunscreen Zinc oxide 1.92%.....Sunscreen</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>Helps prevent sunburn</li> <li>If used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <p>Do not use on damaged or broken skin</p> <p>When using this product keep out of eyes. Rinse with water to remove</p> <p>Stop use and ask a doctor if rash occurs.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away</p> <p><b>Directions</b></p> <p>For sunscreen use:</p> <ul style="list-style-type: none"> <li>Apply liberally 15 minutes before sun exposure</li> <li>Reapply at least every 2 hours</li> <li>Use a water resistant sunscreen if swimming or sweating</li> <li><b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:             <ul style="list-style-type: none"> <li>Limit time in the sun, especially from 10 a.m. - 2 p.m.</li> <li>Wear long-sleeved shirts, pants, hats and sunglasses</li> <li>Children under 6 months of age: ask a doctor</li> </ul> </li> </ul>	<p><b>Drug facts (continued)</b></p> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>Protect the product in this container from excessive heat and direct sun</li> </ul> <p><b>Inactive ingredients</b></p> <p>Aqua/water - cyclomethicone - dipropylene glycol - glycerin - peg-10 dimethicone - methyl trimethicone - C12-15 alkyl benzoate - dimethicone - disteardimonium hectorite - magnesium sulfate - vinyl dimethicone/methicone silsesquioxane crosspolymer - centella asiatica extract - mel/honey extract - talc - dimethicone/vinyl dimethicone crosspolymer - phenoxyethanol - ethylhexylglycerin - trihydroxystearin - butylene glycol - mica - aluminum hydroxide - palmitic acid - stearic acid - polyester-1 - silica dimethyl silylate - tocopheryl acetate - methicone - tocopherol - parfum/fragrance - hexyl cinnamal - alpha-isomethyl ionone - linalool - citronellol - geraniol - eugenol - limonene - Ci 77492/iron oxides - Ci 77491/iron oxides - Ci 77499/iron oxides</p> <p><b>Questions or comments?</b></p> <p>Call toll free 1-888-975-2162</p> <p>[Apply in a fine layer on your face, just like your daily moisturizer.] Tested under dermatological supervision. Non comedogenic. Free sample. Not for sale</p> <p>6AA30184 www.erborian.com Made in South Korea M&amp;L - 108 rue de Richelieu - Paris - France</p>  <p>8 809255 783551</p>
---	---	---	--

**ERBORIAN DOUBLE SAMPLE CC CREME CLAIR AND DORE SPF 25**  
octinoxate, octisalate, titanium dioxide, zinc oxide kit

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10345-921
--------------	----------------	--------------------	---------------

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10345-921-01	1 in 1 KIT	12/03/2017	

## Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 PACKET	1.5 mL
Part 2	1 PACKET	1.5 mL

## Part 1 of 2

### ERBORIAN - CC CREME HIGH DEFINITION SPF25 CLAIR

octinoxate, octisalate, titanium dioxide, zinc oxide cream

## Product Information

Item Code (Source)	NDC:10345-911
Route of Administration	TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	20 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	43.3 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	19.2 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)	
<b>CENTELLA ASIATICA</b> (UNII: 7M867G6T1U)	
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)	

<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)
<b>ISOMETHYL-.ALPHA.-IONONE</b> (UNII: 9XP4LC555B)
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)
<b>WATER</b> (UNII: 059QF0KO0R)
<b>CYCLOMETHICONE</b> (UNII: NMQ347994Z)
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>METHYL TRIMETHICONE</b> (UNII: S73ZQI0GXM)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)
<b>.BETA.-CITRONELLOL, (R)-</b> (UNII: P01OUT964K)
<b>GERANIOL</b> (UNII: L837108USY)
<b>EUGENOL</b> (UNII: 3T8H1794QW)
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10345-911-01	1.5 mL in 1 PACKET; Type 1: Convenience Kit of Co-Package		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/03/2017	

### Part 2 of 2

### ERBORIAN - CC CREME HIGH DEFINITION SPF 25

octinoxate, octisalate, titanium dioxide, zinc oxide cream

### Product Information

<b>Item Code (Source)</b>	NDC:10345-910
<b>Route of Administration</b>	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	20 mg in 1 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	49.7 mg in 1 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	19.2 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE</b> (UNII: NMQ347994Z)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYL TRIMETHICONE</b> (UNII: S73ZQI0GXM)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)	
<b>CENTELLA ASIATICA</b> (UNII: 7M867G6T1U)	
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TRIHYDROXYSTEARIN</b> (UNII: 06YD7896S3)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>PALMITIC ACID</b> (UNII: 2V16EO95H1)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>METHICONE (20 CST)</b> (UNII: 6777U11MKT)	
<b>.ALPHA.-HEXYLCINNAMALDEHYDE</b> (UNII: 7X6O37OK2I)	
<b>ISOMETHYL-.ALPHA.-IONONE</b> (UNII: 9XP4LC555B)	
<b>LINALOOL, (+/-)-</b> (UNII: D81QY6I88E)	
<b>.BETA.-CITRONELLOL, (R)-</b> (UNII: P01OUT964K)	
<b>GERANIOL</b> (UNII: L837108USY)	
<b>EUGENOL</b> (UNII: 3T8H1794QW)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10345-910-01	1.5 mL in 1 PACKET; Type 1: Convenience Kit of Co-Package		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/03/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/03/2017	

**Labeler** - LABORATOIRES M&L (262533623)

Revised: 1/2025

LABORATOIRES M&L