

**ERBORIAN DOUBLE SAMPLE CC CREME CLAIR AND DORE SPF 25- octinoxate,
octisalate, titanium dioxide, zinc oxide
LABORATOIRES M&L**

ERBORIAN - DOUBLE SAMPLE CC CREME CLAIR & DORE SPF 25

Drug Facts

Active ingredients

Ethylhexyl methoxycinnamate / Octinoxate 6.00%

Ethylhexyl salicylate / Octisalate 2.00%

Titanium dioxide 4.97%

Zinc oxide 1.92%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

1. rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- SunProtectionMeasures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats and sunglasses
 - Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Aqua/water - cyclomethicone - dipropylene glycol - glycerin - peg-10 dimethicone - methyl trimethicone - C12-15 alkyl benzoate - dimethicone - CI 77492/iron oxides - disteardimonium hectorite - magnesium sulfate - vinyl dimethicone /methicone silsesquioxane crosspolymer - centella asiatica extract - mel/honey extract - mica - talc - trihydroxystearin - butylene glycol - polyester-1 - aluminum hydroxide - silica dimethyl silylate - palmitic acid - stearic acid - tocopheryl acetate - ethylhexylglycerin - phenoxyethanol - methicone - dimethicone/vinyl imethicone crosspolymer - parfum/fragrance - hexyl cinnamal - alpha-isomethyl ionone - linalool - citronellol - geraniol - eugenol - limonene - CI 77491/iron oxides - CI 77499/iron oxides

Questions or comments?

Call toll free 1-888-975-2162

Drug Facts

Active ingredients

Ethylhexyl methoxycinnamate / Octinoxate 6.00%

Ethylhexyl salicylate / Octisalate 2.00%

Titanium Dioxide 4.33%

Zinc oxide 1.92%

Purpose

Sunscreen

Uses

- Helps prevent sunburn

- if used as directed with other sun protection measures [see *Directions*], decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients

qua/water - cyclomethicone - dipropylene glycol - glycerin - peg-10 dimethicone - methyl trimethicone - C12-15 alkyl benzoate - dimethicone - disteardimonium hectorite - magnesium sulfate - vinyl dimethicone/methicone silsesquioxane crosspolymer - centella asiatica extract - mel/honey extract - talc - dimethicone/vinyl dimethicone crosspolymer - phenoxyethanol - ethylhexylglycerin - trihydroxystearin - butylene glycol - mica - aluminum hydroxide - palmitic acid - stearic acid - polyester-1 - silica dimethyl silylate - tocopheryl acetate - methicone - tocopherol - parfum/fragrance - hexyl cinnamal - alpha-isomethyl ionone - linalool - citronellol - geraniol - eugenol - limonene - CI 77492/iron oxides - CI 77491/iron oxides - CI 77499/iron oxides


Questions or comments?

Call toll free 1-888-975-2162

Package Labeling:



background color & images(that is okay to be cut) should be continued in this area

<p>Drug Facts</p> <p>Active ingredients</p> <p>Ethylhexyl methoxycinnamate / Octinoxate 6.00%.....Sunscreen Ethylhexyl salicylate / Octisalate 2.00%.....Sunscreen Titanium dioxide 4.97%.....Sunscreen Zinc oxide 1.92%.....Sunscreen</p> <p>Uses</p> <ul style="list-style-type: none"> Helps prevent sunburn If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun <p>Warnings</p> <p>For external use only</p> <p>Do not use on damaged or broken skin</p> <p>When using this product keep out of eyes. Rinse with water to remove</p> <p>Stop use and ask a doctor if rash occurs.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away</p> <p>Directions</p> <p>For sunscreen use:</p> <ul style="list-style-type: none"> Apply liberally 15 minutes before sun exposure Reapply at least every 2 hours Use a water resistant sunscreen if swimming or sweating Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats and sunglasses Children under 6 months of age: ask a doctor 	<p>Drug facts (continued)</p> <p>Other information</p> <ul style="list-style-type: none"> Protect the product in this container from excessive heat and direct sun <p>Inactive ingredients</p> <p>Aqua/water - cyclomethicone - dipropylene glycol - glycerin - peg-10 dimethicone - methyl trimethicone - C12-15 alkyl benzoate - dimethicone - Ci 77492/iron oxides - disteardimonium hectorite - magnesium sulfate - vinyl dimethicone/methicone silsesquioxane crosspolymer - centella asiatica extract - mel/honey extract - mica - talc - trihydroxystearin - butylene glycol - polyester-1 - aluminum hydroxide - silica dimethyl silylate - palmitic acid - stearic acid - tocopheryl acetate - ethylhexylglycerin - phenoxyethanol - methicone - dimethicone/vinyl dimethicone crosspolymer - parfum/fragrance - hexyl cinnamal - alpha-isomethyl ionone - linalool - citronellol - geraniol - eugenol - limonene - Ci 77491/iron oxides - Ci 77499/iron oxides</p> <p>Questions or comments?</p> <p>Call toll free 1-888-975-2162</p> <p>[Apply in a fine layer on your face, just like your daily moisturizer.] Tested under dermatological supervision. Non comedogenic. Free sample. Not for sale</p> <p>6AA30184 www.erborian.com Made in South Korea M&L - 108 rue de Richelieu - Paris - France</p> <p><i>This area is for batch code should be blank or light image</i></p>	<p>Drug Facts</p> <p>Active ingredients</p> <p>Ethylhexyl methoxycinnamate / Octinoxate 6.00%.....Sunscreen Ethylhexyl salicylate / Octisalate 2.00%.....Sunscreen Titanium dioxide 4.33%.....Sunscreen Zinc oxide 1.92%.....Sunscreen</p> <p>Uses</p> <ul style="list-style-type: none"> Helps prevent sunburn If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun <p>Warnings</p> <p>For external use only</p> <p>Do not use on damaged or broken skin</p> <p>When using this product keep out of eyes. Rinse with water to remove</p> <p>Stop use and ask a doctor if rash occurs.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away</p> <p>Directions</p> <p>For sunscreen use:</p> <ul style="list-style-type: none"> Apply liberally 15 minutes before sun exposure Reapply at least every 2 hours Use a water resistant sunscreen if swimming or sweating Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats and sunglasses Children under 6 months of age: ask a doctor 	<p>Drug facts (continued)</p> <p>Other information</p> <ul style="list-style-type: none"> Protect the product in this container from excessive heat and direct sun <p>Inactive ingredients</p> <p>Aqua/water - cyclomethicone - dipropylene glycol - glycerin - peg-10 dimethicone - methyl trimethicone - C12-15 alkyl benzoate - dimethicone - disteardimonium hectorite - magnesium sulfate - vinyl dimethicone/methicone silsesquioxane crosspolymer - centella asiatica extract - mel/honey extract - talc - dimethicone/vinyl dimethicone crosspolymer - phenoxyethanol - ethylhexylglycerin - trihydroxystearin - butylene glycol - mica - aluminum hydroxide - palmitic acid - stearic acid - polyester-1 - silica dimethyl silylate - tocopheryl acetate - methicone - tocopherol - parfum/fragrance - hexyl cinnamal - alpha-isomethyl ionone - linalool - citronellol - geraniol - eugenol - limonene - Ci 77492/iron oxides - Ci 77491/iron oxides - Ci 77499/iron oxides</p> <p>Questions or comments?</p> <p>Call toll free 1-888-975-2162</p> <p>[Apply in a fine layer on your face, just like your daily moisturizer.] Tested under dermatological supervision. Non comedogenic. Free sample. Not for sale</p> <p>6AA30184 www.erborian.com Made in South Korea M&L - 108 rue de Richelieu - Paris - France</p> 
--	--	--	--

ERBORIAN DOUBLE SAMPLE CC CREME CLAIR AND DORE SPF 25
 octinoxate, octisalate, titanium dioxide, zinc oxide kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10345-921
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10345-921-01	1 in 1 KIT	12/03/2017	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 PACKET	1.5 mL
Part 2	1 PACKET	1.5 mL

Part 1 of 2

ERBORIAN - CC CREME HIGH DEFINITION SPF25 CLAIR

octinoxate, octisalate, titanium dioxide, zinc oxide cream

Product Information

Item Code (Source)	NDC:10345-911
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	20 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	43.3 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	19.2 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
CENTELLA ASIATICA (UNII: 7M867G6T1U)	
HONEY (UNII: Y9H1V576FH)	
MICA (UNII: V8A1AW0880)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
PALMITIC ACID (UNII: 2V16EO95H1)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
METHICONE (20 CST) (UNII: 6777U11MKT)	

TOCOPHEROL (UNII: R0ZB2556P8)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
WATER (UNII: 059QF0KO0R)
CYCLOMETHICONE (UNII: NMQ347994Z)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
GLYCERIN (UNII: PDC6A3C0OX)
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
DIMETHICONE (UNII: 92RU3N3Y1O)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)
GERANIOL (UNII: L837108USY)
EUGENOL (UNII: 3T8H1794QW)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10345-911-01	1.5 mL in 1 PACKET; Type 1: Convenience Kit of Co-Package		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/03/2017	

Part 2 of 2

ERBORIAN - CC CREME HIGH DEFINITION SPF 25

octinoxate, octisalate, titanium dioxide, zinc oxide cream

Product Information

Item Code (Source)	NDC:10345-910
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	20 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	60 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	49.7 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	19.2 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLYCERIN (UNII: PDC6A3C0OX)	
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
CENTELLA ASIATICA (UNII: 7M867G6T1U)	
HONEY (UNII: Y9H1V576FH)	
MICA (UNII: V8A1AW0880)	
TALC (UNII: 7SEV7J4R1U)	
TRIHYDROXYSTEARIN (UNII: 06YD7896S3)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
PALMITIC ACID (UNII: 2V16EO95H1)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
GERANIOL (UNII: L837108USY)	
EUGENOL (UNII: 3T8H1794QW)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10345-910-01	1.5 mL in 1 PACKET; Type 1: Convenience Kit of Co-Package		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/03/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/03/2017	

Labeler - LABORATOIRES M&L (262533623)

Revised: 12/2023

LABORATOIRES M&L