PEROXYGUARD 102- hydrogen peroxide teat dip solution AgroChem USA, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

PEROXYGUARD 102

PEROXYGUARD 102

WARNING

KEEP OUT OF REACH OF CHILDREN.

AVOID FREEZING.

KEEP OUT OF DIRECT SUNLIGHT.

CAUSES SERIOUS EYE IRRITATION.

FOR FARM AND INDUSTRIAL USE ONLY.

PREVENTION: Wash skin thoroughly after handling. Wear eye protection/ face protection.

FIRST AID / RESPONSE:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

STORAGE: Store locked up.

DISPOSAL: Dispose of contents/ container to an approved waste disposal plant.

EMERGENCY TELEPHONE NUMBER (Chemtrec) 800-424-9300 CCN205494

NET CONTENTS: 55 Gallons

LOT:

EXP. DATE:

ACTIVE INGREDIENT: Hydrogen Peroxide 1.0%.

Use PeroxyGuard 102 effectively to reduce the spread of mastitis causing rganisms. Recommended for pre milking applications.

DIRECTIONS:

<u>General Use</u>

Ready to use. Do not dilute. Do not mix product with water, any other teat dips, or other product.

Use a teat dip cup to apply. Clean dip cup just prior to use.

If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip.

If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for this product.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product.

Do not reuse or return any unused product to the original container.

This product can also be foamed or sprayed using recommended equipment.

Pre Dipping Use

Perform forestripping and inspect teats for clinical mastitis.

Pre-wash teats thoroughly just prior milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels.

Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product.

Allow product to stand for 30 seconds.

Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

<u>Post Dipping Use</u>

Immediately after each milking, use product.

Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe.

If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

Extended Use

When a cow is being dried off, the teats should be dipped in product, once a day for 3-4 days after the last milking.

Dipping should be resumed at least twice daily one week before calving.

Manufactured By:

AgroChem USA, LLC 26 Freedom Way • Saratoga Springs, NY 12866 • (518)226-4850

PEROXYGUARD 102

TEAT DIP

Dip, Spray, & Foam Use PeroxyGuard 102 effectively to reduce the spread of mastitis causing organisms. Recommended for WARNING pre milking applications. DIRECTIONS: AVOID FREEZING. General Use KEEP OUT OF DIRECT SUNLIGHT. Ready to use. Do not dilute. Do not mix product with water, any other teat dip, or other product. CAUSES SERIOUS EYE IRRITATION. Use a teat dip cup to apply. Clean dip cup just prior to use. KEEP OUT OF REACH OF CHILDREN. If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned FOR FARM AND INDUSTRIAL USE ONLY. and bears the proper container labeling for this product. If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not PREVENTION: Wash skin thoroughly after handling. Wear eye protection/face reuse or return any unused product to the original container. protection. Teat Sprays can also be foamed or sprayed using recommended equipment. FIRSTAID/RESPONSE: IFIN EYES: Rinse cautiously with water for several minutes. Remove contact Pre Dipping Use lenses, if present and easy to do. Continue rinsing. If eve irritation persists: Perform forestripping and inspect teats for clinical mastitis. Get medical advice/attention. Pre-wash teats thoroughly just prior to milking with appropriate udder wash solution or pre-milking teat dip. STORAGE: Store locked up. Teats should then be dried with single-service towels. DISPOSAL: Dispose of contents/container to an approved waste disposal Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup plant. containing product. Allow product to stand for 30 seconds. Wipe teats dry after dipping, using single-service towels to avoid contamination of milk. EMERGENCY TELEPHONE NUMBER (Chemtrec) 800-424-9300 CCN205494 ACTIVE INGREDIENT: Hydrogen Peroxide 1.0% Post Dipping Use EMOLLIENTS: 2.0% Immediately after each milking, use product. Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe. If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor. Extended Use When a cow is being dried off, the teats should be dipped in product, once a day for 3-4 days after the last milking NET CONTENTS: Dipping should be resumed at least twice daily one week before calving. IOT# Manufactured By: AgroChemUSA, LLC EXP: 26 Freedom Wav Saratoga Springs, NY 12866 AgroC Phone: 518-226-4850

PEROXYGUARD 102 hydrogen peroxide teat dip solution **Product Information Product Type** OTC ANIMAL DRUG Item Code (Source) NDC:17307-3010 **Route of Administration** TOPICAL **Active Ingredient/Active Moiety Basis of** Ingredient Name Strength Strength HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE -**HYDROGEN** 0.02 kg UNII: BBX060AN9V) PEROXIDE in 1 kg

In	active Ingredie	ents				
		Strength				
PO	LYSORBATE 20 (UN	NII: 7T1F30V5YH)				
Pa	ackaging					
#	Item Code	Package Description	Marketing	Start Date	Market	ing End Date
1	NDC:17307-3010-1	19 kg in 1 CONTAINER				_
2	NDC:17307-3010-2	57 kg in 1 DRUM				
3	NDC:17307-3010-3	208 kg in 1 DRUM				
4	NDC:17307-3010-4	1041 kg in 1 CONTAINER				
Μ	arketing In	formation				
Marketing Category		Application Number or Monograph Citation		Marketing Start Date		larketing End Date
unapproved drug other				10/27/2023		
oth	er					

Labeler - AgroChem USA, LLC (118336116)

Registrant - AgroChem USA, LLC (118336116)

Establishment								
Name	Address	ID/FEI	Business Operations					
AgroChem USA, LLC		118336116	api manufacture, manufacture, analysis, label, pack					

Revised: 1/2024

AgroChem USA, LLC