

MUCINEX SINUS-MAX SEVERE CONGESTION RELIEF SINUS AND ALLERGY-oxymetazoline hydrochloride solution
RB Health (US) LLC

MUCINEX® SINUS-MAX®
SEVERE NASAL CONGESTION RELIEF SINUS & ALLERGY NASAL SPRAY

Drug Facts

Active ingredient

Oxymetazoline hydrochloride 0.05%

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
 - a cold
 - hay fever or other upper respiratory allergies
- promotes nasal and sinus drainage
- temporarily relieves sinus congestion and pressure
- helps clear nasal passages; shrinks swollen membranes

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland

When using this product

- **do not exceed recommended dosage**
- do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen
- this product may cause temporary discomfort such as burning, stinging, sneezing, or an increase in nasal discharge
- the use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison

Control Center right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril, not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: consult a doctor.

Shake well before use.

To open, hold by the white grips then squeeze, push down firmly and turn cap counterclockwise. Before using for the first time, remove the protective cap from the tip and prime metered pump by depressing firmly several times. To spray, hold bottle with thumb at the base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress pump all the way down with a firm even stroke and sniff deeply. Wipe nozzle clean after use. To close, turn cap clockwise.

DO NOT DISCARD CAP.

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

benzalkonium chloride,
benzododecinium chloride,
cetalkonium chloride, dibasic
sodium phosphate anhydrous,
edetate disodium, glycerin,
monobasic sodium phosphate
anhydrous, myristalkonium
chloride, phosphorous pentoxide,
propylene glycol, purified water,
sodium oxide, sorbitol

Questions?

1-866-MUCINEX (1-866-682-4639) You may also report side effects to this number.

Dist. by: RB Health (US)
Parsippany, NJ 07054-0224

PRINCIPAL DISPLAY PANEL - 22 mL Bottle Carton

NDC 63824-120-11

Mucinex®

SINUS-MAX®

SEVERE
NASAL CONGESTION
RELIEF

SINUS & ALLERGY

NASAL SPRAY

Oxymetazoline HCl 0.05%

Nasal Decongestant

- Fast acting
- Lasts 12 Hours

3/4 FL OZ (22 mL)

Tamper evident: Do not use if printed seal over cap is torn or missing.

Drug Facts

Active ingredient **Purpose**
Oxymetazoline hydrochloride 0.05%...Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
 - a cold
 - hay fever or other upper respiratory allergies
- promotes nasal and/or sinus drainage; temporarily relieves sinus congestion and pressure
- helps clear nasal passages; shrinks swollen membranes

Warnings

Ask a doctor before use if you have

- heart disease ■ high blood pressure
- thyroid disease ■ diabetes
- difficulty in urination due to enlargement of the prostate gland

When using this product

- do not exceed recommended dosage
- do not use this product for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen
- this product may cause temporary discomfort such as burning, stinging, sneezing, or an increase in nasal discharge
- the use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril, not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: consult a doctor. Shake well before use.

To open, hold by the white grips then squeeze, push down firmly and turn cap counterclockwise. Before using for the first time, remove the protective cap from the tip and prime metered pump by depressing firmly several times. To spray, hold bottle with thumb at the base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress pump all the way down with a firm even

Drug Facts (continued)

stroke and sniff deeply. Wipe nozzle clean after use. To close, turn cap clockwise.
DO NOT DISCARD CAP.

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

benzalkonium chloride, benzododecinium chloride, cetalkonium chloride, dibasic sodium phosphate anhydrous, edetate disodium, glycerin, monobasic sodium phosphate anhydrous, myristalkonium chloride, phosphorous pentoxide, propylene glycol, purified water, sodium oxide, sorbitol

Questions?
1-866-MUCINEX (1-866-682-4639)

NDC 63824-120-11

Mucinex
SINUS-MAX

SEVERE NASAL CONGESTION RELIEF

SINUS & ALLERGY

NASAL SPRAY

NASAL SPRAY
Oxymetazoline HCl 0.05%
Nasal Decongestant

- ✓ Fast acting
- ✓ Lasts 12 Hours

3/4 FL OZ (22 mL)



Mucinex
SINUS-MAX

- ✓ **Fast acting relief**
- ✓ **Lasts up to 12 hours, through the day or night**
- ✓ **Targeted nasal congestion relief due to allergies**
- ✓ **Non-drowsy**

Also Available:
Mucinex Sinus-Max Severe Nasal Congestion Relief Clear & Cool Nasal Spray

To open: hold by the white grips then squeeze, push down firmly & turn cap.



To close: turn cap clockwise

KEEP CARTON FOR FULL INFORMATION. Please visit our website www.mucinex.com Patents: www.reckitt.com/patents


reckitt

Dist. by: RB Health (US)
Parsippany, NJ 07054-0224
©2024 RB Health 020624
Made in India

MUCINEX SINUS-MAX SEVERE CONGESTION RELIEF SINUS AND ALLERGY

oxymetazoline hydrochloride solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63824-120
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)		OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL	
Inactive Ingredients				
Ingredient Name			Strength	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)				
SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM (UNII: GR686LBA74)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
GLYCERIN (UNII: PDC6A3C0OX)				
SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM (UNII: 3980JIH2SW)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SORBITOL (UNII: 506T60A25R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-120-11	1 in 1 CARTON	11/01/2018	
1		22 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	11/01/2018		

Labeler - RB Health (US) LLC (081049410)

Revised: 2/2024

RB Health (US) LLC